

Property of KOSCIUSKO COUNTY  
SURVEYORS OFFICE  
Address 100 W CENTER ST  
COURTHOUSE  
Telephone WARSAW, IN 46580

This Book is manufactured using a paper made  
from wood-free materials and is acid-free and  
archive safe.

815260



# SECTION CORNER FIELD BOOK 18 INDEX

STARTED OCT 7, 2019

|                                                       |         |    |
|-------------------------------------------------------|---------|----|
| LAKE S <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 7-30-6  | 1  |
| LAKE SW CORNER SECTION                                | 7-30-6  | 2  |
| LAKE W <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 7-30-6  | 3  |
| LAKE S <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 9-30-6  | 4  |
| LAKE SE CORNER SECTION                                | 9-30-6  | 5  |
| LAKE E <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 10-30-6 | 6  |
| LAKE SW CORNER SECTION                                | 11-30-6 | 7  |
| LAKE S <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 10-30-6 | 8  |
| LAKE SE CORNER SECTION                                | 12-30-6 | 9  |
| LAKE S <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 12-30-6 | 10 |
| LAKE E <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 11-30-6 | 11 |
| LAKE S <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 11-30-6 | 12 |
| LAKE E <sup>1</sup> / <sub>4</sub> CORNER SECTION     | 15-30-6 | 13 |
| PLAIN E <sup>1</sup> / <sub>4</sub> CORNER SECTION    | 11-33-6 | 14 |
| PLAIN W <sup>1</sup> / <sub>4</sub> CORNER SECTION    | 11-33-6 | 15 |
| PLAIN CENTER OF SECTION                               | 11-33-6 | 16 |
| PLAIN SW CORNER SECTION                               | 26-33-6 | 17 |
| FRANKLIN W <sup>1</sup> / <sub>4</sub> CORNER SECTION | 1-31-4  | 18 |
| WAYNE CENTER OF SECTION                               | 34-32-6 | 19 |
| WAYNE W <sup>1</sup> / <sub>4</sub> CORNER SECTION    | 34-32-6 | 20 |
| WAYNE CENTER OF SECTION                               | 33-32-6 | 21 |
| WAYNE CENTER OF SECTION                               | 13-32-6 | 22 |

|            |                                |         |    |
|------------|--------------------------------|---------|----|
| WAYNE      | E $\frac{1}{4}$ CORNER SECTION | 24-32-6 | 23 |
| WAYNE      | S $\frac{1}{4}$ CORNER SECTION | 24-32-6 | 24 |
| CLAY       | N $\frac{1}{4}$ CORNER SECTION | 24-31-6 | 25 |
| CLAY       | W $\frac{1}{4}$ CORNER SECTION | 24-31-6 | 26 |
| CLAY       | E $\frac{1}{4}$ CORNER SECTION | 26-31-6 | 27 |
| CLAY       | E $\frac{1}{4}$ CORNER SECTION | 14-31-6 | 28 |
| CLAY       | NW CORNER SECTION              | 24-31-6 | 29 |
| CLAY       | S $\frac{1}{4}$ CORNER SECTION | 14-31-6 | 30 |
| CLAY       | S $\frac{1}{4}$ CORNER SECTION | 15-31-6 | 31 |
| CLAY       | N $\frac{1}{4}$ CORNER SECTION | 15-31-6 | 32 |
| CLAY       | S $\frac{1}{4}$ CORNER SECTION | 11-31-6 | 33 |
| CLAY       | SE CORNER SECTION              | 11-31-6 | 34 |
| CLAY       | S $\frac{1}{4}$ CORNER SECTION | 12-31-6 | 35 |
| CLAY       | CENTER OF SECTION              | 12-31-6 | 36 |
| WAYNE      | CENTER OF SECTION              | 3-32-6  | 37 |
| WAYNE      | N $\frac{1}{4}$ CORNER SECTION | 12-32-6 | 38 |
| WAYNE      | E $\frac{1}{4}$ CORNER SECTION | 12-32-6 | 39 |
| WAYNE      | CENTER OF SECTION              | 12-32-6 | 40 |
| PRAIRIE    | N $\frac{1}{4}$ CORNER SECTION | 33-33-6 | 41 |
| TIPPECANOE | NW CORNER SECTION              | 36-33-7 | 42 |
| JACKSON    | S $\frac{1}{4}$ CORNER SECTION | 31-31-7 | 43 |
| JACKSON    | E $\frac{1}{4}$ CORNER SECTION | 7-30-7  | 44 |
| JACKSON    | S $\frac{1}{4}$ CORNER SECTION | 7-30-7  | 45 |
| JACKSON    | CENTER OF SECTION              | 15-30-7 | 46 |
| JACKSON    | CENTER OF SECTION              | 27-31-7 | 47 |




|              |                                |         |    |
|--------------|--------------------------------|---------|----|
| JACKSON      | E $\frac{1}{4}$ CORNER SECTION | 27-31-7 | 48 |
| JACKSON      | E $\frac{1}{4}$ CORNER SECTION | 34-31-7 | 49 |
| JACKSON      | S $\frac{1}{4}$ CORNER SECTION | 34-31-7 | 50 |
| JACKSON      | S $\frac{1}{4}$ CORNER SECTION | 35-31-7 | 51 |
| JACKSON      | E $\frac{1}{4}$ CORNER SECTION | 1-30-7  | 52 |
| JACKSON      | CENTER OF SECTION              | 1-30-7  | 53 |
| FRANKLIN     | CENTER OF SECTION              | 1-31-4  | 54 |
| TURKEY CREEK | CENTER OF SECTION              | 30-34-7 | 55 |
| TURKEY CREEK | N $\frac{1}{4}$ CORNER SECTION | 29-34-7 | 56 |
| TURKEY CREEK | NW CORNER SECTION              | 28-34-7 | 57 |
| TURKEY CREEK | N $\frac{1}{4}$ CORNER SECTION | 28-34-7 | 58 |
| TURKEY CREEK | CENTER OF SECTION              | 28-34-7 | 59 |
| TURKEY CREEK | W $\frac{1}{4}$ CORNER SECTION | 28-34-7 | 60 |
| TURKEY CREEK | W $\frac{1}{4}$ CORNER SECTION | 34-34-7 | 61 |
| TURKEY CREEK | CENTER OF SECTION              | 34-34-7 | 62 |
| WASHINGTON   | CENTER OF SECTION              | 26-32-7 | 63 |
| ETNA         | SE CORNER SECTION              | 10-33-4 | 64 |
| ETNA         | CENTER OF SECTION              | 25-33-4 | 65 |
| ETNA         | S $\frac{1}{4}$ CORNER SECTION | 10-33-4 | 66 |
| PLAIN        | S $\frac{1}{4}$ CORNER SECTION | 23-33-6 | 67 |
| SCOTT        | E $\frac{1}{4}$ CORNER SECTION | 24-34-4 | 68 |
| ETNA         | E $\frac{1}{4}$ CORNER SECTION | 10-33-4 | 69 |
| ETNA         | S $\frac{1}{4}$ CORNER SECTION | 11-33-4 | 70 |
| ETNA         | CENTER OF SECTION              | 12-33-4 | 71 |
| ETNA         | N $\frac{1}{4}$ CORNER SECTION | 3-33-4  | 72 |

|       |                                |         |    |
|-------|--------------------------------|---------|----|
| SCOTT | S $\frac{1}{4}$ CORNER SECTION | 27-34-4 | 73 |
| SCOTT | CENTER OF SECTION              | 1-34-4  | 74 |
| SCOTT | NE CORNER SECTION              | 15-34-4 | 75 |
| SCOTT | E $\frac{1}{4}$ CORNER SECTION | 15-34-4 | 76 |
| PLAIN | W $\frac{1}{4}$ CORNER SECTION | 22-33-6 | 77 |
| SCOTT | E $\frac{1}{4}$ CORNER SECTION | 22-34-4 | 78 |

|                                     |     |        |
|-------------------------------------|-----|--------|
| 1/2" x 24" REBAR w/CAP 7.4' TO E/P  | NW  | 32.16' |
| 1/2" x 24" REBAR w/CAP 10.8' TO E/P | NNE | 20.88' |
| NEAREST EDGE RR RAIL FCP            | NE  | 28.42' |

WALKER SURVEY MARCH 3 1993 # 93-04-0970

LAKE 200






|              |         |       |    |        |
|--------------|---------|-------|----|--------|
| S FACE       | RR RAIL | FCP   | N  | 18.25' |
| 1/2" x 24"   | REBAR   | W/CAP | NE | 22.20' |
| N FACE       | RR RAIL | FCP   | S  | 18.3'  |
| NEAREST EDGE | RR RAIL | FCP   | SW | 22.87' |

LAKE 200

2



3" DIA STEEL FCP


NE

9.6'

"WALKER" SURVEY APRIL 27 1998 #98-06-1863

LAKE 200

3






|                                    |     |        |
|------------------------------------|-----|--------|
| NAIL IN B. CAP POWER POLE          | NNW | 20.40' |
| 4" DIA STEEL FCP CUT OFF FLUSH     | N   | 16.7'  |
| NAIL IN B. CAP POWER POLE          | NE  | 56.00' |
| 1/2" x 24" REBAR W/ CAP 8.1 TO E/P | SW  | 32.32' |

'WALKER' SURVEY APRIL 9 1998 #98-07-0483

LAKE 202


4



|                           |    |        |
|---------------------------|----|--------|
| 1/2" x 24" REBAR W/CAP    | NE | 57.52  |
| 1/2" x 24" REBAR W/CAP    | SE | 59.92' |
| NAIL IN B. CAP POWER POLE | SW | 49.56' |

LAKE 202

5



|                          |    |        |
|--------------------------|----|--------|
| E FACE RR RAIL FCP       | W  | 19.60' |
| NAIL IN B CAP POWER POLE | NW | 48.77' |
| W FACE RR RAIL FCP       | E  | 20.1'  |

SURVEY FIELD BOOK 7 Pg 57 JUNE 27 1979 CMB

LAKE 203

6

E 1/4 CORNER  
SECTION 10-30-6  
LAKE TWP PT 70

10/4/19

DE MOYER  
MWHUFFMAN

File

File 0

|        |      |      |
|--------|------|------|
| COUNTY | FARM | ROAD |
|--------|------|------|

FO RR SPIKE 4" DEEP




|                        |    |        |
|------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP | NW | 43.93' |
| 1/2" x 24" REBAR w/CAP | NE | 36.22' |
| 1/2" x 24" REBAR w/CAP | SW | 45.53' |

WARRANTY DEED # 2018081478

LAKE 204

7



|                                     |    |        |
|-------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 4' TO E/P    | SW | 44.94' |
| N FACE RR RAIL FCP "1937"           | S  | 20.90' |
| 1/2" x 24" REBAR w/CAP 11.1' TO E/P | SE | 29.60' |

LAKE 203

8

S 1/4 CORNER  
SECTION 10-30-6  
LAKE TWP PT 86

10/4/19  
DEMOLISHED  
MW HUFFMAN

N

FIELD

CR 1200 S

FIELD

21.3'


FD RR SPIKE 3" DEEP

|                           |     |        |
|---------------------------|-----|--------|
| 1/2" x 24" REBAR w/CAP    | NNE | 47.98' |
| NAIL IN B. CAP POWER POLE | NE  | 49.30' |
| USGS S 870 1992           | SE  | 34.15' |

"WALKER" SURVEY MAY 19 2003 #99.05-0672

LAKE 205

9



|                                      |    |        |
|--------------------------------------|----|--------|
| NAIL IN B. CAP POWER POLE            | SW | 47.55' |
| NAIL IN B. CAP POWER POLE            | NW | 29.20' |
| 1/2" x 24" REBAR W/ CAP 11.4' TO E/P | SE | 24.15' |
| 6" DIA WOOD FCP                      | S  | 20.4'  |

"WALKER" SURVEY MAY 19 2003 #99-05-0672


LAKE 205

10

S 1/4 CORNER  
SECTION 12-30-6  
LAKE TWP PT 90

10/23/19  
JR MOYER  
MWHUFFMAN

N



FOR RR SPIKE



|                                    |    |        |
|------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 10.6 TO E/P | NE | 35.13' |
| 1/2" x 24" REBAR w/CAP 7.6 TO E/P  | SE | 22.97' |
| E FACE AT BASE 8" SQ CONC FCP      | W  | 21.51' |

LAKE 204


11

E 1/4 CORNER  
SECTION 11-30-6  
LAKE TWP PT 68

10/23/19

DEMOYER  
M.W. HUFFMAN

N



FD 2" PK NAIL 2" OSEP  
REPLACED WITH MAG  
NAIL w/ CO TAG



|                              |     |        |
|------------------------------|-----|--------|
| NAIL IN B. CAP POWER POLE    | NNE | 19.63' |
| FD 5/8" REBAR NO CAP 6" DEEP | NE  | 53.87' |
| FD PK NAIL 3" DEEP           | E   | 50.0'  |


"LONG" SURVEY JULY 12 2001 #2001080699  
 "KIMPEL" SURVEY JULY 24 2012 #2012081531

LAKE 204

12

S 1/4 CORNER  
 SECTION 11-30-6  
 LAKE TWP PT 88

10/23/19  
 DEMOLVED  
 MW HUFFMAN



FD MAG NAIL  
 NO TAG 3" DEEP  
 REPLACED MAG NAIL  
 W/ CO TAG

|                                    |    |        |
|------------------------------------|----|--------|
| FO 3/4" IRON BAR IN CONC FLUSH     | W  | 23.70' |
| 1/2" x 24" REBAR w/CAP 6.8' TO E/P | NW | 24.56' |
| 1/2" x 24" REBAR w/CAP 4.4' TO E/P | NE | 24.50' |

QUITCLAIM DEED #2012051041  
 "BUNNELL" SURVEY FEB 9 2010 #2010020441


LAKE 203

13

E 1/4 CORNER  
 SECTION 15-30-6  
 LAKE TWP PT 96

10/23/19  
 SR MOVER  
 NW HUFFMAN

N






|                                       |    |        |
|---------------------------------------|----|--------|
| NAIL IN B CAP "WABASH VALLEY" P. POLE | NW | 55.69' |
| 1/2" x 24" REBAR w/CAP                | NE | 42.62' |
| 1/2" x 24" REBAR w/CAP                | SE | 38.93' |

"WALKER" SURVEY May 17 2013 # 2013091071

PLAIN 252

14




|                                        |     |        |
|----------------------------------------|-----|--------|
| NAIL IN B. CAP "WABASH VALLEY" P. POLE | WNW | 17.55' |
| 1/2" x 24" REBAR w/ CAP 5.7 TO E/P     | NE  | 41.15' |
| 1/2" x 24" REBAR w/ CAP 7.1' TO E/P    | SE  | 27.80' |
| ± RR RAIL FCP                          | E   | 19.'   |

"WALKER" SURVEY MAY 17 2013 # 2013091071

PLAIN

15





RR RAIL POST

N 15.65'

"KIMPEL" SURVEY AUG 28 2007 #200700013800

"WALKER" SURVEY MAY 17 2013 #2013091071

PLAIN 252

16

CENTER OF SECTION  
SECTION 11-33-6  
PLAIN TWP PT 43

11/6/19

REMOVED  
MHW LUFFMAN

TREE ROW

2647.17'

FIELD

FO RR RAIL FCP

W 1/4 CORNER  
SECTION 11

3" SQ CONG MONUMENT

SE

1.0'

DEED RECORD 314 P. 326

"WALKER" SURVEY MARCH 3 1999 #99-12-144Z

"HUFFMAN" SURVEY MAY 6 2012 #2012080065

PLAIN 276

17

SW CORNER

SECTION 26-33-6

PLAIN TWP PT 139

11/6/19

SR MOYER

MW HUFFMAN

N

WETLAND

FENCE

REMAINS

WETLAND

FO 1/2 x 12" REBAR  
NO CAP




|                                     |    |        |
|-------------------------------------|----|--------|
| 2 1/2" DIA STEEL FCP FLUSH          | E  | 20.0'  |
| 1/2" X 24" REBAR W/CAP 11.2' TO E/P | NE | 23.39' |
| FO KIMPEL CAPPED IRON               | W  | 22.28' |
| NAIL IN B. CAP POWER POLE           | W  | 21.60' |

"WALKER" SURVEY OCT 1 2001

"KIMPEL" SURVEY OCT 22 2010 # 2011010135

FRANKLIN 52

18





WAYNE  
556

19

CENTER OF SECTION  
SECTION 34-32-6  
WAYNE TWP PT 182

11/14/19

DR MOYER  
MW LUFFMAN



FIELD

FIELD

FO RAILROAD RAIL FLP

"KIMPEL" SURVEY JAN 19 2006 # 2006000003467

RAILROAD RAIL POST

E

2.65'

"WALKER" SURVEY SEPT 26 1994 # 95-01-0101  
WARRANTY DEED # 2009010397

WAYNE 556

20



11/14/19

REMOVER  
MWHUFFMAN

W 1/4 CORNER  
SECTION 34-32-6  
WAYNE TWP PT 183

WOODED  
AREA

FIELD



FIELD

FO 3" DIA STEEL  
FLP



CENTER OF SECTION  
SECTION 33-32-6  
WAYNE TWP PT 184

11/14/19

DEMOYER  
MWHUFFMAN

Z

N

WETLANDS

WOODED  
AREA

WETLANDS


FO RAILROAD RAIL FCP  
LEANING NORTH

"WALKER" SURVEY SEPT 26 1994 #95-01-0101



CENTER OF SECTION  
SECTION 13-32-6  
WAYNE TWP Pt 82

11/14/19  
DR MOVED  
M/W HUFFMAN  
N



WILLIES EAST RIDGE ADDITION P.B. 7 P. 108

TELEPHONE POLE FCP

E

16'

QUIT CLAIM DEED #2015030408

WAYNE 546

23

N

11/14/19

REMOVED  
MWHUFFMAN

WOODED  
AREA

x x

WOODED  
AREA

E 1/4 CORNER  
SECTION 24-32-6  
WAYNE TWP PT 113

x  
x  
16' O

FIELD

FO RAILROAD RAIL FCP



"WALKER" SURVEY MAY 29 2012 #2012081842

"WARRANTY DEED" #2017081124

WAYNE 546

24



11/14/19

REMOVED  
MWHUFFMAN

S 1/4 CORNER  
SECTION 24-32-6  
WAYNE TWP R-143

FIELD

WOODED  
AREA

FO 4" DIA STEEL FCP  
IN CONC FLUSH

SET "T" POST INSIDE




|                                   |    |        |
|-----------------------------------|----|--------|
| SE CORNER AT BASE 12" SQ CONC FCP | N  | 20.0'  |
| NAIL IN B. CAP POWER POLE         | SE | 34.96' |
| N. FACE RR RAIL FCP               | S  | 23.98' |
| 1/2" x 24" REBAR 13.7' TO E/P     | SW | 56.76' |

"WALKER" SURVEY DEC 1995 #96-03-1237

"MICHEL" SURVEY APRIL 27 2006 #200600006055

CLAY 24

25



|                        |              |    |        |
|------------------------|--------------|----|--------|
| 1/2" x 24" REBAR W/CAP | 3' TO FENCE  | NW | 25.18' |
| 1/2" RR RAIL FCP       |              | E  | 19.6'  |
| 1/2" x 24" REBAR W/CAP | 28' TO FENCE | SW | 23.25' |
| 1/2" RR RAIL FCP       |              | W  | 19.75' |


WARRANTY DEED #2019100496

CLAY 24

26

W 1/4 CORNER  
SECTION 24-31-6  
CLAY TWP RT 94

11/20/19  
DEMOYER  
MWHUFFMAN






|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 5.3 TO E/P | NW | 22.52' |
| W FACE RR RAIL FCP                | E  | 17.65' |
| 1/2" x 24" REBAR w/CAP 7.5 TO E/P | SW | 20.80' |
| E FACE 10" SO CONC FCP            | W  | 17.60' |

WARRANTY DEED # 2016100063

CLAY 26

27





|                        |             |     |        |
|------------------------|-------------|-----|--------|
| 1/2" x 24" REBAR w/CAP | 5.2' to E/P | WSW | 12.90' |
| 1/2" x 24" REBAR w/CAP | 5.8' to E/P | NE  | 27.10' |
| 1/2" x 24" REBAR w/CAP | 5' to E/P   | SE  | 24.50' |

"McCREA" SURVEY # 2014010544  
 WARRANTY DEED # 2014050394

CLAY 14


28



11/20/19

JR MOYER  
 MWHUFFMAN

E 1/4 CORNER  
 SECTION 14-31-6  
 CLAY TWP PT 68




|                           |     |        |
|---------------------------|-----|--------|
| NAIL IN B. CAP POWER POLE | NNE | 60.67' |
| SW CORNER RR RAIL FCP     | NE  | 42.78' |
| 1/2" x 24" REBAR w/CAP    | SE  | 36.95' |
| NAIL IN B. CAP POWER POLE | SW  | 62.36' |

"WALKER" SURVEY JULY 25, 2008 \*2008080375

CLAY 24

29





|                           |             |    |        |
|---------------------------|-------------|----|--------|
| 1/2" x 24" REBAR W/CAP    | 6.75 TO E/P | NW | 21.31' |
| 1/2" x 24" REBAR W/CAP    | 6.8 TO E/P  | NE | 25.11' |
| NAIL IN B. CAP POWER POLE |             | SE | 43.33' |


"MICHEL" SURVEY AUGUST 31 2005 #200500017335

CLAY<sub>14</sub>

30

S 1/4 CORNER  
SECTION 14-31-6  
CLAY TWP PT 88

11/20/19  
JRM OYER  
MWHUFFMAN




|                                    |    |        |
|------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 7.7' to E/P | NW | 27.80' |
| S FACE RR RAIL FCP                 | N  | 20'    |
| N FACE 12" DIA CONC FCP            | S  | 20.3'  |
| NAIL IN B. CAP POWER POLE          | SW | 20.14' |

"KIMPEL" SURVEY APRIL 1 1998 #98-04-1043

CLAY 15

31

S 1/4 CORNER  
SECTION 15-31-6  
CLAY TWP PT 86





|                                                |    |        |
|------------------------------------------------|----|--------|
| NAIL IN B. CAP POWER POLE                      | NE | 28.72' |
| FO "McCREA" CAPPED IRON                        | S  | 30.00' |
| NAIL IN B. CAP POWER POLE <sup>REMC</sup> 4383 | SW | 36.05' |


QUITCLAW DEED # 2017061010

CLAY 15

32

11/20/19  
JRM OYER  
MWHUFFMAN

N 1/4 CORNER  
SECTION 15-31-6  
CLAY TWP PT 60




FO PK NAIL 3" DEEP

|                                    |     |        |
|------------------------------------|-----|--------|
| NAIL IN B. CAP POWER POLE          | NW  | 30.55' |
| 1/2" x 24" REBAR W/CAP 7.8' TO E/P | NE  | 22.78' |
| NAIL IN B. CAP POWER POLE          | SSW | 23.80' |
| FO 1/2" REBAR NO CAP               | S   | 20.05' |

"WALKER" SURVEY JANUARY 30 1992 #92-07-0751

CLAY 11

33






|                           |     |        |
|---------------------------|-----|--------|
| NAIL IN B. CAP POWER POLE | NW  | 68.37' |
| Ø RR RAIL FCP             | NNW | 20.75' |
| ½" x 24" REBAR W/CAP      | SE  | 35.05' |
| NAIL IN B. CAP POWER POLE | SW  | 45.43' |

SURVEY FIELD BOOK 11 Pg 7 SEPT 13 1976  
 "KIMPEL" SURVEY JAN 6 1996 # 96-02-0061

CLAY 11

34

SE CORNER  
 SECTION 11-31-6  
 CLAY TWP PT 63



|                                  |    |        |
|----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 6" to E/P | SW | 24.03' |
| NAIL IN B. CAP POWER POLE        | NE | 59.24' |

|                            |    |         |
|----------------------------|----|---------|
| OLD TIES FROM 1976         |    | /       |
| SE CORNER HOUSE FOUNDATION | NW | 31.20'  |
| SW CORNER BARN             | NE | 124.45' |
| NW EDGE RR RAIL FCP        | SE | 28.21'  |

SURVEY FIELD BOOK 11 Pg 7 SEPT 13 1976


CLAY 12

35

S 1/4 CORNER  
SECTION 12-31-6  
CLAY TWP PT GA

11/20/19

DRAGYER  
MWHUFFMAN





|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 9.6 to E/P | NW | 21.28' |
| S FACE 4" x 8" I-BEAM FCP         | N  | 17.25' |
| 1/2" x 24" REBAR w/CAP 9.8 to E/P | NE | 20.76' |

"MICHEL" SURVEY APRIL 10 2006 #200600006068

CLAY/12

36

CENTER OF SECTION  
SECTION 12-31-6  
CLAY TWP RT 41

11/20/19  
DRMOYER  
MWHUFFMAN

N

YARD

11.9'

4'

CR 550 S

FORR SPIKE 3" DEEP

CENTER OF SECTION  
SECTION 3-32-6  
WAYNE TWP PT 22

11/21/19  
SRMOYER  
MWHUFFMAN

N

x

x

WOODED  
AREA

x — x —

o

WOODED  
AREA

x

x

FO 10" DIA  
CONE FCP

"MICHEL" SURVEY SEPT 11 2003 #2003111250  
"MICHEL" SURVEY OCT 4 2011 #2012010820



|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 6' to E/P  | NW | 27.50' |
| 1/2" RR RAIL FCP                  | N  | 20.15' |
| 1/2" x 24" REBAR w/CAP 10' to E/P | NE | 38.06' |

"WALKER" SURVEY DEC 15 2003 # 20040001887  
 "MICHEL" SURVEY NOV 4 2005 # 200500018591

WAYNE 534

38



11/21/19

DE MOYER  
MWHUFFMAN

N 1/4 CORNER  
SECTION 12-32-6  
WAYNE TWP PT 47

WOODED AREA

0 23.2' I 31.3' 0

CR 100N

FIELD

FD PK NAIL 2" DEEP

E 1/4 CORNER  
SECTION 12-32-6  
WAYNE TWP PT 49

11/21/19  
SR MOYER  
MW HUFFMAN

N

N

FIELD

FIELD


FORD RAIL FCP

WAYNE TWP  
WASHINGTON TWP

"WALKER" SURVEY DEC 15 2003 #200400001907



CENTER OF SECTION  
SECTION 12-32-6  
WAYNE TWP RT 50



WOODED  
AREA



WOODED  
AREA



FO RR RAIL FCP

"MICHEL" SURVEY MARCH 29 2007 # 200700005719

"MICHEL" SURVEY JUNE 17 2005 #200500009806

PRAIRIE 310

41

N $\frac{1}{4}$  CORNER  
SECTION 33-33-5  
PRAIRIE TWP PT 136

11/21/19

JR MOYER  
MWHUFFMAN

OPEN  
AREA

AREA

DITCH

WOODED

FD 5/8" DEBAR  
FLUSH

RR RAIL

CONC CORNER  
POST

FIELD



|                          |   |      |
|--------------------------|---|------|
| WOODEN RR TIE FENCE POST | E | 9'   |
| 8" DIA WOOD FENCE POST   | S | 8.5' |

"MICHEL" SURVEY JUNE 2 2006 # 200600013953

TIPPECANOE 408

42




11/25/19

JD MOYER

MW HUFFMAN

N/W CORNER  
SECTION 36-33-7  
TIPPECANOE TWP PT 141




|                           |            |    |        |
|---------------------------|------------|----|--------|
| 1/2" x 24" REBAR w/CAP    | G.2 TO E/P | NW | 21.43' |
| NAIL IN B. CAP POWER POLE |            | NE | 53.38' |
| FO MAG NAIL NO TAG        |            | E  | 49.98' |

"MICHEL" SURVEY JULY 1 2005

JACKSON 157

43





|                                     |    |        |
|-------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 12.2' to E/P | NW | 26.43' |
| 4 REBAR FCP                         | E  | 17.9'  |
| 1/2" x 24" REBAR w/CAP 13.4' to E/P | SW | 26.38' |

"MICHEL" SURVEY MARCH 23 2007


JACKSON 139

44

E 1/4 CORNER  
SECTION 7-30-7  
JACKSON TWP RT 102

11/26/19

DR MOYER  
M W HUFFMAN



|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 6 TO E/P   | NW | 21.00' |
| S FACE RR RAIL FCP                | N  | 22.35' |
| 1/2" x 24" REBAR w/CAP 8.5 TO E/P | NE | 29.40' |

"MICHEL" SURVEY MARCH 23 2007  
 "STEVENS" SURVEY JUNE 1 2010 # 2010080835

JACKSON 139


45



11/26/19

DR MOYER  
 MW HUFFMAN

S 1/4 CORNER  
 SECTION 7-30-7  
 JACKSON TWP PT 106






|                           |              |    |        |
|---------------------------|--------------|----|--------|
| 1/2" x 24" REBAR w/CAP    | 11.3' TO E/P | SW | 29.96' |
| N FACE 4" x 8" I-BEAM FCP |              | S  | 19.15' |
| 1/2" x 24" REBAR w/CAP    | 8' TO E/P    | SE | 29.25' |

"MAURER" SURVEY OCT 12 1991 # 92-01-0528

JACKSON<sub>147</sub>

46




|                                     |    |        |
|-------------------------------------|----|--------|
| S FACE RR RAIL FCP                  | N  | 20.00' |
| 1/2" x 24" REBAR W/CAP 13.7' TO E/P | SE | 35.60' |
| 1/2" x 24" REBAR W/CAP 12.3' TO E/P | SW | 22.90' |

SURVEY RECORD BOOK 2 (COPY) Pg 368 APRIL 25, 1871  
"STONE IN ROAD"

WARRANTY DEED #2015121283

JACKSON 153

47






"MICHEL" SURVEY NOV 16 2009

48

12/4/19

JR MOYER  
MWHUFFMAN




|                                     |    |        |
|-------------------------------------|----|--------|
| 1/2" x 24" REBAR w/ CAP 10.6 TO E/P | NW | 26.29' |
| SW EDGE RR RAIL FCP                 | NE | 28.55' |
| FO PK NAIL "FANGER" CAP POWER POLE  | SE | 36.70' |
| E FACE RR RAIL FCP                  | W  | 18.70' |

TRUSTEES DEED #2017020843

JACKSON 160

49






|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR W/CAP 58' TO E/P | NW | 25.12' |
| 1/2" x 24" REBAR W/CAP 76' TO E/P | NE | 22.00' |
| N FACE AT TOP 6" DIA STEEL FCP    | S  | 23.20' |

JACKSON 160

50

S 1/4 CORNER  
SECTION 34-31-7  
JACKSON TWP PT 60

12/4/19  
SR MOYER  
MW HUFFMAN




|                          |    |        |
|--------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP   | NW | 39.74' |
| NAIL IN B. CAP REMC 5831 | NE | 28.20' |
| NAIL IN B. CAP TEL POLE  | SE | 52.83' |
| FO RR SPIKE FLUSH        | E  | 77.95' |

QUITCLAIM DEED 201300715  
"MICHEL" SURVEY MAY 3 2013

JACKSON 161

51






|                                   |     |        |
|-----------------------------------|-----|--------|
| 1/2" x 24" REBAR w/CAP 13' to E/P | NW  | 21.25' |
| 1/2" x 24" REBAR w/CAP 8' to E/P  | NNE | 20.15' |
| NW CORNER 8' CONC FCP             | S   | 20.30' |
| 1/2" x 24" REBAR w/CAP 8' to E/P  | SW  | 29.28' |

JACKSON 133


52



|                                   |     |        |
|-----------------------------------|-----|--------|
| SW CORNER CONC FCP                | N   | 20.2'  |
| NAIL IN B. CAP POWER POLE         | NNE | 18.75' |
| FACE 2" DIA STEEL FCP             | S   | 20.05' |
| 1/2" x 24" REBAR w/CAP 8' to 5' P | SW  | 35.17' |

JACKSON 133

53





36" DIA MAPLE

W 8'

FRANKLIN  
52

54

CENTER OF SECTION  
SECTION 1-31-4  
FRANKLIN TWP PT 17

2/24/20

JRM/ER

N

WOODED  
AREA

FIELD


FIELD

FO RR RAIL FLP

|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 7' to E/P  | NW | 38.80' |
| CORNER 3" ANGLE IRON FCP          | N  | 27.40' |
| NAIL IN B. CAP POWER POLE #8682   | SE | 25.27' |
| 1/2" x 24" REBAR w/CAP 12' to E/P | SW | 33.73' |

TURKEY CREEK  
438

55





|                                     |     |        |
|-------------------------------------|-----|--------|
| NAIL IN B. CAP TOP OF FCP           | NNW | 25.98' |
| 1/2" x 24" REBAR W/CAP 20' TO E/P   | SE  | 34.96' |
| FO 5/8" REBAR W/CAP FLUSH           | S   | 20.15' |
| 1/2" x 24" REBAR W/CAP 15.3' TO E/P | SW  | 27.60' |


TURKEY CREEK  
437

56

N 1/4 CORNER  
SECTION 29-34-7  
TURKEY CREEK TWP R 108

6/19/20


JR MOYER  
MWHUFFMAN



|                                     |    |        |
|-------------------------------------|----|--------|
| NAIL IN B. CAP POWER POLE           | NE | 28.50' |
| 1/2" x 24" REBAR W/CAP 12.5' TO E/P | SE | 40.84' |
| 1/2" x 24" REBAR W/CAP 10' TO E/P   | SW | 25.15' |

TURKEY CREEK 436

57






|                                   |     |        |
|-----------------------------------|-----|--------|
| S FACE RR RAIL FCP                | N   | 19.65' |
| 1/2" x 24" REBAR w/CAP 8' to E/P  | NE  | 27.60' |
| NAIL IN B. CAP POWER POLE         | ENE | 52.77' |
| 1/2" x 24" REBAR w/CAP 11' to E/P | SE  | 24.68' |
| N FACE 8" SO WOOD FCP             | S   | 21.9'  |

"KIMPEL" SURVEY Nov 25, 1998 #99-11-0712

TURKEY CREEK  
436

58




|                                   |    |        |
|-----------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 10' to E/P | NW | 26.27' |
| 2 1/2" DIA STEEL FCP              | N  | 19.95' |
| 1/2" x 24" REBAR w/CAP            | SW | 24.44' |

"KIMPEL" SURVEY OCT 19 2011 # 2011100730

TURKEY CREEK 4360

59





|                        |             |     |        |
|------------------------|-------------|-----|--------|
| 1/2" x 24" REBAR w/CAP | 9.6 TO E/P  | NNE | 20.03' |
| 1/2" x 24" REBAR w/CAP | 10.3 TO E/P | SE  | 26.30' |
| 1/2" x 24" REBAR w/CAP | 10.5 TO E/P | SW  | 33.40' |

TURKEY CREEK  
436

60




6/19/20

DR MOYER  
MW HUFFMAN

W 1/4 CORNER

SECTION 28-34-7

TURKEY CREEK TWP PT 126



JUNE 14 2006 MEK

RIP

WNW 43.78' ✓

RIP

SW 55.98' ✓

BRIDGE BEAM

SE 25.45' ✓

TURKEY CREEK  
442

61

W 1/4 CORNER


SECTION 34-34-7

TURKEY CREEK TWP PT 150

6/19/20

SR MOYER

MW HUFFMAN





|                                                           |     |        |
|-----------------------------------------------------------|-----|--------|
| FO RR SPIKE NIPSCO P POLE <sup>689</sup> / <sub>207</sub> | WNW | 41.12' |
| FO 1/2" REBAR W/CAP                                       | NE  | 56.38' |
| NAIL IN B. CAP P POLE                                     | ESE | 64.58' |

# TURKEY CREEK 44Z

62




N

6/19/20

DR MOYER

M W HUFFMAN

CENTER OF SECTION  
SECTION 34-34-7  
TURKEY CREEK TWP Pt 149



NOAA  
DOPPLER SITE

FO HARRISON  
MONUMENT  
FLUSH

|                                    |    |        |
|------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP 6.7' TO E/P | NE | 22.68' |
| 1/2" x 24" REBAR w/CAP 12' TO E/P  | SE | 26.47' |
| 1/2" x 24" REBAR w/CAP 12' TO E/P  | SW | 23.94' |

"WALKER" SURVEY DEC 9, 2010 # 2011040125

WASHINGTON  
506


63

CENTER OF SECTION  
SECTION 26-32-7  
WASHINGTON TWP R 121

6/10/20

DR MOYER  
MWHUFFMAN

N



FO MAG NAIL NO TAG  
REPLACED w/ MAG NAIL w/ CO  
TAG



|                         |      |     |        |
|-------------------------|------|-----|--------|
| FD MAG NAIL REMC POLE   | 5652 | NNW | 37.53' |
| EAST FACE RAILROAD RAIL | F2P  | W   | 24.68' |
| FD MAG NAIL REMC POLE   | 5653 | ENE | 96.70' |

ETNA 34

64

SE CORNER  
SECTION 10-33-4  
ENATWPP T 31

6/11/20

DEMOVED  
MWHUFFMAN

YARD

$C \approx 600 \text{ N}$

STATE ROAD 19

## DANGER DITCH

FO HARRISON  
MONUMENT  
FLUSH

|                                    |    |        |
|------------------------------------|----|--------|
| EAST FACE RR RAIL FCP              | W  | 12.36' |
| NAIL W B. CAP POWER POLE           | SW | 30.00' |
| 1/2" x 24" REBAR W/CAP 7.8' TO E/P | SE | 62.98' |

"WALKER" SURVEY OCT 26, 2004 # 200400018445


ETNA 43

65

6/11/20  
JRM OYER  
MWHUFFMAN

N

CENTER OF SECTION  
SECTION 25-33-4  
ETNA TWP PT 65





|                                  |    |         |
|----------------------------------|----|---------|
| 1/2" x 24" REBAR w/CAP 3' TO E/P | NW | 24.78'  |
| NAIL IN B. CAP WOOD FCP          | E  | 12.89'  |
| 1/2" x 24" REBAR w/CAP 3' TO E/P | SW | 22.30'  |
| FO 1/2" IRON PIN                 | E  | 256.35' |


"KIMPEL" SURVEY JULY 10 1998 # 99-08-0711

ETNA 34

666

S 1/4 CORNER  
SECTION 10-33-4  
ETNA TWP PT 30

6/11/20  
DEMOYER  
MWHUFFMAN  
N



SET 1/2" x 24"  
REBAR w/CAP  
4" DEEP

FO MAG NAIL NO TAG


N

513.82'

HAWTHORN PLASE II Rat Book 13 Pg 55  
SURVEY RECORD BOOK 4 Pg 42 AUG 12 1912  
"KIMPEL" SURVEY JAN 11 2005 #200500000783

PLAIN  
264

67





|                                   |     |         |
|-----------------------------------|-----|---------|
| FO RR SPIKE 3' DEEP (WELD)        | W   | 262.00' |
| NAIL IN B CAP NIPSCO POLE 672/945 | WNW | 68.91'  |
| NW CORNER RR RAIL FCP             | SE  | 28.2'   |
| 1/2" x 24" REBAR W/CAP            | SW  | 33.28'  |
| FO MAG NAIL FLUSH 6.39' W 0.27' N |     |         |

"WALKER" SURVEY MAY 7 1996


SCOTT  
325

68

E 1/4 CORNER  
SECTION 24-34-4  
SCOTT TWP PT 50

6/17/20

REMOVED  
MWHUFFMAN




|                                    |     |        |
|------------------------------------|-----|--------|
| MAG NAIL w/CO TAG IN ASPHALT       | NNE | 75.50' |
| MAG NAIL w/CO TAG IN ASPHALT       | NNW | 77.98' |
| NORTH EDGE OF CONC BRIDGE APPROACH |     | 71.04' |
| WEST FACE CONC RAILING             | E   | 10.50' |
| STATE ROAD 19 PHYSICAL PAV         | W   | 7.8'   |

STATE HIGHWAY ROAD & BRIDGE PLAN SEPT 1981  
 "HUFFMAN" SURVEY MAY 15, 2010 # 2010080651

ETNA 34

69





|                                    |    |        |
|------------------------------------|----|--------|
| NAIL W B CAP POWER POLE            | NW | 30.21' |
| SW CORNER RR RAIL FCP              | NE | 33.20' |
| 1/2" x 24" REBAR W/CAP 5.5' TO E/P | SW | 31.30' |

80.14 : 5289.24  
2644.62

"KEMPER" SURVEY MARCH 7 1994


ETNA 35

70

S 1/4 CORNER  
SECTION 11-33-4  
ETNA TWP PT 32

6/24/20

DR MOYER  
MWHUFFMAN



SET 1/2" x 24" REBAR  
W/CAP AT

|                                  |     |        |
|----------------------------------|-----|--------|
| ⊥ RR RAIL FCP                    | W   | 10.23' |
| 1/2" x 24" REBAR w/CAP 6' to E/P | NE  | 28.45' |
| NAIL IN B. CAP P. POLE           | ESE | 19.66' |

WARRANTY DEED #2020050059 May 4 2020


ETNA 36

71

CENTER OF SECTION  
SECTION 12-33-4  
ETNA TWP PT 23

6/24/20

DEMOVER  
M.W. HUFFMAN



BYRER ROAD


FO 1/2" IRON PIPE  
4' DEEP



|                                             |    |        |
|---------------------------------------------|----|--------|
| NAIL IN B. CAP NPSCO POLE $\frac{294}{510}$ | NW | 33.10' |
| $\frac{1}{2}$ " x 24" REBAR w/CAP           | N  | 13.52' |
| SW CORNER RR RAIL FCP                       | NE | 39.98' |
| NAIL IN B. CAP POWER POLE                   | SE | 35.22' |

ETNA  
33

72




|                                    |    |        |
|------------------------------------|----|--------|
| 1/2" x 24" REBAR w/CAP             | SW | 35.94' |
| CUT OFF RR RAIL FCP 6" DEEP        | S  | 20.15' |
| NAIL IN B. CAP NIPSCO POLE 601/834 | SE | 28.61' |

"McCREA" SURVEY 12/10/08 #2009090906

SCOTT 328

73






|                               |                   |    |        |
|-------------------------------|-------------------|----|--------|
| FD MAG NAIL NIPSCO POLE       | $\frac{694}{077}$ | N  | 16.15' |
| NAIL IN B CAP NIPSCO POLE     | $\frac{696}{899}$ | SE | 71.60' |
| NAIL IN B CAP WOOD FENCE POST |                   | SW | 46.38' |

SCOTT 314

74

CENTER OF SECTION  
SECTION 1-34-4  
SCOTT TWP PT 9

6/25/20  
REMOVED  
MWHUFFMAN




|                                                          |    |        |
|----------------------------------------------------------|----|--------|
| FO 1/2" REBAR w/CAP                                      | NW | 41.90' |
| FO MAG NAIL NIPSCO POLE <sup>1054</sup> / <sub>507</sub> | SE | 29.05' |
| FACE 3 1/2" DIA STEEL FCP                                | SW | 31.15' |

SCOTT 322

75

NE CORNER  
SECTION 15-34-4  
SCOTT TWP PT 31

6/25/20  
JR MOYER  
MW HUFFMAN






|                                 |    |        |
|---------------------------------|----|--------|
| SE CORNER CONC BLOCK FOUNDATION | NW | 46.35' |
| NAIL IN B. CAP 6" Dia WOOD FCP  | SE | 38.51' |
| 1/2" x 24" REBAR w/CAP          | SW | 19.92' |

SCOTT 322

76

E 1/4 CORNER  
SECTION 15-34-4  
SCOTT TWP PT 40

6/25/20  
JRM MOYER  
MWHUFFMAN



44" DIA TULIP TREE

NE 10.8'

40" DIA TULIP TREE

N 22'


"KIMPEL" SURVEY JUNE 14, 2005 # 2005013466

PLAIN 261

77

7/6/20  
REMOVED  
Z  
N

W/4 CORNER  
SECTION 20-33-6  
PLAIN TWP RT 102





|                        |     |       |
|------------------------|-----|-------|
| 1/2" x 24" REBAR w/CAP | NW  | 18.87 |
| 1/2" x 24" REBAR w/CAP | WNW | 6.30' |
| 1/2" x 24" REBAR w/CAP | SSW | 28.84 |

"HUFFMAN" SURVEY 6/25/2015

SCOTT  
323

78

