

Field Notes  
Kosciusko County  
Indiana.

Compiled from the  
Original.

1882.

# Index to Congressional Townships.

Township 30 N. Range 7 E. Page 1.						
"	31	"	"	7	"	19.
"	32	"	"	7	"	43 & 44
"	33	"	"	7	"	68.
"	34	"	"	7	"	106.
"	30	"	"	6	"	149.
"	31	"	"	6	"	165.
"	32	"	"	6	"	190.
"	33	"	"	6	"	218.
"	34	"	"	6	"	254.
"	30	"	"	5	"	285.
"	31	"	"	5	"	304.
"	32	"	"	5	"	329.
"	33	"	"	5	"	358.
"	34	"	"	5	"	388.
"	31	"	"	4	"	417.
"	32	"	"	4	"	443.
"	33	"	"	4	"	460.
"	34	"	"	4	"	478.

T30 N. R 7 E, 2<sup>nd</sup> Mer. Inda

chs lks  
 10.50 North on E. boundary Sec 24  
 40.00 w Willow & hemlock swamp  
 set gr. see post in willow swamp. no bearing trees  
 48.00 Left swamp  
 64.60 an Elm 17 in dia.  
 80.00 Set post cor. to seed 13 & 24 from which  
 an Elm 12 in dia brs S 33 W 13 lks  
 a Beech 14 " " N 75 W 10 "

6.60 North on E. boundary of sec 13  
 27.25 w stream 30 lks wide, course NW.  
 40.00 w Dogwood 4 in dia  
 Set gr see post fr. wh.  
 a Sugar 3 in dia brs S 12 W 5 lks  
 an Elm 15 " " " N 33 W 20 "  
 65.17 " Elm 20 " "  
 70.50 Set post on South bank of Eel river  
 corner to section 13. fr. wh.  
 w R. Oak 16 in dia N 45 W 13 lks &  
 an Ironwood 5 " " N 84 E 5 "  
 Land 2<sup>nd</sup> rate. Timber as usual.

(Bar 6" 30'  
 Began at post on left bank of Eel river  
 30 chains & 55 lks from gr see. cor on E. boundary  
 Sec 13. T30 N. R. 7 E, thence  
 North on E. boundary Sec 13.  
 75.10 Right bank of Eel river.  
 a W Oak 10 in dia on corner  
 80.00 Set post cor to seed 12 & 13 fr. wh.  
 a Beech 25 in dia brs N 74 W 47 lks &  
 an Elm 6 " " " S 62 W 61 "  
 land rolling & 1<sup>st</sup> rate. Timber, Oak, ash,  
 Elm, hynn &c.

North on E. boundary Sec. 12.  
 3.75 To bend on Eel river course S.E.  
 a W Oak 8 in dia on corner on right  
 bank of river.  
 19.76 a Hickory 6 in dia corner on right bank river  
 course S.W.

T 30 N, R 7 E. 2<sup>nd</sup> Mer. Ind a

25.41	a Sugar 7 in dia.
41.00	Set gr see post fr. wh. a Beech 7 in dia brs N 66 W 8 lks & and Elm 4 " " S 32 1/2 W 45 "
68.24	a Sugar 24 " "
80.00	Set post cor to seed 1 & 12 fr. wh. a Beech 7 in dia brs S 6 W 53 lks & " " 12 " " N 35 W 46 " land level, 1 <sup>st</sup> rate. Timber, oak, ash, elm lynn, ironwood & buckeye, undergrowth, ash beech, ironwood leadwood &c
North	on E. boundary of Sec 1.
17.14	a Sugar 11 in dia.
40.00	Set gr see post fr. wh. a W. ash 13 in dia. brs S 37 W. 23 lks & a Beech 14 " " " N 28 W. 8 "
49.37	a Brook 6 lks wide course S.E.
60.46	and Elm 7 in dia
80.00	Set temp. town corner. land & much as before Oct 8. 1833
75.08	Town cor established from which a Hickory 8. S 35 E 14 lks & a Beech 14. N 44 W. 24 "
<u>Subdivision</u>	
North	between seed 23 & 24 (var 6" 10' E)
34.00	an elm 10 in dia
40.00	Set gr. see. post fr. wh. a W Oak 24 in dia brs N 58 E 48 lks & a " 24 " " " S 16 E 39 "
47.00	a " 30 " " "
80.00	Set post cor to seed 13. 14. 23 & 24. fr. wh a W Oak " " brs S 8 W. 33 lks w " 12 in dia " N 57 E 42 " Land rolling, 3 <sup>rd</sup> rate. Timber oak
East	on random between seed 13 & 24
40.00	Set temp. gr. see. post
43.00	a Swamp
46.00	Set cor

T 30 N. R 7 E. 2<sup>nd</sup> Mer. Ind a

80.30 interest E boundary 5 chs S. of post  
Land rolling, 3<sup>rd</sup> rate. Timber fallen,  
undergrowth, Thorn, Hawth.

West  
40.23 connected between sees 13 & 24  
Set gr. see post fr. wh.  
a W. oak 30 in dia brs N 75 W 35 lks &

80.30 See corner May 13<sup>th</sup>

North  
33.64 between sees 13 & 14  
a W. oak 22 in dia  
41.04 Set gr see post from which  
a W. oak 12 in dia brs S 38 E 30 lks &  
a " 15 " " " N 37 W 85 "

31.30 a stream 12 lks wide, course S.

38.27 a B. oak 14 in dia

80.00 Set post cor to sees 11, 12, 13 & 14 fr. wh.  
a Buckeye 10 in dia brs N 7 E 27 lks &  
an Elm 4 " " " S 38 W 11 "

Land rolling 3<sup>rd</sup> rate. Timber, oak.

North  
22.92 between sees 11 & 12  
Eel river, gentle, Set post cor to sees 11 & 12,  
fr. wh. a Spruce 15 in dia brs S 27 E 12 lks &  
an Ironwood 6 " " " N 28 W 20 "

Land level. 1<sup>st</sup> rate. Timber. Beech, Sugar, buckeye &  
undergrowth. Spice

West  
16.37 between sees 11 & 14  
a Beech 12 in dia.  
38.13 Eel river, current gentle  
Set post cor to sees 11 & 14 fr wh.  
a Hackberry 4 in dia brs N 35 W 3 lks &  
a " 12 " " " N 85 E 13 "

Land rolling. 2<sup>nd</sup> rate, Timber, Walnut, Hackberry.  
Undergrowth. Spice

East  
10.00 between sees 12 & 13.  
Eel river, current brisk  
Set post to sees 12 & 13 fr. wh.  
a Sugar 24 in dia brs N 12 E 6 lks &  
an Ironwood 7 " " " S 8 E 14 "

Land level. 3<sup>rd</sup> rate. Timber Sugar Beech &c.

T 30 N. R. 7 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

<p>cho. lks North 22.113 40.04 49.107 80.00</p>	<p>between) sees 22 &amp; 23 w Mr Oak 15 in dia. Set gr see post from which a cherry 11 in dia) hrs N 25 W 21 lks &amp; a Beech) 36 " " " S 7 W 37 " and Elm 24 " " Set post cor. to sees 14, 15, 22 &amp; 23 fr. wh. a Buckeye 6 in dia) hrs N 86 W 4 lks &amp; w do 7 " " " N 78 E 11 " Land level 1<sup>st</sup> rate. Timber, beech, ash, walnut buckeye. Undergrowth. Spice, hazel</p>
<p>North 7.00 8.00 11.00</p>	<p>between) sees 14 &amp; 15 a creek 15 lks wide, course NW. " " 15 " " " NE Eel river, current brisk, course SW. Set post cor to sees 14 &amp; 15 fr. wh a Butternut 7 in dia) hrs S 68 W -</p>
<p>West 17.15</p>	<p>between) sees 15 &amp; 22 Eel river, current rapid course SW. Set post cor to sees 15 &amp; 22 fr. wh. a Beech) 12 in dia) hrs N 39 W 6 lks &amp; a " 8 " " " S 60 E 15 " Land level. 1<sup>st</sup> rate, Timber, beech, ash, buckeye Undergrowth. Spice)</p>
<p>East 10.30 40.00 80.00</p>	<p>on random between sections 14 &amp; 23 a creek 15 lks wide, course NW Set temp gr. see post. intersect N &amp; S line 1 ch 18 lks N of post Land rolling. 3<sup>rd</sup> rate. Timber, Oak. Undergrowth Hazel.</p>
<p>West 40.00 80.00</p>	<p>corrected between) sees 14 &amp; 23 Set gr see post fr. wh. a W. Oak 20 in dia) hrs S 45 W 46 lks &amp; a " 20 " " " S 66 E 36 " Section. corner.</p>

T 30 N, R 7 E, 2<sup>nd</sup> Mer. Ind. W

~~chs lks~~  
~~North~~ Meanders of Eel river, on S E side, from  
 a line between Towns 29 & 30 N. R. 7 E. thence  
 up stream.

(Here we omit all south of the Roseuska Co. line  
 E. P. Wolfe Aud. of State)

Course	chs. Lks.	line between Secs 15 & 22
N 42 E	3.00	in see 15.
N 16 E	2.50	
N ---	4.50	
N 39 E	3.00	
N 74 E	3.50	
S 74 E	9.65	Line between Secs. 14 & 15
N 82 E	5.50	in see 14. 30 lks a stream 15 lks wide from S E & an island - 13 <sup>th</sup> day
N 67 E	7.50	
N 20 E	11.00	
N 28 W	8.50	
N 50 W	2.50	
N 38 W	3.00	
N 15 W	1.00	
N 25 E	7.00	
N 32 E	8.00	
N 24 E	5.00	
N 3 W	12.50	
N 46 E	2.00	
S 82 E	8.00	a creek 12 lks wide, course from S E
N 50 E	10.00	
N 53 E	4.00	
N 25 E	4.50	
N 12 E	2.50	
N 21 W	4.40	line between Secs 11 & 14
N 17 E	10.00	in see 11 7.50 lks, an island 14 chs long
N ---	5.00	
N 14 E	1.00	
N 27 E	2.50	
N 22 E	4.50	
N 43 E	5.50	
N 69 E	11.50	
N 89 E	3.00	

T30 N. R7 E. 3<sup>d</sup> Mer. Ind.

	chs	ths	
S71 E	3	50	2 chs. on island 3 chs long.
S63 E	8	00	
S45 E	1	50	
S45 E	3	50	on island 3 chs. long & line between Secs 11 & 12
			in Sec 11 (12)
S34 E	1	00	
S34 E	3	00	
S18 E	10	00	
S34 E	5	00	
S44 E	4	00	line between Secs 12 & 13
S35 E	2	00	in Sec 12
S55 E	4	50	
S83 E	6	50	
N75 E	6	50	
N62 E	22	00	
S72 E	3	00	
S50 E	17	50	lower point of island
S72 E	1	00	Spring branch 5 chs from S.
N86 E	2	50	
S75 E	7	50	
N66 E	3	18	Range line between Ranges 7 & 8

In pursuance of a contract with, and instructions from Edward Tiffin, Surveyor General of the U. States, and conformably to the laws of the U. States, I have surveyed and subdivided into sections, Township No. 30 North of Range Township No. 30 North, of Range No 7 East, in the St. Wayne district, Indiana; and I certify that the foregoing are correct field notes of the survey of said Township. Certified this 23<sup>rd</sup> day of June 1828.

B. Beutley

Dep. Surveyor

Subdivision of that part of this Township lying North West of Ed river

T 30 N. R 7 E. 2<sup>nd</sup> Mer. Inda

North between Secs 11 & 12  
 22.92 old corner on left bank of Eel river  
 25.27 Set post cor to Secs 11 & 12 on right bank  
 fr. wh. a Beech 10 in dia brs N 78 E 7 lks &  
 a do 10 " " " N 37 W 27 "  
 40.00 Set gr. sec post fr. wh.  
 a Beech 8 in dia brs S 74 E 16 lks &  
 a " 24 " " " N 60 W 13 "  
 61.33 a W. Oak 20 in dia  
 80.00 Set post cor to Secs 1, 2, 11 & 12 fr. wh.  
 a Buckeye 4 in dia brs N 20 E 7 lks  
 a Sugar 20 " " " S 29 W 24 "  
 Land rolling 1<sup>st</sup> 3/4 mile 2<sup>nd</sup> rate last 1/2 mile  
 1<sup>st</sup> rate. Timber: Walnut, Sugar, Oak, ash, etc.

East between Secs 12 & 13 from cor on left bank of Eel river  
 15.00 on left bank  
 18.86 Set post cor to Secs 12 & 13 on right bank  
 fr. wh. an Ash 10 in dia brs N 64 W 26 lks &  
 a Sycamore 15 " " " S 47 E 22 "  
 31.00 intersect Eel river on right bank  
 Set post cor to Secs 12 & 13 fr. wh.  
 a Cherry 12 in dia brs S 36 E 7 lks &  
 a W. Beech 6 " " " N 18 W 7 "

West between Secs 12 & 13 to river from range line  
 21.50 intersect river. Set post cor to Secs 12 & 13  
 fr. wh. a Water Beech 6 in dia brs S 67 W 13 lks &  
 a do 8 " " " N 70 E 5 "

East between Secs 12 & 1. (~~Range line~~)  
 32.32 a branch 8 lks wide course S  
 40.00 Set gr. sec post  
 52.92 a branch 8 lks wide course S.E.  
 81.70 intersect N & S line 1 ch 77 lks S of post  
 1<sup>st</sup> 1/2 mile rolling 2<sup>nd</sup> rate land. last 1/2 do level & wet

West corner between Secs 1 & 12  
 40.85 Set gr. sec post fr. wh.  
 an Ironwood 4 in dia brs N 58 E 5 lks &  
 a Beech 4 " " " S 71 W 12 "  
 81.70 see corner

T 30 N. R 7 E. 2<sup>nd</sup> Mer Ind a

chs the North	between sees 14 & 2 to range line
3.35	a Buckeye 12 in dia
40.00	Set gr. see post fr which a Beech 12 in dia brs S 81 N 4 lks & a " 10 " " " N 34 E 26 "
42.49	a Buckeye 15 " "
44.59	a small stream 8 lks wide, course S E.
61.15	a Beech 11 in dia
76.99	intersect tran line 1 ch 18 lks E of corner Set post cor to sees 14 & 2 fr wh. a Beech 21 in dia brs S 60 E 29 lks a " 21 " " " S 64 N 24 " Land 1 <sup>st</sup> mile good 2 <sup>nd</sup> rate last 1/2 mile not so good. Heavy timber
North	between sees 14 & 15 from cor. on left bank of Eel river
10.00	cor. on left bank "
13.42	Set post cor to sees 14 & 15 on right bank, fr. wh. a Hackberry 4 in dia brs S 61 E 22 lks & a Buckeye 4 " " " N 10 N 7 "
17.39	a Beech 15 in dia
40.00	Set gr see post fr. wh. an Elm 6 in dia brs S 80 N 3 lks & a Buckeye 5 " " " N 70 E 18 " in very ancient windfall
80.00	Set post cor to sees 10, 11, 14 & 15 fr wh. a Bark 22 in dia brs N 31 E 8 lks & an Elm 11 " " " S 70 N 11 " Land rolling 2 <sup>nd</sup> rate 1 1/2 mile very close undergrowth, last 1/2 mile timber, beech, ash, sugar oak etc.
East	on random between sees 11 & 14 to cor on left bank of Eel river
23.74	a branch 15 lks wide course S E
38.68	intersect Eel river
41.59	intersect cor 48 lks S of post Land rolling & rich.
West	corrected between sees 11 & 14
39.81	Set post in river 1 ch & 13 lks from right bank

# T 31 N R 7 E. 2<sup>nd</sup> Mer. Inda

chs lks 38.68	Set post on right bank fr. wh. a Lym 11 in dia brs N 50 E 21 lks & a Buckeye 12 " " S 72 W 11 "
North 23.04 23.74 27.96 40.04	between Sees 11 & 11 a small stream 15 lks wide. course S E, a Buckeye 14 in dia an Ash 36 " " Set gr see post fr. wh. a Horse bean 8 in dia brs N 65 E 27 lks & a Beech 12 " " S 38 W 15 "
36.76 80.00	a small stream 8 lks wide course S E Set post cor to Sees 2, 3, 10 & 11. fr. whs a Beech 9 in dia brs S 73 E 11 lks a Buckeye 11 " " N 32 W 18 " Land rolling, 2 <sup>nd</sup> rate. Timber, beech, oak Ash hickory, sugar, walnut &c. Undergrowth, beech, elm, lym, buckeye &c.

East 40.00 78.68	on random between Sees 2 & 11 Set temp. gr. see. post. intersect N 4 S line 1 ch 48 lks S of post Land <sup>1<sup>st</sup> rate</sup> 2 mile 2 <sup>nd</sup> rate, last 2 mile 1 <sup>st</sup> rate heavily timbered
------------------------	--

West 39.34 78.68	connected between Sees 2 & 11 Set gr see post fr. wh. a Beech 24 in dia brs N 64 E 10 lks & a " 11 " " " S 33 W 3 " see corner.
------------------------	---

North 1.61 40.00 48.13 77.30	between Sees 2 & 3 to town line a Beech 24 in dia Set gr see post fr. wh. a S. ash 28 in dia brs N 61 E 10 lks & a Maple 8 " " " S 11 W 30 " a cherry 24 " " intersect town line 1 ch 41 lks E of post Set post cor to Sees 2 & 3 fr. wh. a Beech 12 in dia brs S 61 W 41 lks & a " 14 " " " S 35 E 30 " Land rolling 2 <sup>nd</sup> rate, Timber, beech, sugar, ash, oak, hickory
--	---

T30 N. R7 E. 2<sup>nd</sup> Mer Inda

cho lks  
 North between sees 14 & 15 from cor. on left Bank  
 of Eel river  
 10.00 corner on left bank.  
 12.42 Set post cor to see 14 & 15 on right bank,  
 fr. wh. a Hackberry 4<sup>th</sup> dia lrs S 61 E 22 lks &  
 a Buckeye 2.4<sup>th</sup> dia lrs N 40 W 7 lks.  
 17.39 a Beech 15<sup>th</sup> dia  
 20.00 Set gr. see post fr wh.  
 on Elm 6<sup>th</sup> dia lrs S 80 W 5 lks &  
 a Buckeye 3<sup>rd</sup> " " N 70 E 18 "

cho lks  
 North between sees 21 & 22.  
 11.13 on Elm 20<sup>th</sup> dia  
 20.00 Set gr. see post from wh.  
 a Beech 20<sup>th</sup> dia lrs N 48 W 11 lks &  
 a " 24<sup>th</sup> " " " S 34 W 13 "  
 47.67 a Buckeye 5<sup>th</sup> " "  
 50.00 Set post cor. to sees 15, 14, 21 & 22 from wh.  
 a Beech 12<sup>th</sup> dia lrs S 66 E 6 lks &  
 a " 22<sup>nd</sup> " " " N 78 W 14 "  
 Land rolling 1<sup>st</sup> 1/2 mile NW, last 1/2 2<sup>nd</sup> rate  
 Timber Beech, Oak, Sugar, Spice, dogwood

East- between sees 15 & 22 on random  
 40.00 Set temp. gr. see, post  
 57.00 intersect Eel river  
 61.85 intersect N & S line 5 lks S of old corner  
 57.00 Set post cor to see 15 & 22, on right bank fr.  
 wh. a Walnut 12<sup>th</sup> dia lrs N 80 W 7 lks  
 a " 11<sup>th</sup> " " " N 65 E 7 "  
 Land rolling 2<sup>nd</sup> rate, Timber as before  
 March 6, 1834

West corrected between sees 15 & 22  
 39.50 Set gr. set post fr. wh.  
 a W. Oak 13<sup>th</sup> dia lrs S 83 W 7 lks &  
 a cherry 15<sup>th</sup> " " " N 21 E 22 "

North between sees 15 & 16  
 9.45 a small stream, 10 lks wide, course E.

T 30 N. R 7 E. 2<sup>nd</sup> Mer. Inda

cho. lks  
22.31 a Beech 18 in dia  
411.00 set gr see post fr. wh  
a cherry 5 in dia lks N 81 E 12 lks +  
a W. Oak 6 " " " N 87 W. 24 "  
42.00 Enter windfall. course appears to be E.  
49.91 a cherry 8 in dia  
60.00 leave windfall  
80.00 set post cir to sees 9 11. 15 + 16 fr. wh.  
a Beech 24 in dia lks S 21 E 29 lks +  
a " 18 " " " N 21 E 25 "  
Land rolling. Timber beech, hickory, cherry  
Oak, Dogwood Elm + Beech

East  
40.00 on random between 10 + 15  
77.85 set temp gr see post  
intersect N + S line 70 lks S of post  
Land rolling. Timber as before

West  
1.17 a Beech 16 in dia  
38.92 set gr see post fr. wh.  
a Beech 24 in dia lks N 52 E 18 lks +  
a " 12 " " " S 21 W 11 "  
75.94 a cherry 12 " "  
77.85 section corner  
(March) 8th 1834

North  
7.79 between sees 9 + 10  
32.10 a Beech 12 in dia  
38.00 a small stream 20 lks wide, course S E.  
39.30 " " " 18 " " " S W.  
40.00 " " " 18 " " " S E.  
Set gr see post fr. wh.  
an ash 15 in dia lks S 39 E 24 lks +  
a W. Walnut 9 " " " N 71 W 25 "  
72.33 a Beech 13 " "  
80.00 set post cir to sees 3. 4. 9 + 10 fr. wh.  
a Sugar 24 in dia lks N 12 E 24 lks +  
a Beech 9 " " " S 31 W 31 "  
Land rolling 2<sup>nd</sup> rate. Timber beech, ash, hickory  
Oak, sugar maple, Undergrowth very close.

G 30 A. R 7 C. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

<p>As. lks East 2.22 40.44 46.25 65.00 68.00 79.50</p>	<p>on random between seed 3410 a spring branch. course S E set temp gr see post a spring branch, course S. " " " " S E. a brook, course S. 8 lks wide. intersect N &amp; E line 84 lks S of post Land rolling, last 1/2 mile rather broken</p>
<p>West 7.84 39.75 60.66 79.50</p>	<p>connected between seeds 3410 a Beech 15 in dia set post for wh a Beech 5 in dia hrs N 74 W 12 lks &amp; a " 4 " " " N 81 E 2 " a Beech 12 " " see corner</p>
<p>North 26.88 40.00 47.73 77.57</p>	<p>between seed 344 to turn line a Beech 28 in dia Set gr see post for wh a Bark 24 in dia hrs S 84 E 8 lks &amp; a Beech 11 " " " N 77 W 53 " a Beech 12 " " " intersect turn line 1 ch 44 lks E of corner Set post cor to seed 344 for wh. a Beech 18 in dia hrs N 15 W 19 lks &amp; a " 18 " " " S 30 E 31 " Land quite rolling very brushy. Timber and undergrowth as before</p>
<p>North 51.44 40.44 55.50 80.00</p>	<p>between seeds 20 &amp; 21 a Brook 12 lks wide. course S. E. Set gr see post for wh. a W. Oak 30 in dia hrs E 8 &amp; a " 20 " " " S 82 W 42 lks a Hickory 20 " " Set post cor to seeds 16, 17, 20 &amp; 21. for wh. a Beech 18 in dia hrs S 83 E 16 lks &amp; a " 13 " " " S 22 W 21 " Land rolling 1/2 mile to the upper part</p>

T30 N. R. 7 E. 2<sup>nd</sup> Mer. Ind. Ia

cho lks East 40.00 79.25	on random between seeds 16 & 21 Set temp. gr. sec. post. intersect N+S line 15 cho N of post.
West 2.00 39.62½ 77.04 79.25	corrected between seeds 16 & 21 a Beech 18 in dia Set gr. sec. post. fr. wh. an Ironwood 5 in dia lks N 74 W 3 lks & a W. Beech 3 " " " N 61 E 15 " an Elm 40 in " " Section cor.
North 9.60 40.04 37.57 80.00	between seeds 16 & 17. a Beech 21 in dia Set gr. sec. post. fr. wh. an Elm 24 in dia lks N 60 E 24 lks & " Ash 10 " " " S 49 W 14 " a Windfall, course E & W. 5 to 10 cho wide. Set post. cor. to seed. 8, 9, 16 & 17. fr. wh. a Beech 20 in dia lks N 11 E 15 lks a R. Oak 12 " " " S 23 E 44 " Land 2 <sup>nd</sup> rate very close undergrowth
East 40.00 79.00	on random between seeds 9 & 16 Set temp. gr. sec. post. Intersect N+S line 27 lks N of post Low level, inclining to wet. This line runs in N skirts of windfall. Timber small & very close. <u>March 10, 1834</u>
West 39.50 37.82 79.00	corrected between seeds 9 & 16 Set gr. sec. post. fr. wh. a Hickory 5 in dia lks N 56 W 11 lks & a R. Oak 11 " " " S 21 E 27 " a <u>Sym</u> 6 " " " Sec. cor.
North 9.67 29.80 40.00	between seeds 8 & 9 a Beech 20 in dia a Brook 7 lks wide course S E Set gr. sec. post. fr. wh.

T 31 N. R 7 E, 2<sup>nd</sup> Mer Inda

cho. lks	<p>a Beech 12 w dia bro S 21 N 6 lks &amp;  a " 24 " " " N 9 N 32 "  Set post cor to sees H. 5. 8 &amp; 9 fr wh  a Beech 18 w dia bro S 65 E. 16 lks &amp;  a " 11 " " " N 68 N 6 "</p> <p>Land quite rolling, 2<sup>nd</sup> rate. Timber beech  birch, oak, ash, hickory, poplar, walnut.  Undergrowth, beech, sugar,</p>
East	<p>on random between sections 4 &amp; 9  23.111 a Brook 15 lks wide, course S E  24.69 " " 15 " " " N E.  26.44 " " 15 " " " S E.  40.44 Set post for see post  78.90 intersect N &amp; S line 1 ch 38 N of post.  Land 1<sup>st</sup> 1/2 mile rolling, last 1/2 deep ravines</p>
West	<p>connected between sect 4 &amp; 9  19.94 a Beech 20 w dia  39.45 Set post for see post from wh  a Beech 24 w dia bro N 21 N 13 lks &amp;  " " 12 " " " S 47 E 37 "  61.28 a Beech 22 " "  78.90 see cor.</p>
North	<p>between sees 4 &amp; 5 to tran line  3.34 a Brook 6 lks wide course N E.  8.46 a Hickory 10 w dia  21.40 a Brook 10 lks wide, course N E.  40.100 Set post for see post from wh.  a Linn 8 w dia bro N 76 E 29 lks &amp;  a S Ash 8 " " " N 35 E 41 "  57.50 a Beech 15 " "  58.99 a Brook 8 lks wide, course S E.  67.50 " " " " " S E.  78.44 intersect tran line 1 ch 29 lks E of cor.  Set post cor to sees 4 &amp; 5 from wh.  a Beech 20 w dia bro S 56 E 39 lks &amp;  a " 14 " " " S 67 N 14 "</p> <p>March 11. 1884</p>

G30 N. R. & Co. 2<sup>nd</sup> Mer Inda

cho lks North 21.59 41.00 73.83 61.50 80.00	between sees 19 & 20 a W. Oak 411 in dia set gr see post fr. which a Beech 18 in dia bro N 4 E 18 lks & an Elm 10 " " " S 19 W 17 " a Beech 11 " a small stream 5 lks wide course S E set post on the sees 17, 18, 19 & 20 for wh. an Ironwood 8 in dia bro S 2 W 18 lks & " " 7 " " " N 38 E 31 " Low rolling, interspersed with low wet ground & willow swamps
East 137.00 23.81 33.00 63.50 78.00	on random between sees 17 & 21 enter wet prairie a Brook 12 lks wide, course S E leave prairie a Brook 6 lks wide course S E intersect N & S line 58 S of post
West 21.19 39.00 78.00	corrected between sees 17 & 21 a Beech 12 in dia set gr see post fr. wh. a W. Oak 12 in dia bro S 84 W 4 lks & " " 18 " " " S 44 E 32 " see. cor.
West 88.50 66.42	on random between sees 18 & 19 to the body a Brook 5 lks wide, course N E. intersect N & S line 2 lks 27 lks N of corner
East 26.42 66.42	corrected between sections 18 & 19 set gr. see. post from which a W. Oak 24 in dia bro S 57 W 14 lks & a Beech 21 " " " N 67 E 27 " section corner Local level & rich heavy timber
North 11.28 12.50 41.00	between sees 17 & 18 a Beech 20 in dia a Brook 9 " " course E. set gr see post fr. wh.

T30 N. R 7 E 2nd Mer. Ind a

cho lks  
 50.25 a Beech 14 in dia lks N 41 N 12 lks &  
 75.21 a " 8 " " " S 49 E 28 "  
 80.00 a Brook 12 lks wide course S E  
 Set post cor to sees 7, 8, 17 & 18 fr. wh.  
 an Elm 7 in dia lks N 63 W 22 lks &  
 " 9 " " " S 52 E 23 "  
 Low rolling N 2 hills & rich. Timber, beech,  
 sugar elm, Oak, ash, walnut  
 March 12, 1834

East  
 14.00 on random between sees 8 & 17  
 79.31 a Brook 8 lks wide course S  
 intersect N & S line 19 lks S of post  
 Low rolling 1st rate. Timber small close, in  
 northern skirts of ancient windfall

West  
 39.75 corrected between sees 8 & 17  
 Set gr see post fr. wh.  
 a Beech 20 in dia lks N 61 E 22 lks &  
 a Lym 7 " " " S 18 W 14 "  
 60.95 an Ironwood 9 in dia  
 79.31 see cor.

West  
 12.57 on random between 7 & 18 to the boundary  
 a Brook 8 lks wide course S.  
 22.75 a " 12 " " " " S.  
 48.13 a " 7 " " " " N.E.  
 52.25 a Spring branch " N.E.  
 66.21 intersect the boundary 1 ch 36 lks N of corner  
 Low hills 2nd rate

East  
 corrected between see 7 & 18  
 at cor to sees 12 & 13 set post cor to to sees  
 7 & 18 fr. wh.  
 a Beech 10 in dia lks East 4 lks  
 a " 14 " " " N 29 E 43 "  
 26.20 Set gr see post fr. wh.  
 a Sugar 16 in dia lks N 80 W 11 lks &  
 " " 14 " " " N 81 W 14 "  
 42.28 an Ash 15 " " "  
 66.20 see cor.

G. S. R. & Co. 2<sup>nd</sup> Mer Inda

<p>North 15.29 24.64 28.75 41.14  52.19 81.14  <del>52.19</del> <del>81.14</del></p>	<p>between sees 7 &amp; 8 a Beech 12 in dia a small stream course S.E. a " " " " S.W. Set gr. see post for wh. a Beech 20 in dia hrs S 39 E 18 lks &amp; a " 24 " " " N 11 W 32 " a " 19 Set post con to sees. 5, 6, 7 &amp; 8. for wh. a Beech 12 in dia hrs S 88 W 18 lks &amp; a " 28 " " " S 29 E 12 " <del>a Beech 19 " " "</del> <del>Set post con to sees 5, 6 &amp; 7</del> Land S 1/2 mile hilly, N 1/2 rolling 1<sup>st</sup> &amp; 2<sup>nd</sup> rate Lumber, beech, ash, oak, sugar, poplar, walnut hickory. Undergrowth, beech elm &amp;c.</p>
<p>East 70.37 78.71</p>	<p>on prairie between sees 5 &amp; 8 a brook 5 lks wide course N.E. intersect N &amp; Line 25 S of post Land rolling &amp; good. Lumber as before</p>
<p>West 19.51 39.35  42.47</p>	<p>corrected between sees 5 &amp; 8. a Beech 18 in dia Set gr see post for wh. a sugar 14 in dia hrs S 80 E 14 lks &amp; a Beech 15 " " " N 29 W 17 " a Beech 13 " " " "</p>
<p>West 41.00 66.11</p>	<p>on prairie between sees 6 &amp; 7 to N boundary a brook 5 lks wide course S.E. intersect N &amp; Line 9 lks N of cr. Land rolling good 2<sup>nd</sup> rate</p>
<p>East  1.88 26.11</p>	<p>corrected between sees 6 &amp; 7 a Beech 18 in dia hrs N 83 E 17 lks a Sugar 14 " " " S 65 E 26 " a Beech 18 " " " " Set gr see post for wh. a Beech 24 in dia hrs S 71 E 24 lks &amp; a Sugar 20 " " " N 89 W 12 "</p>

T 31 N. R. 7 E. 2<sup>nd</sup> Mer. Ind

45.92 66.11	a Beech 11 in dia see, con
North 6.00 26.37 40.00	between) sees 5 & 6 to town line a Poplar 22 in dia a small stream course N.E. set gage post for wh. an Elm 24 in dia hrs S 88 W 67 lks & an Ash 6 " " " S 84 W 64 " in small willow swamp.
72.12 73.63 78.00 78.30	a Brook 3 lks wide course S.E. a Beech 20 in dia a Brook 12 lks wide course S.E. intersect N. boundary 2 lks 14 lks E of cor. set post cor to sees 5 & 6 for wh. a Lym 11 in dia hrs S 61 W 14 lks & a W. Oak 12 " " " S 42 E 70 " Land rolling 2-rate Timber (mostly beech)
March 13 / 1834	

I hereby certify that in pursuance of a contract with Meigs J. Williams Surveyor General of the United States for the States of Ohio and Indiana and the Territory of Michigan, bearing date the 27<sup>th</sup> day of December 1833, and in conformity to laws of the United States, and the instructions of said Surveyor General, I have surveyed and subdivided into sections fractional T 31 N. R. 7 E. 2<sup>nd</sup> Mer. and also fractional T 29 N. R. 7 E. 2<sup>nd</sup> Mer. in the State of Indiana and I do further certify that the foregoing are the true and mainly the original field notes of said survey and subdivisions and also the true and original notes of the meanders of El River on the right bank through said townships as aforesaid  
Certified this 1<sup>st</sup> day of May 1834

John Hendricks D. Surveyor  
William <sup>his</sup> Clark  
William <sup>with</sup> Yeton & Chammon

Nathan Simpson Marker

Township 31 North, Range 7 East 2nd Mer Ida

cho lks South Boundary (var 5° 45' E)

West on S. boundary Sec 36  
 14.39 a Beech 14 in dia  
 40.00 Set gr see post fr wh  
 a Beech 8 in dia brs N 26 W 15 lks \*  
 w " 10 " " " N 65 E 38  
 49.54 a Beech 12 " "  
 54.00 a Brook 4 lks wide course S.  
 59.83 a Beech 13 in dia  
 80.00 Set post cor to sees 35 & 36 fr wh  
 a Beech 8 in dia brs N 54 E 8 1/2 lks \*  
 a " 14 " " " N 40 1/2 W 36  
 Land level & strata - Lumber, Oak, Ash, beech  
 Sugar elm Lymn &c.

West on S. boundary of sec. 35  
 27.93 a Buckeye 7 in dia  
 40.00 Set gr see post fr wh  
 a B. Ash 14 in dia brs N 38 1/2 E 51 lks \*  
 a Buckeye 4 " " " N 32 W 64 "  
 42.00 a brook 8 lks wide course S.E.  
 49.04 a small stream 3 lks wide, course N.E.  
 62.16 a Beech 10 in dia.  
 80.00 Set post cor to sees 34 & 35 fr wh.  
 an Elm 8 in dia brs N 42 E 8 lks \*  
 a Beech 6 " " " N 41 1/2 W 25 "  
 Land & Same.

West on S. boundary of Sec 34.  
 17.02 a Beech 14 in dia  
 33.33 a W. Ash 24 " "  
 40.00 Set gr see post fr wh.  
 a Beech 9 in dia brs N 62 E 14 lks \*  
 a Sugar 22 " " " N 61 1/2 W 24 "  
 57.37 w Beech 18 " "  
 74.74 w Beech 12 " "  
 77.04 w Brook 5 lks wide course S.E.  
 80.00 Set post cor to sees 33 & 34 fr wh.  
 a B. Ash 38 in dia brs N 58 W 22 lks \*  
 a Beech 8 " " " " N 46 E 21 "  
 Land &c Same.



T31 N. R7 E. 2<sup>nd</sup> Mer. (Ind. a)

40.00 set post fr. wh  
 a Beech 18 in dia brs S30 W11 lks &  
 " " 14 " " " S38 E24 "  
 Land &c Same.

East boundary.  
 (Var 5° 50' E.)

North on E. boundary of Sec 36.  
 31.41 a Beech 9 in dia  
 33.00 a Stream 25 lks wide course SE.  
 35.00 " " " SW.  
 40.00 Set gr see post fr. wh.  
 a Beech 10 in dia brs S52 W16 lks &  
 a " 6 " " " N86 W30 "  
 40.00 a Stream 10 lks wide course SE.  
 42.00 " " " SW.  
 43.00 " " " SE.  
 55.00 " " " SW.  
 56.00 " " " SE.  
 56.33 a W. Ash 12 in dia  
 80.00 Set post cor. to sees 25 & 36 fr wh  
 a Beech 10 in dia brs N82 W13 lks &  
 a " 14 " " " S65 W54 "  
 Land rolling & 2<sup>nd</sup> rate. Timber Oak, beech,  
 Ash, elm, white wood. Undergrowth same.

North on E boundary of Sec 25.  
 13.59 a W. Ash 10 in dia  
 40.00 Set gr see post from which  
 a Beech 8 in dia brs S2 W9 lks &  
 a " 28 " " " N31 W34 "  
 55.91 a White wood 34 in dia  
 80.00 Set post cor. to sees 24 & 25 fr wh  
 a Whitewood 32 in dia brs S27 W13 lks &  
 a Beech 4 " " " N28 W17 "  
 Land &c Same.

North on E boundary of Sec 24.  
 21.00 a Beech 12 in dia.  
 30.63 a Whitewood 24 " "  
 40.00 Set gr see post fr. wh.  
 a B. Oak 6 in dia brs S57 W. 49 lks &

G 31 N, R 7 E, 2<sup>nd</sup> Mer. (Ind. a)

cho lks  
 61.41 a W oak 26 in dia lks N 39 W 29 lks  
 80.00 a Beech 10 " "  
 Set post cor to Secs 13 & 24 fr wh.  
 a B. Oak 14 in dia lks S 23 W 18 lks &  
 a Whitewood 7 " " " N 60 W 7 1/2 "  
 Land &c same

North on E. boundary of Sec 13.  
 17.14 an Elm 28 in dia  
 33.84 a Beech 8 " "  
 40.00 Set gr see post fr wh  
 an Elm 9 in dia lks S 41 W 10 lks  
 a Beech 7 " " " N 42 W 25 "  
 53.36 a Beech 14 " "  
 68.97 a B. Ash 8 " "  
 80.00 Set post cor to Secs 12, & 13  
 a Sugar 14 in dia lks S 64 W 18 lks &  
 a Hickory 8 " " " N 22 W 3 1/2 "  
 Land &c much same.

North on E. boundary of Sec 12  
 18.80 a Beech 20 in dia  
 33.44 a Butternut 16 in dia  
 40.00 Set gr see post from wh  
 a W oak 30 in dia lks S 13 1/2 W 29 lks &  
 an Elm 4 " " " N 41 1/2 W 23 "  
 62.85 an Elm 14 " "  
 80.00 Set post cor to Secs 1 & 12 fr wh.  
 a W ash 4 in dia lks S 78 W 6 lks  
 an Ironwood 4 " " " N 39 W 44 "  
 Land &c same.

North On E. boundary Sec 1.  
 21.00 a W. Ash 6 in dia  
 40.00 Set gr see post fr wh  
 a W ash 6 in dia lks S 44 W 29 lks &  
 a W oak 28 " " " N 75 W 24 "  
 52.41 a Hickory 16 in dia  
 80.00 Set temp post town corner  
 Land &c same. Oct 27, 1883  
 Bearings a Beech 20. N 40 E 24 lks &  
 " " " N 12 W 45

Length of line (not given)

G 31 N. R 7 C. 2<sup>nd</sup> Mer (Ind a)

cho lks	Subdivision
	(var 6")
North	between Sees 35 & 36
22.60	an Ash 12 in dia
23.01	enter prairie course west
36.50	Leave prairie
40.00	Set gr see post fr wh
	w Beech 6 in dia lrs N 85 E 15 lks &
	w " 24 " " " N 65 W 13 "
51.76	a " 15 " "
80.00	Set post cor to see 25.26. 35 & 36 fr wh
	an Ash 13 in dia lrs N 69 E 9 lks &
	w Buckeye 11 " " " S 53 W 12 "
	Land level, inclining to wet. Timber, Beech, oak, ash, hickory, maple, sugar; Undergrowth, ironwood, beech S. ash, elm &c

East	on random between see 25 & 36
50.00	a brook 40 lks wide course S.E.
79.24	intersect N & S line at post
	land level 2 <sup>nd</sup> rate

West	corrected between see 25 & 36
19.32	w beech 36 in dia
39.62	Set gr see post fr wh.
	a Beech 12 in dia lrs N 52 W 24 lks &
	an Elm 12 " " " S 31 E 43
61.78	an Elm 24 " "

North	between sees 25 & 26
14.41	a Beech 24 in dia
27.50	a Brook 30 lks wide, course S.E.
40.00	Set gr see post from which
	a Beech 12 in dia lrs N 14 E 9 lks &
	a " 24 " " " S 41 W 27 "
69.60	a Beech 15 " "
80.00	Set post cor to sees 23.24. 25 & 26 fr wh.
	a B. Ash 6 in dia lrs S 62 W 9 lks &
	a Buckeye 18 " " " N 76 E 14 "
	land rolling, 2 <sup>nd</sup> rate. Timber. beech, oak, ash, Sugar, hickory, Walnut, juplor. Undergrowth almost same

Must  
be on  
15.25  
0.50

T 31 N. R 7 E. 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

East 79.00	on random between sees 24 & 25 intersect N & S line 10 lks N of post land west 1/2 mile good.
West 18.76 39.50 60.43 79.04	corrected between sees 24 & 25 a Beech 13 in dia Set gr see post for wh. an Ironwood 7 in dia brs S 37 N 14 lks & a W. Oak 20 " " " N 7 E 16 " a Beech 11 " " " See cor.
North 24.27 40.00 63.60 80.00	between sees 23 & 24 a Buckeye 14 in dia Set gr see post for wh. a Maple 30 in dia brs S 57 N 22 lks & a Beech 21 " " " N 5 E 24 " a Beech 9 " " " Set post cor to sees 13, 14, 23 & 24 for whs & Beech 7 in dia brs N 1 E 11 lks & an Elm 12 " " " S 12 E 17 " land South 1/2 mile rich, N 1/2 2 <sup>d</sup> rate rolling. Timber same as before.
East 79.80	on random between sees 13 & 24 intersect N & S line 60 lks N of post. Land level & swampy. Timber, Maple, S. Oak, gum, hickory, beech, poplar, Ironwood &c.
West 19.80 39.90 59.90 79.80	corrected between sees 13 & 24, w Beech 16 in dia Set gr see post for wh. a Beech 19 in dia brs N 75 E 17 lks & an Ash 22 " " " S 33 N 13 " an Ash 22 " " " See cor. March 28. 1834
North 29.45 40.00	between sees 13 & 14 a Beech 15 in dia Set gr see post for wh. a R. Oak 22 in dia brs N 86 E 35 lks & a R. Oak 11 " " "

25

T31 N. R & E, 2<sup>d</sup> Mer. (Ind a)

<p>cho cho 58.20 77.00 81.14</p>	<p>a R. Oak 36 in dia enter marshy prairie Set post on the seed 11, 12, 13 &amp; 14 for wh a Maple 8 in dia brs S 15 W 1 ch 20 lks &amp; a cherry 8 " " " East 6 ch 50 lks land rolling 2<sup>d</sup> rate.</p>
<p>East 6.00 79.05</p>	<p>on random between seed 12 &amp; 13 leave prairie intersect N &amp; S line 86 lks N of post. land rolling large tamarack swamp at 1/2 mile cor</p>
<p>West 18.91 39.53 60.47 79.05</p>	<p>corrected between seed 12 &amp; 13 a W. Oak 33 in dia Set gr see post for wh. a tamarack 8 in dia brs S 23 E 21 lks &amp; a " " " " N 54 W 90 " in swamp a W. Oak 30 " " see corner.</p>
<p>North 6.50 24.40 40.00 80.00</p>	<p>between seed 11 &amp; 12 left prairie a W. Oak 30 in dia Set gr see post for wh. a Hickory 16 in dia brs S 67 E 22 lks &amp; a W. Oak 36 " " " N 67 W 29 " Set post on the seed 1, 2, 11 &amp; 12 for wh. a Maple 26 in dia brs N 61 E 33 lks &amp; a Beech 21 " " " S 61 W 12 " Timber W. Oak, Ash, Sugar, Maple &amp;c.</p>
<p>East 78.50</p>	<p>on random between seed 1 &amp; 12 intersect N &amp; S line 1 ch 80 lks N of post.</p>
<p>West 7.40 39.25 41.55 78.50</p>	<p>corrected between seed 1 &amp; 12 a Beech 19 in dia Set gr see post for wh. a Beech 8 in dia brs S 7 W 6 lks &amp; an Ash 14 " " " N 35 E 21 " a Beech 12 " " see corner.</p>

G 31 N. R. & C. 2<sup>nd</sup> Mer (Ind. <sup>u</sup>)

<p>cho Lks west 21.91 39.95<sup>2</sup> 60.29 79.91</p>	<p>connected between Sees 14 &amp; 23 a W. Oak 40 in dia Set gr see post fr. wh. an Elm 6 in dia bro N 63 E 18 lks &amp; " " 16 " " " S 52 W 23 " a Beech 17 " " See corner</p>	
<p>North 24.05 40.04 52.74 65.04 80.01</p>	<p>between Sees 14 &amp; 15 a Maple 12 in dia Set gr see post fr. wh. a Hickory 19 in dia bro S 11 E 17 lks &amp; " " 46 " " " N 11 W 24 " a O. Oak 24 " " a Swamp Spruce, part of both Set post cor to Sees 11, 11, 14 &amp; 15 fr. wh. a Black Oak 18 in dia bro S 45 W 35 lks &amp; " " 18 " " " N 1 W 63 " Land poor - timber oak</p>	
<p>East 79.95</p>	<p>on random between Sees 11 &amp; 14 intersect N &amp; S line 95<sup>th</sup> chs S of post Land rolling, poor. Timber oak very little underbrush.</p>	(Lks)
<p>West 20.67 39.97<sup>2</sup> 60.20 79.95</p>	<p>connected between Sees 11 &amp; 14 a W. Oak 24 in dia Set gr see post fr. wh. an Ironwood 11 in dia bro S 22 W 14 lks &amp; an Ash 13 " " " S 83 E 13 " a W. Oak 24 " " See corner</p>	
<p>North 24.60 40.04 55.26 84.04</p>	<p>between Sees 10 &amp; 11 a Hickory 13 in dia Set gr see post in neck of wet prairie fr. wh. a W. Oak 20 in dia bro S 83 W 34 lks &amp; an Ash 17 " " " North 8 ch 24 lks a Hickory 16 " " Set post cor to Sees 2, 3, 10 &amp; 11 fr. wh. a W. Oak 40 in dia bro S 15 W 12 lks &amp; a Beech 24 " " " N 39 W 23 "</p>	

T31 N. R 7 E. 2<sup>nd</sup> Mer (Inda)

che lks  
 North  
 18.60  
 40.00  
 64.50  
 92.00  
 between Secs 1 & 2 to the line of correction  
 a hickory 24 in dia  
 Set gr see just fr wh.  
 an ash 12 in dia brs N 23 E 16 lks &  
 a R Oak 7 " " " S 21 W 21 "  
 an ash 24 " "  
 interest line of correction  
 Set post cor to sec 1 & 2 fr wh.  
 a Maple 17 in dia brs S 54 W 24 lks &  
 an Ash 7 " " " S 24 E 35 "  
 Land S 2 mile rolling, 2<sup>nd</sup> rate N 2  
 surrounded with swamps  
 March 31, 1834.

North  
 20.00  
 21.00  
 40.00  
 56.00  
 80.00  
 between Secs 34 & 35  
 a Brook 8 lks wide, course S E.  
 a Beech 14 in dia  
 Set gr see just from wh.  
 a Beech 21 in dia brs S 34 E 24 lks &  
 a " " " " S 81 W 21 "  
 a Beech 15 " "  
 Set post cor to sec 26, 27, 34 & 35 fr wh.  
 a Beech 7 in dia brs N 11 E 8 lks  
 a R Oak 36 " " " S 78 W 24 "  
 Land rolling, 2<sup>nd</sup> rate. Timber, beech, oak,  
 ash, sugar, poplar, walnut.  
 Undergrowth Oak, ironwood, sugar, elm &c

East  
 79.68  
 On random between Secs 26 & 35  
 interest N & S line 56 lks N of post  
 Land level & swampy. Timber, beech,  
 Oak, Ash, Maple, Elm. Undergrowth  
 Swamp ash, beech.

West  
 17.27  
 39.84  
 59.50  
 79.68  
 corrected between Secs 26 & 35  
 a buckeye 15 in dia  
 Set gr see just fr wh.  
 a Beech 16 in dia brs N 62 E 15 lks &  
 a R Oak 16 " " " N 74 W 21 "  
 an ash 36 " "  
 Sec corner

G 31 N. R 7 E. 2<sup>nd</sup> Mer. (Dad a)

cho. Lks  
North  
28.00 between Sees 26 + 27  
am Ash 30 in dia  
40.00 Set gr see just fr. wh.  
a Beech 24 in dia brs S 65 W 27 lks +  
w " 11 " " " N 36 E 18 "

63.78 am Ash  
67.60 a Brook 12 lks wide. course SE.  
80.00 Set post cor. to sees 22. 23. 26 + 27 fr wh  
a Beech 11 in dia brs S 14 W 9 lks +  
a H. Oak 18 " " " N 85 E 18 "

Lands: Some good bottom on the brook + on  
the S 1/2 mile. Remainder swampy  
April 1, 1834.

East  
80.45 on random between sees. 23 + 26  
intersect N + S line 1 ch 65 lks N of post.  
Lands. 1/2 mile (wch. E 1/2 dry 2<sup>nd</sup> rate  
Timber; beech, oak, ash, sugar, buckeye, hickory, Elm, Walnut.

West  
23.00 corrected between sees 23 + 26  
w Beech 19 in dia  
40.22 1/2 Set gr see. just fr. wh.  
a Beech 18 in dia brs S 39 E 16 lks +  
a " 22 " " " N 4 E 23 "

62.89 w Beech 12 " " "  
80.45 See corner.

North  
21.25 between Sees 22 + 23  
a Beech 20 in dia  
40.00 Set gr see just fr. wh.  
a Sugar 12 in dia brs S 84 W 16 lks +  
a Beech 15 " " " S 70 E 32 lks.  
44.70 w Beech 13 " " "  
80.00 Set post cor to see 14. 15. 22 + 23 fr wh  
a Dogwood 6 in dia brs S 21 W 10 lks +  
an ironwood 6 " " " N 17 E 6 "

Lands rolling, interspersed with many small  
willow + wild rose bushes swamps. Oak timber  
thin soil

East  
79.91 On Random between sees 14 + 23  
intersect N + S line 11 lks S of post.  
See notes on back of page

T 31 N. R 7 E. 2<sup>nd</sup> Mer (Ind a)

chs pks	Land thin. Timber oak & hickory. $\frac{1}{2}$ mile inclining to barrens
East 79.70 13.50	on random between sees 2 & 11 intersect N & S line 50 lks S of post a large maple swamp. Land level & swampy Timber, beech, ash, oak &c
West 19.50 39.85 60.20 79.70	corrected between sees 2 & 11 a R Oak 18 in dia Set gr see post fr wh a R. Oak 5 in dia bro N 69 E 16 lks & an Ironwood 9 " " S 84 W 12 " a Hickory 18 " " See Corner
North 29.95 40.00 55.30 92.35	between sees 2 & 3 to line of correction a Sugar 22 in dia Set gr see post fr wh an Ash 14 in dia bro N 46 W 14 lks & an Ironwood 4 " " S 12 E 20 " a W. Oak 19 " " intersect line of correction Set post cor to sees 2 & 3 fr. wh. an Ash 11 in dia bro S 38 W 11 lks & a W. Oak 36 " " S 38 E 1 ch 39 lks Land. $\frac{1}{2}$ mile, level 2 <sup>nd</sup> rate, N's rolling poor, part barrens, interspersed with prairie appearance of prairie to the west of 65 chs April 2, 1834,
North 1.25 22.73 40.00 58.83 80.00	between sees 33 & 34 a brook 7 lks (wide) course S.E. a Beech 19 in dia Set gr see post fr. wh. a Beech 18 in dia bro S 29 W. 41 lks & an Elm 11 " " " N 54 E 12 " a R. Oak 25 " " Set post cor to sees 27.28, 33 & 34 from which a Beech 20 in dia bro N 11 W 18 lks & a " 20 " " S 76 E 12 " Land. 2 <sup>nd</sup> rate, Timber, beech, sugar, oak

## G 31 N. R 7 E. 2nd Mer (Inda)

cho lks	ash, hickory, poplar, elm, walnut, undergrowth. Dogwood. W. beech, hornbeam, elm, S. Ash, bitter ash,
East 80.15	on random between Sees 27 & 34 intersect N & S line 14 lks S. of post Land level, inclining to west. Timber, beech, S. ash, poplar, hickory. W. Oak. Undergrowth, beech hornbeam, elm, ash
West 26.84 40.07 1/2 74.97 81.15	Corrected between Sees 27 & 34 a W. Oak 24 in dia Set gr see post for wh. a Maple 15 in dia hrs S 63 E 24 lks * a " 4 " " " N 74 W 8 " in small maple swamp a Beech 16 in dia See corner.
North 24.57 40.09 53.11 80.11	between Sees 27 & 28 an Elm 16 in dia Set gr see post for wh. a Beech 19 in dia hrs S 80 E 24 lks * a " 18 " " " N 84 W 17 " a " 21 " " " Set post cor to Sees 21. 22. 27 & 28 for wh. a Beech 17 in dia hrs N 54 W 4 lks * a " 11 " " " S 81 E 38 " Land and timber as last described
East 66.30 79.90	On randoms between Sees 22 & 27. a Brook 12 lks wide. course S. E. intersect N & S line 1 ch 9 lks N of post land. E 1/2 mile S. rate. Timber as before
West 39.95 72.11 79.90	Corrected between Sees 22 & 27 Set gr see post for wh. an Elm 12 in dia hrs S 23 E 29 lks * an Ash 8 " " " N 79 W 9 " an Ash 42 " " " See corner.

T 31 N. R. 7 E, 2<sup>nd</sup> Mer (Ind. a)

cho. lks North	between sees 21 + 22 14.25 w Beech 15 in dia 40.00 Set gr sec post fr wh an Ash 12 in dia brs N 38 W 12 lks + w Beech 11 " " " S 79 E 15 " 71.74 an Ash 12 " " 80.00 ext post cr to sees 15, 16, 21 + 22 fr wh. w Beech 12 in dia brs N 16 E 12 lks + w " 12 " " " N 81 W 8 " Land level + swampy, soil + timber undescribed
East 79.82	on random between sees 15 + 22 intersect N S line 86 lks N of post Land, gently rolling, poor. Timber hickory, Oak, beech, sugar, Dogwood. Undergrowth. Elm, <u>Sym.</u> beech.
West 20.44 39.91 72.70 79.82	connected between sees 15 + 22 an Elm 12 in dia Set gr sec post fr wh. a Beech 18 in dia brs N 10 W 40 lks + w Noak 36 " " " S 75 W 38 " in recent windfall a Noak 50 in dia See corner
North 33.30 40.00 47.94 80.00	between sees 15 + 16 w Sugar 18 in dia Set gr sec post fr wh. a Beech 12 in dia S 76 E 54 lks + " " 16 " " " S 77 W 8 " w Sugar 20 " " Set post cr to sees 9, 10, 15 + 16 fr wh an Elm 18 in dia brs N 9 E 3 lks an Ash 32 " " " " S 22 W 35 " Land rolling, 2 <sup>nd</sup> rate, Timber heavy + free from swamps, especially N 1/2 mile
East 37.00 80.00	on random between sees 11 + 15 enter marshy prairie, skirted with tamarack intersect N S line 50 lks N of post Land 1/2 mile rolling, good, E 1/2 marshy prairie

T 31 N. R 7 E. 25 Mer (Ind<sup>a</sup>)

cho lks Next 40.00 80.00	<p>ponds &amp; tamarack swamp</p> <p>corrected between sees 10 &amp; 15</p> <p>Set gr see post fr. wh.</p> <p>a Cottonwood 12 in dia brs S 3 W 2 chs 80 lks &amp;</p> <p>w " 8 " " " N 87 W 3 " 70 "</p> <p>w R. Oak 50 " " " "</p> <p>See corner April 3. 1834</p>
North 40.00 	<p>between sees 9 &amp; 10</p> <p>Set gr see post in lake, surrounded with swamp, size and character not ascertained</p> <p>entire S 25 chs of this line totally waste land passed inaccessible portion by offset to E at right angles.</p>
80.00 65.00 80.00	<p>w the Oaks 20 in dia.</p> <p>intersect most easterly point of small lake, corner NW,</p> <p>Set post cor to sees 3, 4, 9 &amp; 10 for wh.</p> <p>a Hickory 12 in dia brs N 35 W 18 lks &amp;</p> <p>w W Oak 33 " " " S 19 E 29 "</p>
East 79.47	<p>on random, between sees 3 &amp; 10</p> <p>intersect N &amp; S line 34 lks N of post</p> <p>land level &amp; dry. 2<sup>nd</sup> rate. Timber beech, oak, hickory &amp;c. Underbrush, dogwood, lynn, elm &amp;c.</p>
Next 19.32 39.73 68.57 79.47	<p>corrected between sees 3 &amp; 10</p> <p>a Beech 13 in dia</p> <p>Set gr see post fr. wh.</p> <p>an Elm 17 in dia brs S 11 W 13 lks &amp;</p> <p>a Beech 21 " " " N 14 W 27 "</p> <p>a W Oak 36 " " " "</p> <p>See cor.</p>
North 14.90 40.00 73.95	<p>between sees 3 &amp; 4 to line of correction</p> <p>a W Oak 31 in dia</p> <p>Set gr see post from wh</p> <p>a Sugar 19 in dia brs S 83 E 36 lks &amp;</p> <p>a poplar 23 " " " S 75 W 22 "</p> <p>an <u>Aspen</u> 19 " " " "</p>

T31 A, R7 E. 2<sup>d</sup> Mer (Inda)

cho lks	
91.70	intersect line of correction 19 chs 27 lks E of cor. to sees 31 + 32 Set post cor to sees 3 + 4 fr. wh. a Hickory 20 in dia brs S 62 E 73 lks + a W Oak 16 " " " S 52 W 72 " Land S 1/2 mile, rolling, rich & beautiful open woods including to bams & small wet prairies. About 10 or 15 chs W. SW from cor to sees 3 + 4 on line of correction is a small lake 6 or 8 chs wide & about 10 chs long
North	between sees 32 + 33
9.28	a Beech 10 in dia
20.30	a Brook 10 lks wide course SW
40.00	Set gr see post fr. wh. a Beech 30 in dia brs S 67 E 4 lks + a " 7 " " " N 49 W 22 "
53.90	a R. Oak 20 " "
80.00	Set post cor to sees 28, 29, 32 + 33 fr. wh. a Beech 24 in dia brs N 4 E 26 lks a " 14 " " " S 18 W 22 " Land S 1/2 mile rolling N 1/2 level. 2 <sup>d</sup> rate. Timber - beech, sugar, ash, oak, poplar etc.
East	on random between 28 + 33
79.00	intersect N + S line 1 ch 25 lks N of post Land level. 3 <sup>d</sup> rate, Timber, beech, ash, oak, hickory, elm, lynn. etc. Undergrowth, beech, hickory, lynn, swamp ash etc.
West	corrected between sees 28 + 33
14.40	a Maple 16 in dia
39.50	Set gr see post fr. wh. a W. Oak 30 in dia brs S 3 E 9 lks + a " 24 " " " N 5 W 14 "
60.20	a Beech 20 " "
79.00	see corner.
North	between sees 28 + 29
19.08	a cottonwood 7 in dia
40.00	Set gr see post from which

T 31 N. R 7 E. 2<sup>d</sup> Mer (Ind<sup>u</sup>)

cho. lks. 39.53 80.00	<p>an Elm 11 in dia hrs S 3 N 13 lks &amp; an " 16 " " " S 61 E 45 "</p> <p>a Walnut 24 " "</p> <p>Set post cor. to sec 20, 21, 28 &amp; 29 fr. wh. w Maple 4 in dia hrs S 19 E 3 lks an Elm 12 in dia hrs N 70 W 7 lks</p> <p>Low level &amp; swampy</p> <p>April 4, 1834</p>
East 79.00	<p>on random between sec 21 &amp; 28 intersect N &amp; S line 85 lks N of post low level. 2<sup>d</sup> rate, timber as before.</p>
West 18.54 39.50 38.50 79.00	<p>corrected between sec 21 &amp; 28 w Beech 20 in dia</p> <p>Set gr sec post fr. wh. a W Oak 43 in dia hrs S 25 E 33 lks &amp; a Beech 14 " " " N 24 E 27 "</p> <p>a W oak 17 " "</p> <p>Sec. corner</p>
North 16.09 44.04 30.04 80.00	<p>between sec 20 &amp; 21 a W oak 30 in dia</p> <p>Set gr sec post fr. wh. w W Beech 4 in dia hrs N 56 E 28 lks &amp; an Elm 19 " " " S 74 W 13 "</p> <p>a Hickory 19 " "</p> <p>Set post cor to sec 16, 17, 20 &amp; 21 fr wh. a Hickory 14 in dia hrs S 57 W 18 lks &amp; w " 14 " " " N 18 W 20 "</p> <p>Land rolling, poor, swamps on every hand timber Oak &amp; Hickory on dry land?</p>
East 78.00	<p>on random between sec 16 &amp; 21 intersect N &amp; S line 3 lks N of post Low level. 2<sup>d</sup> rate. timber as before.</p>
West 60.84 39.04	<p>corrected between sec 16 &amp; 21 a W oak 16 in dia</p> <p>Set gr sec post fr. wh. an Ironwood 8 in dia hrs S 35 W 19 lks &amp; an Elm 8 " " " N 35 E 12 " April 5, 1834.</p>

T 31 N. R 7 E. 2<sup>nd</sup> Mer. (Ind a)

ch lks 78.00	See corner
North 71.00 40.00 53.20 50.00	between Sees 16 + 17 w No Oak 36 in dia Set gr see just fr wh. a Walnut 30 in dia brs N 72 E 27 lks + a Hickory 6 " " " N 30 W 6 " a No Oak 31 " " Set just cor to Sees 8, 9, 16 + 17. fr wh. a Hickory 22 in dia brs S 35 E 42 lks + a Hornbeam 5 " " " N 36 W 5 " S 2 mile. land poor. N 2 rich. Timber, beech, oak, ash, sugar, Underbrush, dogwood, ironwood, water beech, elm
East 78.45	on random between Sees 9 + 16 intersect N + S line 89 lks S of post Land rolling. 2 <sup>nd</sup> rate. Timber, oak, hickory, poplar, elm, sugar, hickory.
West 16.95 39.22 1/2 64.02 78.45	corrected between Sees 9 + 16 a maple 12 in dia Set gr see just fr wh. an Elm 8 in dia brs N 85 E 6 lks + a Hickory 24 " " " S 84 W 17 " an Ash 8 " " See corner.
North 18.21 40.00 70.82 80.00	between Sees 8 + 9 a R. Oak 20 in dia Set gr see just fr wh. a Passapus 8 in dia brs S 54 W 12 lks + w " 6 " " " S 20 E 12 " a Black Oak 19 " " Set just cor to Sees 4, 5, 8 + 9 fr wh. a Poplar 24 in dia. brs S 14 W 8 lks a No Oak 5 " " " N 10 E 4 " Land South 2 mile. second rate North 2 swampy
East 57.50	on random between Sees 4 + 9 into very close, many willow & birch swamps

T 31 N. R 7 E. 2<sup>d</sup> Mer. (Ind<sup>n</sup>)

ch<sup>y</sup> lks  
 12.00 intersect most northern portion or margin  
 of small lake  
 65.00 enter skirt of oak timber  
 71.00 enter marshy swamp  
 74.00 outlet to swamp and lake, which puts to  
 the north, one was found impassable. so many.

West  
 40.00 corrected between Sees 479.  
 from cor to sees 89, 167 & 177  
 Set gr see post fr wh.  
 a Hickory 18 in dia brs S 9 E 26 lks &  
 a Poplar 18 " " " N 55 W 19 "  
 24.74 a sugar 18 " " "  
 74.00 see corner April 7, 1834.

North  
 13.30 between Sees 475  
 a Poplar 36 in dia  
 40.00 Set gr see post fr wh.  
 a W Oak 22 in dia brs S 70 E 11 lks &  
 a " 20 " " " N 4 W 22 "  
 60.07 an Ash 11 " "  
 92.00 a Brook 25 lks wide course N.W.  
 94.17 intersect line of correction  
 Set post cor to Sees 475 fr wh.  
 an Elm 20 in dia brs S 45 E 30 lks &  
 an " 20 " " " S 24 W 27 "  
 Land, poor, rolling, Timber Oak  
 Undergrowth, very close, dogwood, sassafras, oak,  
 ash &c.

North  
 14.37 between Sees 317 & 32,  
 a Beech 18 in dia  
 20.00 a Brook 7 lks wide course S.E.  
 40.00 Set gr see post fr wh.  
 a Beech 20 in dia brs S 33 E 13 lks &  
 a " 16 " " " N 33 W 16 "  
 69.20 a Sugar 16 " "  
 80.00 Set post cor to sees 29, 30, 31 & 32 fr wh.  
 a R. Oak 38 in dia brs S 85 W 26 lks  
 an Ash 28 " " " S 41 E 43 "  
 Land S 1/2 mile, rolling, good, N 1/2 level incli-  
 ning to wet, Timber, beech, oak, ash

T 31 N. R 7 E. 2<sup>d</sup> Mer. (Inda)

cho lks	hickory, sugar, elm, lymu &c.
East 74.25 79.25	on random between fees 29 & 32 w Brook 8 lks wide, course South. intersect N & S line 1 ch 5 lks N of post Land & timber as before.
West 22.16 39.62 1/2 68.69 79.25	connected between fees 29 & 32 an Elm 17 in dia Set gr post part fr. wh. a Beech 11 in dia hrs S 13 W 9 lks & a Sugar 13 " " " N 46 E 11 " an Elm 16 " " see corner
West 40.25 65.40	on random between fees 30 & 31 a Brook 6 lks wide course S. intersect W boundary 55 lks S of corner at cor. set post cor to seed 30 & 31 fr. wh. a Beech 15 in dia hrs East 20 a " 6 " " " N 34 E 29 lks Land 2 <sup>d</sup> rate
East 25.40 50.00 65.40	connected between fees 30 & 31 Set gr post part fr. wh. a Beech 18 in dia hrs N 5 E 5 lks a " " " " S 44 W 13 " an Elm 16 " " see corner
North 40.00 50.00 50.00	between fees 29 & 30 Set gr post part fr. which a Walnut 30 in dia hrs N 33 E 14 lks & a " 20 " " " S 44 E 8 " an Elm 34 " " Set post cor to fees 19, 20, 29 & 30 fr. wh. a Oak 38 in dia hrs S 30 W 8 lks & a " 18 " " " N 56 W 20 " Land S 1/2 mile good. N 1/2 miserable
East 14.00	on random between fees 21 & 29 Enter wet prairie.

5239

T 31 N, R 7 E, 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

Chalks  
 East on random between Sect. 8 & 17  
 79.68 intersect N & S line 73 lks N. of Post  
 Land rolling & rich, 1<sup>st</sup> rate, Timber sugar,  
 ash, poplar, walnut, undergrowth, elm,  
 dogwood, humbern, poplar &c.

West connected between Sections 8 & 17  
 22.42 An Ash 21 in dia  
 39.84 Set gr. sec. post from wh.  
 w Humbern 11 in dia lks N. 44 W 15 lks &  
 w H. Beech 5 " " " S 6 W 14 "  
 63.60 a R. Oak 16 " " "  
 79.68 Sec. Cor.

North between Sect. 7 & 8  
 20.54 a Beech 31 in dia  
 40.00 Set gr. sec. post from which  
 a Hickory 19 in dia lks S 87 E 13 lks &  
 an Ash 17 " " " N 20 W 15 "  
 75.54 w Sycamore 24 " "  
 80.00 Set post cor. to Sect 5, 6, 7 & 8 from which  
 a Humbern 12 in dia lks S 24 E 20 lks &  
 a Hickory 13 " " " N 71 E 16 "  
 Land - S 2 miles good. N 2 land poor

West on random between Sect. 7 & 18  
 15.74 intersect west boundary 1 ch 64 lks, N of cor.  
 Set post cor. to Sect. 7 & 18, fr. wh.  
 an Ash 14 in dia lks N 14 W 43 lks &  
 w Do 24 " " " S 84 E 68 " in  
 open very ground  
 Land  $\frac{1}{2}$  E  $\frac{1}{2}$  miles good. N 3 poor

Oak connected between Sect 7 & 18  
 25.74 Set gr. sec. post fr. wh.  
 a R. Oak 11 in dia lks N 21 E 44 lks &  
 w cherry 9 " " " S 7 W 8 "  
 38.73 a Poplar 24 " " "  
 65.74 sec. corner April 9. 1834.

East on Random between Sect 5 & 8  
 79.40 intersect N & S line 34 lks. N

T 31 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

<p>chs. lks. 24.59 79.90</p>	<p>leaves prairie - course N + S. intersect N + S line 3 chs 9 1/2 lks N. Land rolling, poor. East quarter, wet.</p>
<p>West 19.89 39.95 73.52 79.90</p>	<p>connected between sec 20 + 29 w W. Oak 17 in dia Set gr. sec. post fr. wh. w Hickory 18 in dia brs S 14 E 21 lks + w Ironwood 8 " " " N 45 E 19 " w W. Oak 24 " " " " " " Sec corner.</p>
<p>West 64.91</p>	<p>on random between secs 19 + 30 Intersect West boundary 42 chs N of corner set post cor to secs 19 + 30 from which a Beech 19 in dia. brs N 74 E 9 lks + a Hickory 14 " " " S 4 W 32 Land level 2<sup>nd</sup> rate. Timber, beech, ash oak elm. Hickory etc.</p>
<p>West 10.09 24.91 44.81 64.91</p>	<p>Connected between secs 19 + 30 a Beech 14 in diam Set gr sec post from which a Hornbeam 5 in dia brs N 57 E 3 lks + a W Oak 30 " " " S 71 W 33 a Hickory 16 " " " " " " Sec corner</p>
<p>North 19.45 40.00 64.38 80.00</p>	<p>between secs 19 + 20 a W Oak 16 dia Set gr sec post from which a Hickory 11 in diam brs N 51 W 29 lks + a " 12 " " " " N 62 E 22 " a R Oak 30 " " " " " " Set post cor to secs 17, 18, 19 + 20 from which a W. Oak 33 in dia. brs S 25 E 30 lks + a " " 36 " " " " N 16 W 17 " Land 1/2 mile Swampy North 1/2 rolling good 2<sup>nd</sup> rate. Timber no change</p>

T31 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

Chs. lks East 80.50	On Random between secs 17 & 20 intersect at S line 59 links N At midway on this line is a chain of <u>Swampy undesirable</u>
West 20.98 40.25 68.56 80.50	Connected between secs. 17 & 20. a Beech 20 in dia. Set gr sec post from which an elm 9 in dia bears S 53 E 4 lks & a " 11 " " " N 80 W 5 " a Hickory 13 " " See corner
West 65.50	On Random between secs 18 & 19 intersect W boundary 1 ch 44 lks N in neck of marshy prairie Set post cor to sec 18 & 19 on W boundary from which a Willow 5 in dia brs S 16 E 54 lks & a " 4 " " " S 76 E 42 " Land rolling 2 <sup>nd</sup> rate timber. Beech Oak Ash. Hickory. Poplar Sugar & Walnut
East 25.50 50.15 65.50	Connected between secs. 18 & 19 Set gr sec post from which an Oak 11 in dia brs N 12 E 33 lks & " " 4 " " " S 23 W 15 " a Walnut 11 in dia. See corner
North 30.40 40.00 69.88 80.00	Between Sec 17 & 18 an elm 12 in dia. Set gr sec post from which a Maple 9 in dia brs S 39 E 14 lks & an elm 8 " " " S 82 W 16 " At 40 chs a Maple Swamp - course N 78 E. a R Oak 46 in dia a Hickory 5 " " cor to Sec 7, 8. 17 & 18 from which an Oak 5 in dia brs N 5. W 16 lks & a do 6 " " S 1 W 14 " Land good except Maple Swamp. timber Oak, Ash. Hickory. Sugar. Beech. elm. dog wood Ironwood &c

(4)



T 31 N. R 7 E, 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

The northern part of this township seems to be the summit or table lands between the waters of Eel river & Tippecanoe. What land is dry, is mostly rolling & good, but the swamps are innumerable and interminable.

I hereby certify, that in pursuance of a contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio and Indiana and the territory of Michigan, bearing date the 27<sup>th</sup> day of December 1833, and in good conformity to the laws of the United States, and the instructions of the said Surveyor General, I have surveyed and subdivided into sections, Township No 31 north in range No 7 East, in the State of Indiana, and I do further certify that the foregoing are the true, and worthy, the original field notes of the said Survey & subdivisions executed as aforesaid.

Certified this - day of April 1834  
 Josm Hendricks S. S.

William <sup>his</sup> Clark } Chain  
 marks  
 William Yelton } carriers  
 Abram J. Hendricks marker & part.

T 32 N. R & E. 2<sup>d</sup> Mer. (Ind<sup>n</sup>)

cho lks  
West on S. boundary Sec. 32.

\*\*\*\*\*

80.00 Set post cor to Secs 31 & 32 fr. wh.  
a B. Ash 7 in dia brs N 35 E 12 lks ✓  
an Elm 9 " " N 55 W 29 "  
Land gently rolling 1<sup>st</sup> rate. Timber - sugar.  
beech, elm &c.

West on S. boundary Sec 31.

12.20 a Beech 30 in dia

35.23 a do 6 " "

40.00 Set gr sec post fr. wh.  
a sugar 10 in dia brs N 84 E 37 lks ✓  
a Beech 18 " " N 33 W 57 "

50.72 a do 12 " "

73.00 Set post cor to T 32 N. R 7 & 8 E fr wh.  
a Beech 20 in dia brs N 40 E 24 lks  
a do 10 " " N 13 W 45 "  
Land &c as before Nov 2<sup>d</sup> 1833.

T 32 N. R 7 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

	South Boundary Var. 6° 11' E.	
West	On S. boundary See 36.	
7.58	a Blue Ash 18" dia	
30.59	a Beech 21" "	
40.09	Set gr. see post from wh.	
	a B. Walnut 18" dia brs N 46 W 23 lks &	
	a Hickory 12" " " N 43 1/2 E 25 "	
58.36	a Whitewood 31" "	
66.59	<u>Indian trail S.E. corner</u>	
75.63	a Beech 12" dia	
80.00	a Lynn 14" dia. Cr. to seed 35 & 36	
Land level	At 1st rate, Timber, beech, ash, sugar, lynn, whitewood, oak &c.	
West	On S. boundary See 35	
13.64	an Elm 31" dia	
24.50	In east margin of small pond offset N 6° W of S 1/4 to line	
31.50	Fell into line on N side of lake.	
40.01	Set gr. see post fr. wh.	
	a Beech 14" dia brs N 81 E 47 lks	
	a Hickory 11" " " N 19 W 22 "	
48.32	a Whitewood 24" dia.	
62.49	Intersect line between A's 778 E. T 31 N, 14 chs. 74 lks N. ten post.	
	Set post cor to T 31 N. A 778 E. fr wh	
	a B. Ash 18" dia brs S 58 E 21 lks &	
	a Maple 14" " " S 49 W 31 "	
68.89	a Whitewood 18" "	
80.00	Set post cor to seed 34 & 35 fr. wh.	
	a W. Ash 7" dia brs N 75 E 2 chs 71 lks &	
	a Beech 21" " " N 80 W 38. lks.	
	Land &c much as before.	
West	On S. boundary See 34	
21.91	an Elm 21" dia	
40.01	Set gr. see. post fr. wh.	
	a Beech 3" dia brs N 64 E 33 lks &	
	a do 7" " " N 46 W 31 "	
48.00	a Brook 6 lks wide. course S. W.	
61.36	a R. oak 30" dia	

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

~~41.36~~ a Red Oak 30 in dia  
 42.00 enter willow swamp.  
 79.50 leave same  
 80.00 Set post cor to seed 33 & 34 fr. wh.  
 a W. Oak 12 in dia brs N 45 W 35 lks &  
 a do 24 " " " N 5 W 1 ch 22 "  
 Land W much same

Nest on S. boundary Sec 33.  
 2.50 Enter Willow swamp  
 11.00 Leave same  
 15.79 a Red Oak 30 in dia  
 40.00 Set gr seed post fr wh  
 w W. Oak 6 in dia brs N 82 E 26 lks &  
 w Hickory 6 " " " N 37 W 13 "  
 50.00 Enter Oak opening  
 60.80 a Hickory 21 in dia  
 80.00 Set post cor to seed 32 & 33 fr. wh  
 a W. Oak 24 in dia brs N 63 W 41 lks &  
 w do 24 " " " N 44 E 91 "  
 Land gently rolling, E 2<sup>nd</sup> rate, Timber  
 Sugar, Beech, Ash, elm, oak, W 2<sup>nd</sup> mostly  
 2<sup>nd</sup> rate. Timber Oak

Nest on S. boundary Sec. 32.  
 13.00 enter wet prairie  
 23.50 leave same  
 26.50 a W. Oak 21 in dia  
 31.00 enter another wet prairie  
 40.00 Set gr seed post in prairie fr. wh.  
 w W. Oak 9 in dia brs N 71 E 2 lks 13 lks &  
 a Hickory 14 " " " N 87 W 1 " 17 "  
 49.50 leave prairie  
 56.72 a W. Oak 31 in dia  
 71.00 enter another wet prairie  
 80.00 Set post cor to seed 31 & 32 fr. wh.  
 w Willow 4 in dia brs N 73 E 12 lks &  
 w do 3 " " " N 59 W 11 "  
 Land rolling & 2<sup>nd</sup> rate, Timber Oak & Hickory

Nest On S. Boundary of Sec 31.  
 4.00 leave wet prairie

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

Chs lks

24.50 reenter prairie  
 36.50 Leave same  
 37.00 a W. Oak 24 in dia  
 40.00 Set gr see post fr wh.  
 a W. Oak 12 in dia brs N 42 E 20 lks &  
 a Y. Oak 4 " " " N 42 W 25 "

41.00 Enter wet prairie

51.00 Leave same  
 56.67 a W. Oak 24 in dia  
 62.75 a Stream 10 lks wide, course NW  
 69.92 Set post cor. to T 32 N. of R 7 E. pr wh  
 a Hickory 6 in dia brs N 44 W 47 lks &  
 a Red Oak 4 " " " N 83 E 82 "  
 Land gently rolling & 2<sup>nd</sup> rate. Timber Y. W  
 & R. Oak. Undergrowth, Hickory, Sassafras  
 & Oak.

East Boundary

(East 5° 50' E.  
 Bearing at cor. of Towns 32 & 33  
 N. R. 7 & 8 E.  
 a W. Oak 18 in dia brs S 46 E 56 lks &  
 a Y. " 20 " " " S 72 1/2 W 29 "

South on E. boundary Sec. 1.

16.24 a W. Oak 24 in dia  
 43.28 Set gr see post fr wh.  
 a Hickory 12 in dia brs S 88 W 19 lks &  
 a W. Oak 24 " " " N 40 W 77 "  
 55.96 a White wood 21 " " "  
 65.28 an Elm 11 " " "  
 83.28 Set post cor. to Sec. 1 & 12 fr wh  
 an Elm 18 in dia brs N 44 W 94 lks &  
 a Beech 21 " " " S 7 W 46 "  
 Land rolling & 1<sup>st</sup> rate. Timber chiefly  
 Oak.

South on E. boundary of Sec 12

9.73 a White Oak 12 in dia  
 22.15 a W. Oak 24 " "  
 25.00 Leave Oak land  
 40.00 Set gr see post from which

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Ind a)

chicks

a Beech 20 in dia brs S 45 1/2 W. 51 lks &  
 a " 18 " " " N 17 W 32 "  
 43.94 a Beech 20 " "  
 57.41 an Elm 18 " "  
 80.00 Set post in creek 20 lks with course N.W.  
 Cor to Seed 12 & 13 fr wh.  
 a Hackberry 8 in dia brs N 34 W 39 lks &  
 a Beech 11 in dia brs N 49 W 78 "  
 Land rolling & 1/4 rate, Timber, Oak, Beech,  
 Ash.

South On E. boundary Sec 13

14.23 a W. Oak 18 in dia  
 40.00 Set gr. sec. post fr wh.  
 a Hickory 11 in dia brs S 50 W. 9 lks &  
 a " 12 " " " N 42 W 22 "  
 48.00 North Margin Lake & set post fr wh.  
 an Elm 6 in dia brs N 27 W. 12 lks &  
 an " 6 " " " N 51 E 8 "  
 73.50 Set post on margin of Lake fr wh.  
 an Ironwood 11 in dia brs S 7 E 18 lks &  
 a Beech 18 " " " S 43 W 56 "  
 80.00 Set post cor to seed 13 & 24 fr wh.  
 a W. Oak 24 in dia brs N 83 W. 64 lks &  
 a " 20 " " " S 55 W. 1 ch 02 lks  
 Land rolling, soil good. Timber, Sugar Beech,  
 ash, Elm, Undergrowth the same

South On E. boundary Sec 24.

11.00 a Brook 6 lks with course W.  
 18.42 a Buckeye 10 in dia  
 39.00 Enter willow swamp  
 40.00 Set gr. sec. post fr wh.  
 a B. Ash 8 in dia brs S 54 W. 18 lks &  
 a do 6 " " " N 8 W 7 "  
 43.00 Leave Swamp  
 77.00 Enter willow swamp  
 80.00 Set post cor to seed 24 & 25 fr wh.  
 a Willow 3 in dia brs N 76 W. 34 lks  
 an Elm 6 " " " S 10 1/2 W 69 "  
 Land &c Same.

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

Chalks

South on E. boundary Sec 25.  
 3.00 Leave Swamp  
 11.82 a Whitewood 30 in dia  
 15.21 a Blue Ash 24 " "  
 40.00 Set gr see post from which  
 a W. oak 18 in dia brs S 55 W 7 1/2 lbs  
 a Beech 9 " " " N 20 W 11 "  
 53.14 a Beech 44 " "  
 58.95 a W. Oak  
 79.00 enter swamp  
 80.00 Set post cor to Secs 25 & 36 fr. wh.  
 an Elm 11 in dia brs N 15 W 48 lbs &  
 a W. " " " " N 74 W 63 "  
 Land the same.

South on E. boundary of Sec 36  
 8.00 Leave Swamp  
 40.00 Set gr see post fr. wh.  
 a Beech 6 in dia brs S 33 W 6 lbs &  
 a Blue Ash 6 " " " N 72 W 26 "  
 57.38 a Whitewood 12 " "  
 57.11 a W. Oak 24 " "  
 58.14 Sec cor to T 32 N. R 7 & 8 E.  
 Land the same  
 Nov 3. 1833

Bearings. a Beech 21. N 44 E 247  
 a Beech 11. N 13 W 45.

Subdivision

North between Sections 35 & 36 (var 4" 30' E.)  
 8.00 a Beech 21 in dia  
 40.00 Set gr see post fr wh.  
 an Ash 18 in dia brs N 78 E 23 lbs &  
 a Do 24 " " " " S 75 W 18 "  
 48.62 a Beech 17 " "  
 80.00 Set post cor to Secs 25, 26, 35 & 36 fr. wh.  
 an Ironwood 11 in dia brs N 7 W 24 lbs &  
 a Beech 18 " " " " S 23 E 18 "  
 Land rolling & good. Timber, beech, ash sugar,  
 Elm, Lym Oak, Undergth, Dogwood, Spruce, Ash Sugar





T32 N. R7 E, 2<sup>nd</sup> Mer. (Inda)

72.45	a Beech 24 in. dia., brs N 82 E 24 lbs
79.75	a W. Oak 44 in. dia.
	See. cor.
North	between Sec 22 & 23
15.41	On Elm 34 in. dia.
44.00	Set gr see. just from which an Ash 18 in. dia., brs N 88 E 12 lbs
	a Do 15 " " " N 44 W 16 "
48.00	a brook 8 lbs wide course West.
55.00	a Sugar 24 in. dia.,
80.00	Set just cor to Sec. 14, 15, 22 & 23 from which a W. Oak 64 in. dia. brs S 55 W 6 lbs
	a Do 34 " " " S 24 E 21 "
	Land rolling. 2 <sup>nd</sup> rate. Timber unchanged
East	On Random (Between Sec 14 & 23
81.45	intersect N & S line) 54 lbs S of just Land 2 <sup>nd</sup> rate, rather scrubby, rugged.
West	Corrected between Sec 14 & 23
11.80	an Ash 24 in. dia.
40.22	Set gr see. just from which a Poplar 50 in. dia. brs S 65 W 18 lbs
	an Ironwood 10 " " " N 70 E 21 "
60.00	a Beech 44 " " "
80.40	See. corner
North	Between Sec 14 & 15
111.90	a Sycamore 70 in. dia.
41.00	Set gr see. just from which a W. Oak 6 in. dia., brs S 20 E 16 lbs.
	a Water Beech 10 " " " N 11 W 18 "
42.00	a brook 18 lbs wide, course N.E. only pruned
80.00	Set just cor to Secs. 10, 11, 14 & 15 in N. margin of pruned from which a W. Oak 20 in. dia. brs N 40 E 31 lbs
	a Do 15 " " " N 85 E 73 "
East	on random between Secs 11 & 14
5.20	a brook 15 lbs wide, course N.
80.70	intersect N & S line) 86 lbs N of just

T32 N. R. & E. 2-Mer. (Ind<sup>a</sup>)

11.60	a W. Oak 21 in dia.	
40.00	Set gr see post from (which) a Red Oak 11 in dia. br S 11 W 18 lbs X a Hickory 12 " " " N 11 E 52 " "	
56.00	a W. Oak 22 in dia.	
72.25	a Brook 20 lbs wide, course E.	
80.00	Set post cor. to sees 1, 2, 11 & 12 from (which) a W. Oak 18 in dia. br S 49 E 65 lbs X a Hickory 12 " " " S 25 W 41 " "	
Land rolling, 2 rate. 1/2 mile incline to barrens		
East	On Ransom between Sec. 1 & 12.	
62.00	a Brook 50 lbs wide, course N.	
79.92	intersect E boundary at post barrens. Timber Oak. Land better than the <u>barrens</u> generally	
West	corrected between Sec. 1 & 12.	
40.00	Set gr see post from (which) a W. Oak 18 in dia br S 44 W 7 lbs X a Do 15 " " " N 44 E 8 " "	
79.92	Sec. cor.	
North	Between Sec 1 & 2	
12.30	a W. Oak 18 in dia.	
25.00	touched the west shore of a lake	
40.00	Set gr see post from (which) a W. Oak 18 in dia. br N 64 E 66 lbs X a Do 15 " " " S 67 W 51 " "	
80.00	Intersect N. Boundary 96 lbs N. of post Set post cor to sees cor to sec. 1 & 2. from wh. a W. Oak 14 in dia br S 86 E 1 ch 7 lbs X a Hickory 15 " " " S 6 W 38 " "	
Oak barrens no underbrush - best 50 chs. along the water shore. a <u>narrow beautiful</u> <u>lake</u> - nearly N & S.		
North	between sec. 34 & 35	
11.40	a Poplar 40 in dia.	
40.00	Set gr see post from (which) a Hickory 11 in dia bears S 18 W 7 lbs X a Do 8 " " " N 3 E 20 " "	

Ring

T32 N. R7 E, 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

37.00	enter willow swamp.
88.00	Set post cor. to sec 26, 27, 34 & 35 from wh a H. Oak 16 in dia. brs N 6 chs in swamp Sand - 3/2 mile 2 <sup>nd</sup> rate. inclining to wet.
East 18.00	on random between, Sec 26 & 35 left swamp.
79.00	Intersect N & S line 2 chs 30 lks S Sand poor wet.
West 18.40	corrected between Sec. 26 & 35 a Sycamore 36 in dia.
39.00	Set gr sec post from which a H. Oak 19 in dia. brs N 60 W 23 lks & a Lym 16 " " " S 38 E 42 "
53.21	a Sugar 21 " "
79.00	Sec. corner
North 31.00	between Sec. 26 & 27 left Swamp
21.50	a Lym 30 in dia.
40.00	Set gr sec post from which a Beech 14 in dia. brs N 71 E 18 lks & a Do 24 " " " N 86 W 28 "
53.31	a Beech 20 " "
80.00	Set post cor. to Sec. 22, 23, 26 & 27 from wh, a poplar 69 in dia. brs S 84 W 9 lks, & a Do 30 " " " S 37 E 30 " & a Sugar 4 " " in place of post. Land rolling - 1/2 mile rich, Timber, beech oak, sugar, poplar, (Walnut, elm), lym underbrush, Spice, sugar, dogwood.
East 78.00	on random between, Sec 23 & 26 a brook 8 chs (with course N.W.)
79.75	intersect N & S line at post Sand poor & 2 <sup>nd</sup> rate.
West 18.15	corrected between Secs 23 & 26
18.60	a Beech 20 in dia.
39.87 1/2	Set gr sec post from which a Beech 14 in dia. brs N 82 W 6 lks &

T32 N. R 7 W. 2<sup>nd</sup> Mer. (Inda)

West 40.35 80.41	corrected between Seed 11 & 14 Set gr see post from which a W. Oak 18 in dia brs S 36 E 41 lks & w Do 16 " " " N 38 W 27 " See corner
North 41.11 58.80 80.00	between Seed 10 & 11 Set gr see post from which a W. Oak 10 in dia brs N 46 E 1 <sup>1/2</sup> lks & w Do 18 " " " " N 9 E 2 lks 31 lks a B. Oak 21 " " " Set post cor. to Seed 2, 3, 10 & 11 from which a W. Oak 21 in dia brs S 87 W 42 lks & w Do 31 " " " " N 19 E 30 Mostly wet prairie & oak barrens
East 79.85	On Rands between Seed 2 & 11 intersect N & S line 30 lks N of post N 2 mi W (wet prairie) E 2 mi W oak timber, barrens. <u>June 7, 1836</u>
West 18.50 39.92 1/2 79.85	corrected between Seed 2 & 11 a W. Oak 12 in dia Set gr see post from which a W. Oak 25 in dia brs S 88 E 1 ch 92 lks & a Do 18 " " " " S 41 E 1 " 24 " See corner
North 14.00 41.04 57.00 79.67	between Seed 2 & 3 a B. Oak 18 in dia Set gr see post from which a W. Oak 16 in dia brs S 2 W 4 lks 40 lks & a Do 16 " " " " N 5 W 5 " 18 " enter a prairie when cultivated will be dry intersect N. boundary 27 lks E. of post Set post cor. to seed 2 & 3 from which an Aspen 11 in dia brs N 7 W 1 ch 91 lks & w Do 11 " " " " N 12 W 1 " 95 " 1/2 mi W barren & wet prairie
North 18.34	between Seed 33 & 34 an Aspen 20 in dia

T 32 N. B. of N. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

40.00	Set gr. See post from which a B. Oak 8 in dia. brs S 54 N. 9 1/2 lbs * a Do 10 " " " N 73 E 63 "
39.50	a W. Oak 20 "
80.00	Set post cor. to Sect. 27, 28, 33 + 34 from which an Ark 9 in dia. brs S 42 W 11 lbs * a Lym 8 " " " E 15 Kets of (wet prairie, points of Oak timber Willow Swamp + hazel
East 80.50	On Randoms between Sect 27 + 34 intersect N + S line 60 lbs S of post. Land poor oak, hazel, + swamps
West 21.70	Corrected between Sect 27 + 34 a W. Oak 15 in dia.
40.25	Set gr. see post from which a Q. Oak 31 in dia. brs N 64 W. 23 lbs * a Susupus 18 " " " N 42 E 37 "
68.50	a Q. Oak 24 " "
80.50	See corner
North 16.12	Between Sects 27 + 28 a Poplar 26 in dia.
40.00	Set gr see post from which a W. Oak 26 in dia. brs. N 65 E. 34 lbs * a Poplar 32 " " " S 73 W 31 "
62.00	a Lym 24 " "
80.00	Set post cor. to Sect 21, 22, 27 + 28. from which a Poplar 5 in dia. brs N 83 W. 18 lbs a W. Oak 27 " " " S 77 E 50 " Land pretty much as before.
East 80.75	On randoms between Sect 22 + 27. intersect N + S line 25 lbs S of post. Land 1/2 mile somewhat wet + swampy. E 2/3 rate. Timber, beech, oak, ash, elm, Lym, maple.
West 35.17	Corrected between Sect. 22 + 27 a Beech 15 in dia.
40.37	Set gr see post from which

T<sup>32</sup> N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

cho lks	ans Ironwood 4 in. dia. brs N63 W 7 lks *
65.25	a Beech 28 " " " N83 E 24 "
80.75	a Poplar 36 " " "
	See. cor.
North	between Sect 21 & 22
24.62	a Poplar 16 in. dia.
41.04	Set gr. sec just from which
	a B. Oak 31 in. dia. brs S55 W 15 lks *
	a Hickory 18 " " " N74 E 18 "
61.60	a B. Oak 31 " " "
80.00	Set just cor to sect. 15, 16, 21 & 22 from which
	a B. Oak 22 in. dia. brs S65 W 15 lks *
	a Dogwood 11 " " " S77 E 62 "
	Land poor. Timber Oak, Hickory & Hazel
East	On Random between Sect 15 & 22
81.70	intersect N & S line 1 ch 90 lks S of just
	1/2 mile 2 <sup>nd</sup> rate, 1/2 mile wet swamp & mire
	NW from cor of Sect. 14, 15, 22 & 23 (about 20 lks)
	a large pond
West	corrected between Sect 15 & 22
21.15	a Walnut 10 in. dia.
41.35	Set gr. sec just from which
	a W. Oak 26 in. dia. brs S37 W 8 lks *
	a Do 28 " " " N64 E 21 "
60.04	ans Elm 12 " " "
80.71	See. corner.
North	between Sect 15 & 16
23.45	a W. Oak 33 in. dia.
41.04	Set gr. sec just from which
	an Elm 12 in. dia. brs N48 E 35 lks *
	a Sugar 12 " " " N71 W 31 "
80.00	Set just cor to sect 9, 11, 15 & 16 from which
	a W. Oak 31 in. dia. brs S67 E 1 ch & 30 lks *
	a do 28 " " " N37 E 1. 71 "
	Land & timber as before
East	On Random between Sect 10 & 15
80.77	intersected N & S line 69 lks S. of just

G 32 N. R. & E. 2<sup>nd</sup> Mer. (Indra)

	Land poor oak barrens
West 20.90 40.38 1/2 62.41 80.77	connected between 11 & 13 a W. Oak 24 in dia Set gr see post from which a W. Oak 28 in dia. brs N 81 E 52 lbs & a Poplar 28 " " " N 75 W 50 " a B. Oak 20 " " See corner.
North 12.10 40.00 65.95 80.00	Between Seed 9 & 10 an aspen 20 in dia Set gr see post from which an Ash 15 in dia. brs S 84 E 27 lbs & a Red Oak 24 " " " N 78 W 30 " a Sugar 20 Set post cor to seed, 3, 4, 9 & 10, from which an Ash 15 in dia brs N 41 W 35 lbs & a do 18 " " " S 29 E 47 " Land rolling, interspersed with swamps.
East 80.65	On random between seeds, 3 & 10 intersect N & S line 84 lbs S. of post, N 1/2 mile, timbered land. E 1/2 indefinite barrens & wet prairie
West 411.32 1/2 80.65	connected between Seed, 3 & 10 Set gr see post from which a Tamarack 12 in dia brs S 16 W 2 lbs 43 lbs & a W. Oak 33 " " " N 78 W 3 " 85 " See corner.
North 40.00 65.80 80.45	between Seed, 3 & 4 Set gr see post from which an Ash 14 in dia, brs S 59 E 18 lbs & a do 16 " " " N 28 W 28 " a Beech 18 " " intersect N boundary 87 lbs N. of post. Set post cor to seed, 3 & 4 from which a W. Oak 30 in dia, brs S 70 E 11 lbs & a Sycamore 12 " " " N 75 W 22 " Land level. S 1/2 mile 2 <sup>nd</sup> rate. N 1/2 rather wet

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

chs lks	Timber, beech, oak, ash, Elm, Maple, Linn, Hickory. Ungro. Dogwood, ironwood, beech, briars & hazel. June 10, 1894.
North	between Secs. 32 & 33.
10.50	a R. Oak 26 in. dia.
40.00	Set gr see post from which a W. Oak 48 in. dia. brs S 84 W 1 ch & a Poplar 23 " " " North 4 ch 9 1 lks
49.36	w R. Oak 24 " " "
80.00	Set post cor. to Secs 28, 29, 32 & 33 from which w R. Oak 57 in. dia. brs S 68 W 8 lks & a Poplar 24 " " " S 72 E 80 " Land poor Oak, close under brush of <u>Sassafras</u> and hazel.
East	On random between Secs 28 & 33
30.20	w. Deep mining brook or slough 30 lks wide, comes N.
79.45	intersect N & S line 1 ch 34 lks S. of post Land & timber as before.
West	corrected between Secs 28 & 33.
39.52 1/2	Set gr see post from which an Elm 36 in. dia. brs S 57 E 86 lks & & a W. Oak 15 " " " N 62 E 80 "
53.15	a W. Oak 21 " " "
79.00	Sec. Corner.
North	between Secs. 28 & 29
20.30	a W. Oak 19 in. dia.
49.09	Set gr see post from which a W. Oak 14 in dia brs S 24 W 11 lks & a do 16 " " " N 15 W 21 "
37.40	w W Oak 30 " " "
37.00	a Brook 25 lks wide, comes N.W.
60.00	w do 25 " " " N.E.
80.00	Set post cor. to sec. 20, 21, 28 & 29 from which an Elm 14 in dia brs N 18 W 43 lks a Hickory 12 " " " S 15 E 31 " 1/2 mile brushy poor. N 1/2 open pleasantly, barrens.
East	On Random between Sec 21 & 28.

## T32 N. R 7 E. 2 Mer. (Ind a)

South 91.89 79.14	a Brook 25 lks wide course N. intersect N + S line at post Land rolling, 2 <sup>nd</sup> rate, underbrush very thick Timber, Hickory, dogwood, Elm, hazel, Grass &c
West 18.60 39.37 64.10 79.14	corrected between Sect. 21 + 28. a C. Oak 11 in dia. Set gr. sec. post from which an Elm 5 in dia. brs S 44 E 7 lks " do 8 " " " N 24 W 8 " a Walnut 13 " " " Sec. corner.
North 18.30 21.80 40.00 54.73 86.00	between Sect. 21 + 21 a Brook 20 lks wide, course NW. a W. Oak 16 in dia Set gr. sec. post from which a W. Oak 23 in dia. brs S 64 E 10 lks a Beech 22 " " " N 3 W 26 " a Sugar 28 " " " Set post on to Sect. 16, 17, 21 + 21 from which a Poplar 24 in dia brs N 27 E 25 lks a W. Oak 18 " " " S 12 W 44 " Land rolling. N. of brook heavy timber. close underbrush. Poor 2 <sup>nd</sup> rate.
East 79.12	on a random between Sect. 16 + 21 intersect N + S line 29 lks S. Land - poor 2 <sup>nd</sup> rate. Timber heavy. Beech, Ash, Oak, Sugar Elm, Lym &c.
West 10.75 39.36 16.91 79.12	corrected, between Sect. 16 + 21 a Beech 14 in dia. Set gr. sec. post from which a W. Oak 33 in dia. brs S 14 E 18 lks a do 32 " " " N 9 E 19 " a Sugar 20 " " " Sec. corner
North 35.25 40.00	between Sect. 16 + 17 a W. Oak, 36 in dia. Set gr. sec. post in pond & Willow Swamp

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

chocks	<p>from which</p> <p>a Lym 24 in dia bro N 5 cho 25 lks.</p> <p>49.00 a Bwo 10 lks wide. course N.</p> <p>53.70 a Beech 11 in dia.</p> <p>80.00 Set post. cor. to seed 8, 9, 16 &amp; 17 from which</p> <p>a Beech 18 in dia. bro N 46 W. 19 lks *</p> <p>an Elm 16 " " " S 76 E 19 "</p> <p>Land &amp; timber same.</p>
East	<p>On (random) between Seed 9 &amp; 16</p> <p>80.46 intersect N &amp; S line 1 ch 98 lks N of post</p> <p>Land Level. 1/2 mile good 2<sup>nd</sup> rate. East</p> <p>inclining to wet. Timber as before</p>
West	<p>corrected between Seed 9 &amp; 16</p> <p>21.08 an Ash 18 in dia.</p> <p>41.23 Set gr seed post from which</p> <p>a Sugar 16 in dia. bro. S 33 E 21 lks. *</p> <p>an Ash 16 " " " " N 49 W 30 "</p> <p>61.19 a Sugar 13 " " "</p> <p>80.46 See. corner.</p>
North	<p>between Seed. 8 &amp; 9</p> <p>24.71 a Maple 28 in dia.</p> <p>40.00 Set gr. seed post from which</p> <p>a Beech 18 in dia. bro N 9 E 11 lks *</p> <p>a Do 24 " " " " S 38 W 17 "</p> <p>46.25 a Lym. 34 " " "</p> <p>80.00 Set post cor to seed. 4, 5, 8 &amp; 9 from which</p> <p>a Red Oak 48 in dia. bro S 78 W 26 lks *</p> <p>a Beech 18 " " " " N 74 E 32 "</p> <p>Land gently rolling. 2<sup>nd</sup> rate. Timber as before</p>
East	<p>On (random) between Seed 4 &amp; 9</p> <p>80.86 intersect N &amp; S line 1 ch 91 lks N of post</p> <p>Land unpleasant, part wet, part swampy &amp; all brushy</p>
West	<p>corrected between Seed. 4 &amp; 9.</p> <p>5.75 a poplar 31 in dia.</p> <p>40.43 Set gr seed post from which</p> <p>a poplar 60 in dia. bro N 25 W 28 lks *</p> <p>a Beech 28 " " " " S 12 E 22 "</p> <p>80.86 See. corner</p>

T32 N. R 7 E. 2nd Mer. (Inda)

<p>North 15.68 40.00  61.28 79.53</p>	<p>between Sect. 44 &amp; 45 a Sugar 18 in. dia. Set gr. sec. just from which a Hickory 11 in. dia. brs N 30 E 26 lbs X a W. Oak 16 " " S 20 E 56 " a W. Oak 36 " " intersect N. boundary 1 ch 18 lbs N of post Set post cor. to Sect. 44 &amp; 45 from which a Poplar 30 in. dia. brs S 22 W 41 lbs X an Elm 22 " " " S 32 E 35 " 1/2 mile, wet, just swampy around gr. sec corner N 2 of N 2 mile good land. Timber heavy.</p>	
<p>North 18.30 41.00  57.34 80.00</p>	<p>between Sect. 31 &amp; 32 a W. Oak 12 in. dia. Set gr. sec. just from which a R. Oak 48 in. dia. brs S 78 W 75 lbs X W Sugar 22 " " " N 34 E 22 " a R. Oak 36 " " Set post cor to Sect. 29, 30, 31 &amp; 32, from which W W. Oak 24 in. dia. brs N 85 E 1 ch 14 lbs X W do 12 " " " N 35 E 86 lbs Land poor oak barrens, interspersed with wet prairie</p>	
<p>East 79.50</p>	<p>On random between Sect. 29 &amp; 32, intersect N &amp; S line at post Land as before</p>	
<p>West 16.20 39.75  69.10 79.50</p>	<p>corrected between Sect. 29 &amp; 32 a W. Oak 12 in. dia. Set gr. sec. just from which a W. Oak 20 in. dia. brs S 7 W 30 lbs X a do 12 " " " N 7 E 15 " a Gum 20 " " Sec. corner</p>	
<p>West 70.78</p>	<p>On Random between Sect 30 &amp; 31 intersect west boundary 2 chs 50 lbs N of post Land inclining to barrens, richer than the last</p>	
<p>East</p>	<p>corrected between Sect 30 &amp; 31, cor. on West boundary cor to Sect 30 &amp; 31 from which</p>	

T 22 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

54.43 73.37	North a Cherry 15 in. dia. lbs N 87 E 16 lbs an Ash 10 " " " S 75 W 17 " a W. Oak 28 " " "	+
19.57 41.00	North between Secs. 17 & 18 an Aspen 14 in. dia. Set gr. sec. just from which	
48.12 61.26 80.00	a W. Oak 28 in. dia. lbs S 38 E 19 lbs an Elm 10 " " " N 41 E 13 " a Brook 8 lbs (wide) course E. a B. Oak 26 in. dia. Set post cor. to Secs. 7, 8, 17 & 18 from which	+
79.06	East On (Random) between Secs 8 & 17 intersect N & S line 1 ch. N. of post. Low. level, good 2 <sup>nd</sup> rate. Timber, beech, sugar, ash, elm, poplar, little underbrush	
18.20 39.53 64.05 79.06	West corrected between Secs 8 & 17. a Beech 18 in. dia. Set gr. sec. just from which a Beech 18 in. dia. lbs. S 38 W. 19 lbs W. O. 22 " " " N 26 W 30 " an Ironwood 10 " "	+
1.50 73.96	West On Random between Secs 7 & 18 a Brook 10 lbs wide course S.W. intersect N. boundary 10 lbs N. of post Scrubby oak land, interspersed with small wet prairie	
13.66 23.96	East corrected between Secs 7 & 18 cor. on N. boundary. Set post. cor. to sec. 7 & 18 from which a B. Oak 12 in. dia. lbs N 86 E 37 lbs a W. Oak 28 " " " N 3 E 37 " a W. Oak 10 " " " "	+
	Set gr. sec. just from which	



T32 N. R & E. 2 Mer. (Ind<sup>w</sup>)

49.45	a poplar 30 in. dia. hrs N 74 W 60 lbs	*
72.44	an ash 22 " " " S 37 E 1 ch 50 lbs	
	a W. oak 20 " " " " " " " " " " " "	
	See corner.	
North	between Sect 19 & 20	
22.00	a W. oak 28 in. dia.	
40.00	Set gr see just from (which)	
	an Elm 12 in. dia. hrs S 39 E 29 lbs	*
	a W. oak 9 " " " " N 50 W 23 " "	
54.60	a W. oak 15 " " " " " " " " " " " "	
70.50	a Brook 20 lbs wide course N.	
80.00	Set post cor. to Sects 17, 18, 19 & 20 from which	
	a Spruce 28 in. dia. hrs N 21 E 18 lbs	*
	a W. oak 22 " " " " S 11 E 53 " "	
	Land timber as before.	
East	On Rands between Sect 17 & 20	
79.70	intersect N & Line 80 lbs N of post.	
	1/2 mile from Oak barrens, 1/2 mile timbered.	
	2 <sup>nd</sup> rate. Timber, beech, oak, ash, poplar, sugar.	
West	connected between Sect. 17 & 20	
19.75	a W. oak 20 in. dia.	
39.85	Set gr see just from which	
	a W. oak 20 in. dia. hrs S 46 E 11 lbs	
	w do 20 " " " " N 68 E 14 " "	
68.08	a W. oak 22 " " " " " " " " " " " "	
79.74	See corner.	
West	On Rands between Sects. 18 & 19	
62.25	a Brook 20 lbs wide course N.W. 111	
73.87	intersect N boundary 111 lbs S. of post	
	Oak barrens	
East	connected between Sects. 18 & 19	
	Corner N. boundary. Set post cor to Sect 18 & 19	
	from which	
	a W. oak 24 in. dia. hrs S 70 E 42 lbs	*
	a B. oak 12 in " " " " N 15 E 1 ch 84 lbs.	
18.37	a W. oak 12 " " " " " " " " " " " "	
33.37	Set gr see just on true line from which	

T32 N. R7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

76.21 73.96	an aspen 8 in. dia. brs 86 N 30 lks X a W. Oak 24 " " " S 74 E 45 " a W. Oak 11 " " " See. corner,
North 15.31 40.00 53.31 80.00	between Seed 7 & 8 an Elm 12 in. dia. Set gr. sec. post. from which a W. Oak 26 in. dia. brs N 37 E 64 lks X a do 22 " " " N 66 W 74 " a W. Oak 26 " " " Set post. cor. to Seed 5, 6, 7 & 8 from which a W. Oak 12 in. dia. brs S 75 W 84 lks X a do 24 " " " N 60 W 62 " Land as before.
East 79.15	On random between Seed 5 & 8 intersect N & S line 1 ch 14 lks N. of post N 1/2 mile barren. E 1/2 timbered June 12. 1834
West 19.65 39.82 1/2 63.85 79.65	corrected between Seed 5 & 8 a Beech 11 in. dia. Set gr. sec. post from which a Sassafras 12 in. dia. brs N 19 W 9 lks X a W. Oak 48 " " " S 81 E 12 " a W. Oak 48 " " " See. cor.
West 74.80	On random between Seed 6 & 7 intersect W. boundary 1 ch 84 lks N. of post. Timber Oak, little underbrush, <u>dead hazel</u>
East 34.80 56.88 74.80	corrected between Seed 6 & 7 cor. on W. boundary. Set post. cor. to Seed 6 & 7 from which a Sugar 24 in. dia. brs S 44 E 79 lks X an Ash 12 in. " " " N 70 E 71 " Set gr. sec. post from which a B. Oak 15 in. dia. brs N 38 W 40 lks X a R. Oak 12 " " " N 62 E 74 " an Elm 14 " " " See. corner.

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

cho lks  
 25.04 a Hickory 21 in dia.  
 40.11 Set gr. sec. post from which  
 a B. Oak 14 in dia hrs S 71 E 28 lks &  
 a Hickory 12 " " " N 14 W 36 "  
 61.25 a W. Oak 30 " "  
 77.80 intersect N. boundary 5 lks. End post  
 Set post cor. to Secs. 5 & 6 from which  
 a Sugar 28 in dia. hrs S 17 W. 45 lks &  
 an Ironwood 10 " " " S 59 E 50 "  
 2 1/2 mile barriers, N 2 good land. Beech & Maple  
 June 13. 1834.

Meanders of a Lake in Sec. 1. commencing  
 where line between Sections 1 & 2 intersect the  
 Lake. 25 chains from the corner of Sections  
 1, 2, 11 & 12. thence,

Courses	cho lks	
North	9.63	on said sec. line
N 11 E	4.57	
North	24.50	Range LK
N 51 E	14.50	
N 5 E	4.50	
N 41 W	4.13	to post on N. boundary
S 59 E	8.00	Sec 1
South	43.54	
S 38 W	21.00	at 6 chs 25 lks on inlet 60 lks from S.E.
West	14.00	
N 39 W	9.00	
N 27 W	3.09	to place of beginning on Sec line. June 9. 1834

Meanders of Lake in Sec 13. commencing at  
 post on N. side of Lake on Range line  
 between Ranges 7 & 8

S 75 W	8.50	
S 65 W	3.00	at 1 ch. an outlet 2 chs. N.W.
S 8 E	15.50	
S 36 E	8.50	
S 51 E	4.00	to post on Range line. Side of Lake

Robinson LK

T 32 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

I certify that in pursuance of a Contract with  
 Micajah T. Williams, Surveyor General of the United  
 States, of Ohio & Indiana, and the Territory of Michi-  
 gan, bearing date the 27<sup>th</sup> day of December 1833. and  
 in conformity to the laws of the United States &  
 the instructions of said Surveyor General, I have  
 surveyed and subdivided into sections Township  
 32 N. R 7 E. 2<sup>nd</sup> Mer. in the State of Indiana.  
 and I do further certify that the foregoing are the  
 true and mainly the original field notes of the  
 said Survey, and subdivision as aforesaid.  
 Certified this 18<sup>th</sup> day of June 1834.

John Hendricks D. S.

William <sup>his</sup> Cash }  
 William <sup>mark</sup> Yelton } Chainmen

Andrew B. Rodeffer marker in part

Township No. 33. North Range 7 East 2<sup>nd</sup> Mer. (Ind 2)

		South Boundary
	West	on South Boundary Sec. 36. Star 6" 07' E
31.00		a W Oak 28 in. dia.
40.00		Set gr. sec. post from which
		w/ W Oak 17 in. dia. brs N 81 E 49 lks
		w Do 31 " " " N 39 W 57 "
49.00		a Marsh
52.28		a lake - shore runs N. W. & S. E. set post
		from which on Elm 21 in. dia. brs S 87 1/2 E 2 chs 96 lks
		w Willow 8 " " " N 53 1/4 W 99 "
72.08		Leave Lake on SW border of outlet, which is about
		2 chs 30 lks wide at this place & enter marsh.
		Set post from which
		w Willow 6 in. dia. brs S 4 E 3 chs 80 lks
		a W Oak 18 " " " N 96 W 12 "
77.00		Leave Marsh
80.00		Set post cor to Secs. 35 & 36 from which
		a W Oak 16 in. dia. brs N 77 1/4 E 47 lks
		a do 11 " " " N 36 W 34 "
		Land, rolling barrens, good soil, W. Y. & R. Oak &
		Hickory, Sassafras, vines &c. on 1 <sup>st</sup> half.
		West on S. boundary Sec. 35
9.33		a W Oak, 40 in. dia.,
21.83		a W Oak 28 " "
40.00		Set gr. sec. post from which
		a W Oak 21 in. dia., brs N 59 E 20 lks
		w Do 17 " " " N 65 1/4 W 54 "
61.88		a W. oak 14 " " & enter marsh
77.30		a Brook 6 lks. (wide course N. W. sluggish)
80.00		Set post cor. to Secs. 34 & 35 from which
		on Aspen 8 in. dia. brs N 1 W. 1 ch 94 lks
		a Do 9 " " " N 3 1/2 E 1 " 87 "
		Land &c similar
		West on S. boundary Sec. 34
15.57		Leave Marsh - gently rolling, mostly very rich,
		might be drained and cultivated
27.00		a Brook 8 lks wide, course N. E. not durable
29.66		a W. Oak 14 in. dia.
40.00		Set gr. sec. post from which
		a W. Oak 4 in. dia. brs N 9 1/2 E 1 ch 38 lks

T33 N. R 7 E. 2<sup>m</sup> Mer (Ind<sup>a</sup>)

cho lks  
 35.00 a W. Oak 28 in dia. brs N 69 W. 68 lks  
 Indian trail course S.E. supposed to lead from  
 Misquamback village to Fort Wayne.  
 59.64 a R. Elm 18 in dia.  
 79.12 a W. Walnut 14 " "  
 80.00 Set post cor. to seed 33 & 34. from which  
 a Poplar 13 in dia. brs N 26 lks X  
 a W. ash 9 " " " N 64 1/2 E 28 " X  
 East 1/2 mile mostly bottoms & barrens. West 1/2, except  
 5 chs, rolling. 1<sup>st</sup> rate, walnut, ash & poplar land.  
 a B. Ash swamp, N of corner.

West on S. boundary Sec. 33.  
 12.97 a Beech 18 in dia.  
 15.00 in Swamp  
 20.00 Leave dg  
 31.04 a Beech 28 in dia.  
 40.00 gr see just a Lymu 27 in dia. on corner.  
 40.92 a W. Ash 17 in dia.  
 53.14 a Poplar 30 " "  
 80.00 Set post cor. to seed 32 & 33 from which  
 a Beech 10 in dia. brs N 9 1/4 E 38 lks X  
 a R. Oak 14 " " " N 19 W 6 " X  
 1<sup>st</sup> 2<sup>nd</sup> chs. land low & broken by small swamps  
 West 5<sup>th</sup> chs. level & 1<sup>st</sup> gate, Timber, beech,  
 Oak, B & W. Walnut, blue & W. ash. Lymu.  
 Poplar &c. underbrush. Poplar, Spice. Oak  
 &c. &c.

West on S. boundary Sec. 32.  
 2.00 a Dry channel of brook, 10 lks wide, course N.E.  
 40.00 Set gr see. just from which  
 a Sp. Oak 14 in dia. brs N 52 1/2 W. 54 lks X  
 a Sp. Oak 23 " " " N 21 E 23 " X  
 69.75 a W. Oak 11 " "  
 80.00 Set post cor. to seed 31 & 32 from which  
 a W. Oak 18 in dia. brs N 44 E 34 lks X  
 a Beech 15 " " " N 57 1/2 W 61 " X  
 Land rolling, low & swampy in some of the valleys.  
 Soil mostly first rate. Timber Oak, beech, elm,  
 ash, walnut, poplar, ironwood &c. no  
 undergrowth

T33 N, R7 E, 2<sup>nd</sup> Mer. (Indi<sup>a</sup>)

chs lks West	on S. boundary Sec. 31.
27.57	a Sugar 10 in. dia.
40.00	Set gr. sec. post from which a Beech 16 in. diam. lks N 78 $\frac{1}{2}$ W. 39 lks & a R. Elm 16 " " " N 44 E 27 "
44.87	a Beech 24 " "
39.00	Indian trail course S.
74.00	a Marsh
76.38	intersect W. boundary at end of 5. 71. 87 Set post cor. to sec. 32 & 33 R3 67 E. from which an Elm 14 in. dia. lks N 9 E. 283 lks & a W. Oak 9 " " " S 86 $\frac{1}{2}$ E 241 " Land &c similar, fine grass small sugar trees.

	East Boundary
	cor. to T33 & 34. R3 74 E. from which a Beech 24 in. dia. lks S 53 $\frac{1}{2}$ W. 75 lks & a B. Oak 11 " " " N 1 W. 58 "
	South on E. Boundary Sec. 1.
17.35	a Beech 18 in. dia.
31.12	Set gr. sec. post from which a Sycamore 12 in. dia. lks N 21 W 31 lks & a W. Ash 8 " " " S 48 W 49 "
70.33	a W. Oak 24 " "
73.00	a Willow Swamp
71.12	Set post cor. to Sec 1 & 12 from which an Elm 10 in. dia. lks S 70 W 8 lks & an Aspen 14 " " " N 64 W. 58 " Land rolling good soil timber beach, ash, Oak, elm, &c, &c. been burned. Und. growth: paropaw. p. ash, nettles, Oak, elm, &c, &c.

	South on E. boundary Sec. 12.
25.48	intersect S. boundary Flatbelly's Reserve 2 miles 34.07 E of SW corner
	Set post from which an Elm 12 in. dia. lks S 17 W 82 lks & a W. Ash 14 " " " S 38 E 78 "
26.00	Leaves Swamp
40.00	Set gr. sec. post from which

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>o</sup>)

	a B. Oak 14 in dia bro N 62 W 56 lks	✓
	a B. Oak 11 " " " N 53 W 66 "	
41.52	a B. Oak 28 " "	
61.42	a Marsh. 15 " "	
63.00	Indian trail from Turkey prairie to Ft. Wayne	
	Course S. E. & C.	
80.00	Set post cor to seed 12 & 13 from (which)	
	a Sassafras 11 in dia. bro N 88 1/2 W 80 lks	✓
	a Hickory 20 " " " S 51 1/2 W 72 "	
	Land & similar	

South	on E. boundary of Sec. 13.	
8.00	enter barrens	
27.00	a Marsh	
39.60	a Brook 3 lks wide. Spring water course NE.	
40.00	Set gr see post from which	
	a W. Oak 11 in dia bro N 4 1/2 E 85 lks	✓
	a B. Oak 24 " " " S 73 1/2 W 422 "	
54.50	Springy bottoms	
59.00	Tipppecanoe River 25 lks wide. course N. W.	
64.00	Leaves bottoms	
65.13	a W. Oak 12 in dia.	
77.00	a Marsh	
80.00	Set post cor to Seed 13 & 24 from which	
	a W. Oak 12 in dia bro west 79 lks	✓
	a W. Oak 10 " " " S 13 W 63 "	
	Land hilly barrens, thinly timbered - poor soil	
	Timber - W & Y oak	

South	on E. boundary Sec. 24.	
0.54	Leaves Marsh	
2.77	W. Oak 30 in dia	
28.39	do 13 " "	
40.00	Set gr see post from which	
	a W. Oak 16 in dia bro N 38 W 11 lks	✓
	a do 12 in " " " S 77 W 71 "	
45.54	Indian trail course SW.	
50.12	a W. Oak 20 in dia.	
59.00	a Marsh	
70.50	a Brook 6 lks wide course N. W. sluggish	
80.00	Set post cor to Seed 24 & 25 from (which)	
	a W. Oak 12 in dia bro S 62 W 88 lks	✓



T33 N. R 7 E. 2nd Mer. (Ind. a.)

17.00	a marsh
40.00	Set gr see just from which a R. Oak 24 in dia. brs S 62 W 95 lks
	a do 22 " " " S 86 3/4 W 141 "
43.50	leave marsh
51.43	a R. Oak 24 in dia
69.00	a creek 75 lks wide. course N.W.
	(perhaps E) enter marsh.
80.00	Set post cor to sect. 25, 26, 35 & 36 from which a W. Oak 21 in dia. brs N 2 E 257 lks
	and Elm 18 " " " S 18 3/4 E 34 "
	Land 3 <sup>rd</sup> rate, rolling. Timber W & B. Oak, Hickory.

East	on random between Sect 25 & 36.
1.50	a creek 75 lks wide course NW
3.50	leave marsh
18.50	a marsh
38.00	leave marsh
42.00	a trail course NE
65.00	a marsh
80.33	intersect E. boundary 22 lks. N. of post

	Post connected between Sect. 25 & 36.
29.37	a W. Oak 24 in dia.
40.16 1/2	Set gr see just from which a R. Oak 12 in dia. brs S 37 1/2 E 9 lks
	a W. Oak 18 " " " N 19 E 22 1/2 lks
80.33	Sec. corner land same

	North between Sect. 25 & 26.
0.50	a creek 75 lks wide course W.
4.93	a W. Oak 12 in dia.
13.50	a marsh
22.50	leave do
38.84	a W. Oak 12 in dia
40.00	Set gr see just from which a W. Oak 20 in dia brs S 63 1/2 E 23 lks
	a do 14 " " " N 84 W 33 "
48.03	a Hickory 18 " " "
80.00	Set post cor to Sect. 23, 24, 25 & 26 from which a W. Oak 12 in dia brs S 63 1/2 E 6 lks
	a do 12 " " " S 65 W 47 "

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

	Land $\frac{1}{2}$ Same. $E\frac{1}{2}$ 2 <sup>nd</sup> rate. Timber. oak, Hickory, ash, Sassafras, beech, vines &c.
	North between Sect 11 & 12
2.00	a. Marsh
19.00	leave do
23.00	enter do
31.75	a lake. Set post from which a Burr oak 18 in. dia. brs $S 14 \frac{1}{2} W 5$ chs 21 lks & a W. oak 30 " " " $S 9 \frac{1}{2} E 6$ " 20 "
54.09	Over lake - set post from which a W. oak 20 in. dia. brs $N 3 \frac{1}{2} E 5$ chs 54 lks &
58.09	intersect S. line of Flatbelly's reserve. Set post from which a W. oak 20 in. dia. brs $N 4 \frac{1}{2} E 4$ chs 54 lks.
	July 27 1857

	North between Sect. 34 & 35
5.90	a Run 3 lks wide. course N.W.
8.50	leave marsh
14.30	enter do
21.00	leave do
27.50	a marsh
31.50	a creek 30 lks wide. course N.W.
40.00	Set post from which a W. oak 20 in. dia. brs $N 14 \frac{1}{2} W 3$ chs 40 lks & a do 20 " " " $N \frac{1}{2} W 5$ " 35 "
34.00	leave marsh
60.00	enter tamarack swamp
75.00	leave do
80.00	Set post cor. to sect. 26, 27, 34 & 35 from wh. a B. oak 18 in. dia. brs $N 37 \frac{1}{2} E 46 \frac{1}{2}$ lks & a do 18 " " " $S 55 \frac{1}{2} W 58$ "
	Land 3 <sup>rd</sup> rate. broken. Timber. tamarack & oak

	East on random between Sect 26 & 35
21.75	a creek 50 lks wide. course S.W.
22.75	leave creek on same side
25.50	a creek 50 lks wide course S.W.
28.00	a do 50 " " " N.W.
31.50	a do 50 " " " S.W.
60.00	a Marsh
63.25	a Run 30 lks wide. course N.E.

T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

cho lks	Land same &c.
38.54	East on random between Sect 24 & 25 a trail course N.
39.50	a marsh
49.50	leave do
51.00	enter do
59.50	a creek 30 lks wide course N
65.31	leave marsh
68.00	enter do
74.31	leave do
75.00	enter do
80.70	intersect E. boundary 18 lks S. of post
411.35	West connected between Sect. 24 & 25 Set up see post from which w B. Oak 18 in dia bro N 72 W 150 lks & w W. do 20 " " " S 49 W 77 "
44.11	a W. Oak 12 " "
63.03	w do 20 " "
80.70	See corner Land same
33.88	North between Sect. 23 & 24 a W. Oak 26 in dia.
40.00	Set up see post from which w W. Oak 10 in dia bro S 81 1/2 W 110 lks & w do 12 " " " N 42 E 56 1/2 "
58.76	a B. Oak 18 " "
69.14	w trail course NW.
80.00	Set post cor. to Sect 13, 14, 23 & 24 from which w W. Oak 12 in dia bro N 14 W 60 lks & w do 18 " " " S 27 E 116 "
	Land same July 26, 1834
40.00	East on random between Sect. 13 & 24 enter marsh
48.33	a creek 30 lks wide course N.
52.61	leave marsh
57.50	enter marsh
59.23	a pond offset N. 1.00 E. 2.00 S. 1.00 reduced offset.

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

chd lks	
61.23	fell in line) over pond
69.50	leave marsh
75.50	w marsh
80.00	leave do
80.78	intersect E. boundary at post

40.39	West blazed line back between Sec 18 & 24 Set gr see post from which a W. Oak 24 in dia. brs S 39 1/2 W 93 lks & a do 24 " " " N 86 W 144 "
68.46	a W. Oak 18 " "
80.78	Sec. corner Land same

14.98	North between Secs 13 & 14 a W. Oak 10 in dia.
18.00	w. Marsh
27.00	leave do
31.75	a W. Oak 12 in dia
40.00	Set gr see post from which a W. Oak 20 in dia brs N 66 E 95 lks & w do 24 " " " S 70 W 68 1/2 "
43.50	a trail course W.
44.75	w Marsh
52.64	a creek 75 lks wide course W.
59.54	leave Marsh
80.00	Set post on the Secs 11, 12, 13 & 14 from which a W. Oak 10 in dia. brs N 37 1/2 E 15 1/2 lks & a do 24 " " " S 42 1/2 W 74 "
	Land same &c.

12.50	East on random between Sec 12 & 13 a Marsh Sick in pond
18.50	leave "
80.76	intersect E. boundary 8 lks S. of post

3.17	West corrected between Secs 12 & 13 a Hickory 10 in dia.
40.38	Set gr see post from which w W. Oak 26 in dia brs N 28 1/2 E 73 lks & w do 26 " " " S 19 E 66 "
78.90	a W. Oak
80.76	Sec corner

T33 N. R7 E. 2 Mer. (Ind a)

68.57	a creek 50 lks wide. course N.W.
79.00	a creek 50 " " " " S.W.
80.00	intersect N+S line 40 lks S. of Post.
40.00	West corrected between Sect. 26 & 25
43.63	Set gr see post from which a W. Oak 20 in. dia. brs N 12 1/2 E 70 lks & a do 12 " " " S 21 1/2 W 56 "
80.00	Section corner Sand same.
2.67	North between Sect 26 & 27
17.00	a Hickory 111 in. dia.
23.93	w Marsh.
	intersect S. side of lake & set post from which
	a Burr Oak 24 in. dia. brs S 1/2 W 6 chs 18 lks &
	a Tamarack 12 " " " N 37 3/4 E 1 " 66 "
	offset N. 33 E 9 chs
	N 15 1/2 W 12 "
	N 28 1/2 W 3 " 52 lks reduced offset.
46.13	over lake. set post from which
	a Tamarack 12 in. dia. brs N 20 E 1 ch 39 lks &
	a do 9 " " " N 20 1/4 W 72 1/2 "
51.60	a brook 10 lks wide dead (water. course S.W.)
72.75	leave Marsh
79.24	a W. Oak 18 in. dia.
80.00	Set post cor. to Sect. 22, 23, 26 & 27 from which
	a B. Oak 18 in. dia. brs N 63 W 43 lks &
	a do 18 " " " S 29 1/2 E 7 "
	Sand same.
23.00	East on rd. between Sect 23 & 26
32.50	a Marsh
80.26	leaves do
	intersect N+S line 26 lks N of post
16.00	West corrected between Sect 23 & 26
40.13	a W. Oak 9 in. dia.
67.14	a W. Oak 12 " " " for gr see post.
80.26	a B. Oak 20 " " "
	Section corner
	Sand rolling. 3 <sup>rd</sup> rate. Timber W & B oak, Hickory

T 33 N. R 7 E. 2<sup>d</sup> Mer. (Ind. a)

	July 27.
111.91	North between Seed 22 + 23 a W. oak 12 in. dia.
29.70	a W. oak 18 " "
40.01	Set gr. see post from which a B. oak 18 in. dia. brs N 28 $\frac{1}{2}$ E 27 $\frac{1}{2}$ lks *
	a W do 12 " " " N 37 W 43 $\frac{1}{2}$ "
62.73	a W oak 24 " "
80.00	Set post cor to Seed. 14.15.22 + 23 from which a W oak 21 in dia brs S 84 E 68 lks *
	a do 18 " " " S 76 $\frac{3}{4}$ W 25 "
	Same level. Limber same
68.20	East on random between Seed 14 + 23 a trail - course S E to N. W.
80.24	intersect N V S line 5 lks S of post
16.44	West corrected between Seed. 14 + 23 a W. oak 21 in. dia.
211.55	w do 24 " "
40.12	Set gr. Seed. post from which a W. oak 12 in. dia. brs S 2 $\frac{1}{2}$ W 46 lks *
	w do 18 " " " N 3 $\frac{3}{4}$ E 23 "
49.96	a W oak 12 " "
80.24	Section corner Same same
35.65	North between Seed - 14 + 15. a W oak 21 in. dia.
40.44	Set gr see post from which a W. oak 18 in dia brs N 35 E 4 lks *
	a do 12 " " " N 20 $\frac{1}{2}$ W 51
44.89	a creep 50 lks wide, course S W. runs brick
57.10	a Hickory 12 in. dia.
63.84	a trail course E to W.
68.00	enter marsh
80.00	Set post cor to Seed. 10.11.14 + 15. on S. side of Lake, from which a W. oak 20 in. dia. brs N 69 W. lks 71 lks *
	a do 20 " " " N 81 $\frac{1}{2}$ W. 6 " 61 "
	Same same

G33 N. R 7 E, 2<sup>d</sup> Mer. (Inda)

cho lks.	North between Sec 10 & 11
13.34	over lake, set post from which w W oak 24 in dia hrs N 42 1/4 W 600 lbs &
23.80	no other near w Run 6 lks wide, course E, W. about 5 chs. is a pond
25.00	leave marsh
40.00	Set gr. sec post from which a Beech 7 in dia hrs N 87 1/4 E 28 1/2 lks. &
42.21	w Spruce 12 " " South - 3 "
54.67	a W. Ash 21 in dia.
55.80	a Walnut 24 " "
	intersect line of Flatbelly's reserve. at post from which a W. Oak 18 in dia hrs S 8 1/4 E 81 lks &
	a W. Oak 24 in dia hrs S 50 1/4 W 1 ch 56 lbs
	measured W. along said line 53 chs 85 lks to end thereof.
	Land 2 <sup>d</sup> rate, rolling, Timber, ash, Oak, hickory, Sassafras, Vines &c.

	North Between Sec 33 & 34
11.64	a Beech 18 in dia.
12.75	a Run 4 lks wide, course N.E.
31.95	w Trail course NW to SE
40.00	Set gr sec post from which a Beech 9 in dia hrs N 54 E 12 lks &
	a W. Oak 24 " " " S 60 W 16 "
41.42	w Elm 21 " "
51.48	a Hickory 6 " "
59.87	a do 9 " "
60.65	a Marsh
80.00	Set post cor to Sec. 27, 28, 33 & 34 from which a Burr Oak 12 in dia hrs N 19 1/2 W 95 lks &
	w do 21 " " " N 70 W 1 ch 58 lbs
	Land 2 <sup>d</sup> rate, rolling, Timber, beech, Sugar oak, elm, ironwood, spice &c. &c.

	East on random between Sec. 27 & 34
3.51	leave marsh
12.47	intersect lake. Bonnet
46.53	over lake
59.00	leave marsh

July 28  
 20.30  
 21.30  
 22.30  
 23.30  
 24.30  
 25.30  
 26.30  
 27.30  
 28.30  
 29.30  
 30.30  
 31.30  
 32.30  
 33.30  
 34.30  
 35.30  
 36.30  
 37.30  
 38.30  
 39.30  
 40.30  
 41.30  
 42.30  
 43.30  
 44.30  
 45.30  
 46.30  
 47.30  
 48.30  
 49.30  
 50.30  
 51.30  
 52.30  
 53.30  
 54.30  
 55.30  
 56.30  
 57.30  
 58.30  
 59.30  
 60.30  
 61.30  
 62.30  
 63.30  
 64.30  
 65.30  
 66.30  
 67.30  
 68.30  
 69.30  
 70.30  
 71.30  
 72.30  
 73.30  
 74.30  
 75.30  
 76.30  
 77.30  
 78.30  
 79.30  
 80.30  
 81.30  
 82.30  
 83.30  
 84.30  
 85.30  
 86.30  
 87.30  
 88.30  
 89.30  
 90.30  
 91.30  
 92.30  
 93.30  
 94.30  
 95.30  
 96.30  
 97.30  
 98.30  
 99.30  
 100.30

T 33 N. R 7 E, 2<sup>nd</sup> Mer. (Inda)

cho lks 79.60	Intersect N & S line at post
33.09	Next corrected between Sect 27 & 34
67.13	Intersect E side of lake & set post from which a Red Oak 21 in dia hrs S 89 $\frac{1}{2}$ E 12 chs 51 lks
72.45	Over lake set post from which a W. ash 6 in dia for corner post.
79.60	w W. Oak 18 " "
	Section corner, Land N. of Lake Same, E. of Lake 3 <sup>rd</sup> rate rolling. W & R Oak
North	between Sects 27 & 28
4.50	Leave Marsh
11.25	In Swamp
16.78	S. side of Lake, a maple 5 in dia corner
53.71	Over lake. Set post from which a W. ash 4 in dia hrs N 72 E 10 lks & a do 4 " " S 30 W 30 "
63.50	Leave marsh
80.00	Set post <sup>at</sup> to sects 21, 22, 27 & 28 from which a W. Oak 21 in dia. hrs S 3 W 32 $\frac{1}{2}$ lks & a Hickory 12 " " N 12 W 33 " Land 3 <sup>rd</sup> rate, rolling, timber W & B. Oak, hickory &c.
East	On random between Sect 22 & 27
28.97	a trail across N.W.
32.36	enter marsh
35.86	intersect lake
50.36	over lake
65.06	leave marsh
79.36	intersect N & S line at post.
6.46	Next corrected between Sect 22 & 27
23.00	a B. Oak 18 in dia. to lake & set post from which a Samarra 8 in dia hrs S 74 E 1 ch 6 lks & a do 10 " " East 1 " 20 "
43.50	Over lake. Set post from which a W. Oak 18 in dia hrs S 7 $\frac{1}{2}$ W. 4 chs 72 lks & a Hickory 12 " " S 88 W 4 " 86 "

T 33 N. R 7 E, 2<sup>nd</sup> Mer. (Ind<sup>as</sup>)

67.16	w Hickory 18 in. dia.	
79.36	Section corner	Land Same
North	between Sec 21 & 22	
27.41	a trail	course S.W.
34.57	a Marsh	
39.88	a Tamarack 9 in. dia.	
40.00	Set gr. sec. post. from which	
	a Tamarack 9 in. dia. br South 12	°
	w do 12 " " " N 30 E 90 lks	
42.00	leaves marsh	
56.44	a W. Oak 12 in. dia. <del>from which</del>	
80.00	Set post cor. to Sec 15, 16, 21 & 22, from which	
	a W. Oak 16 in. dia. br S 46 E 66 lks	°
	a do 18 " " " N 27 1/2 W 54 "	
	Land 3 <sup>rd</sup> rate, rolling. W & O. Oak, Hickory &c.	
5.15	East on random between Sec 15 & 22	
	a Marsh	
17.50	leaves same	
79.64	intersect N & Elm N. of post	
North corrected between Sec 15 & 22		
10.26	a W. Oak 20 in. dia.	
27.41	a do 12 " "	
39.82	Set gr sec post from which	
	a W. Oak 18 in. dia. br S 50 W 17 lks	°
	a do 14 " " " N 45 E 40 1/2 "	
79.60	Sec. corner	Land Same
	July 29, 1834.	
North between Sec 15 & 16		
5.25	a trail	course S.W.
35.08	a W. Oak 20 in. dia.	
38.75	a Marsh	
40.00	Set gr. sec. post from which	
	a W. Oak 18 in. dia. br S 26 1/2 W 1 ch 10 lks	°
	a do 24 " " " S 66 1/4 E 88 "	
40.58	a creek 50 lks wide -	course W.
43.00	w do 50 " "	" N.E.
47.00	a " 50 " "	" W.
49.00	Leaves Marsh.	

G33 N. R. & E. 3<sup>rd</sup> Mer. (Jada)

61.50	a marsh	
62.56	a Run 6 lks wide	course W.
63.00	a do "	" E
64.95	" " "	" SW.
66.00	" " "	" SE.
67.75	" " "	" SW.
77.50	" " "	" SE.
78.25	" " "	" W.
80.00	Set post cor to Sect. 9, 11, 15 & 16 from which a W. Oak 24 in dia. brs N 1 W 2 1/2 lks & a W. Oak 6 " " " 1 1/2 E 18 1/2 " Land Same	
.85	East on random between Sect 11 & 15 a run 14 lks wide course S.	
3.65	leave marsh	
24.25	W Marsh	
39.00	leave same	
39.41	a trail course N.W.	
69.50	W Marsh	
80.26	intersect N & E boundary at post	
21.00	West corrected between Sect 11 & 15 a W. Oak 24 in dia.	
40.13	Set gr sec post from which a W. Oak 18 in dia. brs S 76 W 22 1/2 lks & a Hickory 12 " " " N 36 W 48 "	
63.00	a W. Oak 20 " "	
80.26	Section corner Land Same	
2.00	North between Sect. 9 & 10 Leave marsh	
27.15	a W. Oak 36 in dia.	
40.00	Set gr sec post from which a W. Oak 48 in dia. brs S 77 E 36 lks & a B do 24 " " " N 78 W 3 " 26 "	
47.31	a B Oak 24 " "	
59.88	a trail course N.W.	
67.00	a pillow bump	
78.30	leave same	
80.00	Set post cor to Sect. 3, 4, 9 & 11 from which	

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind. A.)

cholla	<p>a Bark 18 in. dia. N 81<math>\frac{1}{2}</math> E 39 lbs ✕</p> <p>a W. Elm 11 " " S 66<math>\frac{1}{2}</math> W 25 "</p> <p>Land Same</p>
18.00 26.31	<p>East on true line between Sees 3 &amp; 10</p> <p>a W. Oak 24 in. dia.</p> <p>intersect N. line of Flatbelly's Indian Reserve</p> <p>Set post from which</p> <p>a W. Oak 18 in. dia. brs N 21 W 36 lbs ✕</p> <p>a do 24 " " " S 43<math>\frac{1}{2}</math> W 14 lbs</p> <p>Measured South along said line 26.21 to the end thereof. Land 2<sup>nd</sup> rate, level. timber, poplar, Oak, ash, Hickory, hazel, Sassafras, vines &amp;c.</p>
0.75 14.00 31.00 40.00 61.22 71.06	<p>North between Sees 3 &amp; 4.</p> <p>a Willow Swamp</p> <p>Land Same</p> <p>a W. Oak 18 in. dia.</p> <p>Set gr see post from which</p> <p>a W. Elm 18 in. dia. brs S 11 E 11 lbs ✕</p> <p>a R. Oak 24 " " " N 17 W 24<math>\frac{1}{2}</math> "</p> <p>a Poplar 24 " " "</p> <p>intersect N. boundary 36 lbs E. of post ✕</p> <p>Set post from which</p> <p>a Poplar 24 in. dia. brs S 18<math>\frac{1}{2}</math> W. 62 lbs ✕</p> <p>a Red Oak 24 " " " S 31 E 42 "</p> <p>Land Same</p>
	July 30, 1834
4.63 17.37 40.00 53.60 73.62 76.15 80.00	<p>North between Sees 32 &amp; 33</p> <p>a Sycamore 12 in. dia.</p> <p>a B. Walnut 24 " " "</p> <p>Set gr see post from which</p> <p>an Elm 18 in. dia. brs N 15 W 8 lbs ✕</p> <p>a Beech 8 " " " S 39 E 54 "</p> <p>a Wash 10 " " "</p> <p>an Elm 11 " " "</p> <p>a trail course NW.</p> <p>Set post at the Sees 28, 29, 32 &amp; 33 from which</p> <p>a Wash 24 in. dia. brs N 15 E 22 lbs ✕</p> <p>an Elm 18 " " " S 15 W 33 "</p> <p>Land 2<sup>nd</sup> rate, willing, timber, ash, sugar, oak</p>

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

	beech, ironwood & spruce &c
25.00	East on random between Sect 28 & 33 a marsh
33.00	Leave do
72.00	Enter marsh
80.38	intersect N & S line 40 lks S of post
9.26	West corrected between Sect 28 & 33 cut Elm 10 in dia.
41.19	Set gr. sec. post from which a R. Oak 6 in dia. brs S 27 $\frac{1}{2}$ E 37 lks & a W. Oak 4 " " " N 62 W 9 $\frac{1}{2}$ "
43.09	a W. Oak 6 " "
80.38	Section corner Land 2 <sup>nd</sup> rate for 25 on W end, timber same Balance Oak, Poplar, Sassafras, vines &c
0.66	North between Sect 28 & 29 cut Ironwood 12 in dia
7.86	a Burr Oak 6 " "
25.74	a Run 4 lks wide. course E.
40.00	Set gr. sec. post from which a Beech 36 in dia. brs S 54 W 62 $\frac{1}{2}$ lks & a Burr Oak 9 in dia. brs N 79 $\frac{1}{2}$ E 13 "
49.40	a Poplar 36 " "
77.31	a B. Walnut 36 " "
80.00	intersect S. side of Lake. Set post on to Sect. 20, 21, 28 & 29 from which a Maple 14 in dia. brs S 41 $\frac{1}{4}$ W 33 lks & a B. Ash 12 " " " S 49 E 21 "
	Land 2 <sup>nd</sup> rate, rolling, timber, Poplar, ash, beech, elm, oak, Spruce &c
8.00	East on random between Sect. 21 & 28 a creek 2 lks wide. course N.W.
25.60	a Lake - offset N 53 $\frac{1}{2}$ E 1 ch 80 lks E 1 ch 71 lks S 53 $\frac{1}{2}$ E 1 ch 80 lks
30.09	fell into line over lake
49.91	intersect lake

T33 N. R. & C. 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

71.97	over lake
79.73	intersect N & S line 1 ch on the S. of post
7.76	West corrected between Secs 21 & 28 a lake - set post from which a W. Oak 18 in. dia. brs N 5 1/2 E 1 ch 21 lks & a do 14 " " " N 6 W by 79 "
29.65	Over lake - set post from which a B. Oak 9 in. dia. brs N 75 W 94 lks & a Burr Oak 21 in. dia. brs S 81 W 1 ch 46 lks
34.05	a W. Oak 36 " " "
39.86	Set gr. sec post from which a Red. Oak 9 in. dia. brs. S 81 E 25 lks & a Hickory 48 " " " N 34 1/2 W 88 1/2 "
42.52	a W. Oak 36 " " "
79.73	Section corner. Land Same
12.22	North between Secs 20 & 21 Over lake - set post from which a Maple 12 in. dia. brs N 41 1/4 W 1 ch 80 lks & a do 19 " " " N 34 1/2 E 2 " 03 "
18.07	leave marsh
33.38	intersect S. side of lake, set post from which a W. Oak 12 in. dia. brs S 9 3/4 E 2 chs. 18 lks & an Elm 9 " " " N 58 1/2 W 1 " 21 "
40.61	Over lake, set post from which a W. Oak 18 in. dia. brs N 9 3/4 W 3 chs. 97 lks & a do 18 " " " N 5 E 3 " 80 "
48.95	leave marsh
57.19	a W. Oak 18 in. dia.
64.28	a B. Oak 20 " " "
78.03	a trail course W.
80.00	Set post cor. to sec 16, 17, 21 & 21 from which a W. Oak 12 in. dia. brs N 18 1/2 E 53 lks & a do 18 " " " S 6 1/4 W 52 1/2 "
	Land - 3 <sup>rd</sup> rate rolling. Timber N & R. Oak, hickory Sassaparilla. August 1, 1884
74.85	East on random between Sec 16 & 21 a trail course N 6 to S W.
79.42	intersect N & S boundary 7 lks S. of post.

## T 33 N. R 7 E. 2nd Mer (Inda)

chs 1/16	North corrected between Secs 16 & 21
5.11	a W. Oak 12 in. dia.
13.94	w do 18 " "
19.65	a W. oak 12 " "
39.71	Set gr. sec. post from which a W. Oak 12 in. dia. brs S 35 1/2 W 40 lbs *
	w do 12 " " " N 41 1/2 E 74 "
43.56	a W. oak 9 " "
72.33	a W. oak 8 " "
79.42	Section corner Land 3rd rate, level, Timber W & R. Oak Undergrowth, Hickory, Oak &c
	North between Secs 16 & 17
6.46	a W. Oak 12 in. dia.
17.00	w Marsh
22.24	intersect lake. set post from which a W. oak 18 in. dia. brs S 9 1/2 W 13 lbs *
	w do 18 " " " S 15 1/4 E 5 " 51 "
80.00	corner to sec. 89. 16 & 17 in lake Land Same
	North on true line between Sec 9 & 16
2.00	Leave marsh
17.21	a R. Oak 20 in. dia.
39.71	Set gr. sec. cor. from which a Poplar 18 in. dia. brs S 62 E 30 lbs *
	no other near
53.35	a R. Oak 6 in. dia.
54.64	intersect E side of lake, set post from which a W. oak 18 in. dia. brs S 79 1/4 E 1 lb 22 lbs *
	w Bur Oak 12 in. " " N 20 1/2 E - 43 "
	Land Same
	North between Secs 8 & 9
10.04	leave lake - set post from which an Elm 12 in. dia. brs S 78 E 6 lbs *
	w do " " " " N 38 W 6 1/2 "
40.00	Set gr. sec. post from which a W. oak 8 in. dia. brs S 52 W 68 lbs *
	a Bur oak 6 " " " N 58 E 76 "
53.21	a Hickory 7 in. dia.

T 33 N. R 7 E. 2<sup>o</sup> Mer. (Ind a)

Chalks	w Beech 19 in dia hrs S 19 1/2 W 34 lks
44.30	w Poplar 48 in dia
68.20	a trail course NW
80.00	Set post cor to Sect. 19 20. 29 & 30. from which
"	w Walnut 12 in dia hrs N 42 E 32 lks *
"	w W. Oak 30 " " " S 31 1/2 W 19 "
	Land Same.
0.54	a trail course NW
5.54	a run 4 lks wide course NE.
18.00	Enter marsh
38.87	intersect W. margin of lake. set post from which
	a Maple 12 in dia hrs S 33 E 77 lks *
	w do 6 " " " N 35 1/2 W 48 "
	Land Same. August 4.
13.81	a Run 4 lks wide course N.
75.13	Intersect N. boundary 17 lks S of post.
	East corrected between Sect 19 & 30
	w Beech 7 in dia hrs S 21 1/2 E 23 lks *
	w Walnut 12 " " " N 12 E 35 "
11.82	a Lynn 18 " "
16.68	an Elm 12 " "
35.13	Set gr see post from which
	a Wash 30 in dia hrs S 48 W 7 lks *
	a Beech 24 " " " N 26 1/2 E 41 1/2 "
37.31	an Ironwood 6 " "
60.20	a W Oak 20 " "
75.13	Section corner.
	Land 1 <sup>st</sup> rate. Timber Ash, elm, walnut, beech
	Oak, Spruce &c.
	North between Sect 19 & 20
0.10	a trail course NW.
2.75	a W. Ash 18 in dia
30.81	a W. Oak 12 " "
40.00	Set gr see post from which
	a W. Oak 9 in dia hrs N 85 1/2 E 47 lks *
	w do 6 " " " N 68 1/2 W 34 "

G 33 N. R 7 E 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

80.00 Set post at 1/4 sec. 4, 5, 8 & 9 from which  
 a W. ash. 12 1/2 in. dia. brs N 88 1/4 W 5 lks  
 and Ironwood 7 " " N 68 E 2 1/2 "  
 Land rolling, 2<sup>nd</sup> rate. Timber, elm, poplar, oak  
 Sassafras, birch, vines &c.

East on Random between 4 & 9  
 39.72 w Run 4 lks (with course) S.  
 68.30 w Trail course N.  
 79.56 intersect N & S boundary 28 lks S. of post

West corrected between Sec 4 & 9  
 16.38 a Beech 12 in. dia.  
 23.92 a Lynn 14 " "  
 39.78 Set gr sec post from which  
 a Sycamore 2 1/2 in. dia. brs N 28 1/2 E 36 lks  
 a Oak 9 " " " S 24 1/2 W 24 "  
 59.12 a Beech 12 " "  
 79.56 Section corner  
 Land, 2<sup>nd</sup> rate, level, Timber, beech, ash, elm,  
 poplar, ironwood, Spruce &c.

North between Sec 4 & 5  
 24.10 a Lynn 12 in. dia.  
 40.00 Set gr. sec. post from which  
 an Elm 9 in. dia. brs N 60 1/2 E —  
 a Oak 18 " " " S 30 1/2 W. —  
 65.48 a trail course) N.W.  
 56.78 an Elm 24 in. dia.  
 72.13 intersect N. boundary 2 chs. 1/4 N. of post, set post  
 from which a R. Oak 12 in. dia. brs S 35 W 36 lks  
 a B. Walnut 48 " " " S 19 E 64 "  
 Land Same August 3<sup>d</sup>

North between Sec 31 & 32  
 11.67 a R. Oak 18 in. dia.  
 33.50 enter Willow Swamp  
 39.00 leave same  
 40.00 Set gr. sec. post from which  
 a Lynn 18 in. dia. brs N 37 1/4 E 10 1/2 lks  
 w W. Ash 9 " " " S 87 1/2 W 19 "  
 62.81 w Poplar 48 " "

## T 33. N. R 7 E. 2 Mer. (Inda)

ch. lks 80.00	Set post on to sec 29, 30, 31 & 32 from which a Poplar 26 in dia. brs N 8 1/2 W 17 lks + w N. Ash 18 " " " S 57 E 35 " Land rolling. Timber, beech, oak, ash, ironwood, Spruce etc.
3.00	East on Random between Sec. 29 & 32 a trail course N.E.
70.80	a trail " " S.E. to NW
80.50	intersect N & S boundary 21 lks N of post
	West corrected between Sec. 29 & 32
3.41	a Linn 12 in dia.
22.88	a W. Oak 11 " "
40.25	Set gr sec post from which a Sugar 12 in dia. brs N 34 1/2 W 20 lks + a Hickory 7 " " " S 54 E 19 1/2 "
46.76	w Sycamore 21 in dia.
61.30	an Ironwood 6 " "
80.50	Section corner Land same
	East on Random between Sec 30 & 31
39.30	a Run 4 lks wide course N.
76.00	intersect N. boundary at post
	East corrected between Sec 30 & 31
19.30	a Beech 8 in dia brs S 59 E 28 lks +
31.32	a do 11 " " " N 69 1/2 E 32 "
36.00	Set gr sec post from which a Beech 18 in dia. brs N 30 1/2 W 21 lks + a do 8 " " " S 28 1/4 E 25 "
56.23	w N. Oak 20 " "
76.00	Sec. corner
	North between Sec 29 & 30
13.20	a N. Ash 24 in dia.
21.27	a R. Oak 48 " "
40.00	Set gr sec post from which a Beech 18 in dia brs N 15 1/2 E 5 lks +

T33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

do lbs  
71.26 intersect S. side of Lake. Set post from which  
a R. Oak 24 in dia hrs S 3 3/4 E 98 lbs &  
a W. Oak 12 " " S 5 5/2 W 1 ch 86 lbs.  
80.00 Cor to Seed 17 18. 19 & 21 in lake  
Land for 14 chs S. end. Same. Balance 3<sup>rd</sup> rate,  
rolling. Timber N & B. Oak, Hickory &c.

West on true line between Seed 17 & 21  
23.00 a trail course N.W.  
25.00 a creek 60 lbs wide. course N.W.  
34.64 a trail course W. S.W.  
36.07 a trail course N. N.W.  
40.00 Set gr seed post from which  
a W. Oak 18 in dia hrs S 4 3/4 W 1 ch 71 lbs &  
a Hickory 9 " " " N 16 E 63 "  
48.18 a Hickory 9 " " " " " "  
57.03 a W. Oak 26 " " " " " "  
57.71 a trail course N.W.  
67.33 intersect lake. Set post from which  
a B. Oak 24 in dia hrs S 7 3/8 E 1 ch 31 lbs &  
a do 18 " " " N 4 1/4 W 72 "  
Same Same

East on true line between Seed 18 & 19  
a W. Oak 24 in dia hrs N 6 2/4 E 46 lbs &  
a do 28 " " " S 27 1/2 E 63 "  
11.20 a trail course N.W.  
32.36 a W. Oak 24 in dia  
35.13 Set gr seed post from which  
a W. Oak 26 in dia hrs S 39 E 1 ch 14 lbs &  
a Hickory 12 " " " N 43 W 80 "  
42.31 a W. Oak 26 " " " " " "  
58.78 intersect N. side of lake. Set post from wh.  
a W. Oak 12 in dia hrs N 7 7/2 W 2 chs 43 lbs &  
a R. Oak 24 " " " S 6 1/2 W 97 "  
August 5th

North between Seed 17 & 18  
41.91 Over lake. Set post from which  
a Red Oak 12 in dia hrs N 8 2/2 E 74 lbs &  
a W. Oak 8 " " " N 11 1/2 W 82 1/2 "  
9.88 a trail course W.

T 33 N. R 7 E. 2nd Mer. (Ind<sup>a</sup>)

cho lks	
40.00	Set gr sec post from which a W. Oak 26 in dia. brs N 22 1/2 E 84 lks & a do 24 " " " N 86 1/2 W 57 "
44.50	w Marsh
62.51	intersect S. side of lake set post from which a W. Oak 18 in dia brs S 5 W 15 cho 80 lks
80.00	cor. to seed 7, 8, 17 & 18 in lake Land Same
	East on true line between Seed 7 & 18 a W. Oak 14 in dia brs N 87 E 80 1/2 lks & a do 10 " " " S 87 E 80 "
211.04	a B. Oak 21 " "
35.13	Set gr sec post from which a W. Oak 30 in dia brs S 42 E 1 ch 16 lks & a R. Oak 8 in " " N 21 1/2 E 37 "
38.53	intersect lake. set post from which a W. Oak 24 in dia brs S 65 1/2 W 2 cho 77 lks & a do 21 " " " N 39 W 2 " 15 " Land Same August 6th
	North between Seed 7 & 8 leave lake. set post from which a Maple 12 in dia brs N 66 W 16 1/2 lks & a B. Oak 11 " " " S 76 1/2 E 19 "
19.73	an Elm 11 " "
39.00	enter marsh
40.00	Set gr sec post from which an Elm 10 in dia brs S 16 W 33 lks & a do 7 " " " S 88 1/2 W 57 "
80.00	Set post cor to seed 5, 6, 7 & 8 from which a Hickory 9 in dia. brs S 42 1/2 W 5 lks & a R. Oak 18 " " " S 78 1/2 E 46 " Land 2nd rate, rolling, Timber Poplar, aspen, oak Sassafras. briars vines &c.
2.111	East on random between Seed 5 & 8 a Run 6 lks wide corner SW.
78.00	intersect N & S boundary 80 lks S of post.
39.111	West corrected between Seed. 5 & 8 Set gr sec post from which

T33 N. R 7 E. 2nd Mer. (Ind<sup>a</sup>)

78.00 am Aspen 6 in dia hrs S 12 $\frac{1}{2}$  W 74 lbs 7  
 a Burr oak 8 " " N 7 $\frac{1}{4}$  W 96 $\frac{1}{2}$  "  
 Section corner  
 Low 2<sup>nd</sup> rate, rolling, undergrowth. aspens.  
 Sassafras, birch, vines &c

14.13 West on true line between Sect 6 & 7  
 a Blue Ash 12 in dia  
 29.60 a Run 4 lbs wide. corner S.  
 40.00 Set gr. sec. post from which  
 a R. Oak 50 in dia hrs S 62 $\frac{1}{2}$  W 3 lbs 7  
 a Beech 20 " " " N 51 $\frac{1}{2}$  E 48 "  
 42.40 am Elm 20 " "  
 65.23 a B. Ash 18 " "  
 66.31 intersect like. set post from which  
 am Elm 20 in dia. hrs S 45 $\frac{1}{2}$  E 64 lbs 7  
 a W Oak 12 " " " N 59 $\frac{1}{2}$  E 28 $\frac{1}{2}$  "  
 Low 2<sup>nd</sup> rate, rolling, timber beech, oak,  
 ash, elm, sugar spruce. vines, birch &c.

North between Sect 3 & 6  
 40.00 Set gr. sec. post from which  
 a B. Walnut 6 in dia. hrs N 66 $\frac{1}{2}$  W 11 lbs 7  
 a Burr oak 5 " " " S 62 $\frac{1}{2}$  E 34 "  
 53.07 am Elm 18 " "  
 72.82 intersect N. boundary 44 lbs N of post from wh.  
 a W. Ash 9 in dia hrs N 81 E 1 lb 16 lbs 7  
 a Beech 12 " " " N 72 $\frac{1}{2}$  W 71 "  
 Low Same as that between Sect 7 & 8  
 August 8th

T33 N. R7 E. 2<sup>n</sup> Mer. (Ind<sup>a</sup>)

Meanders of Lake in Section 36, beginning at post on Town line East side of Lake. thence		Remarks
Course	chs. lks	
N54 <sup>1</sup> / <sub>2</sub> W	13.00	In sec 36
S65 <sup>1</sup> / <sub>2</sub> W	7.50	to end of meander
N44 <sup>1</sup> / <sub>2</sub> W	4.00	
S30 <sup>1</sup> / <sub>2</sub> W	4.50	at 1 ch 50 lks out 1 ch wide course NW
S12 <sup>1</sup> / <sub>2</sub> E	1.00	
S50 <sup>1</sup> / <sub>2</sub> E	3.60	to post on town line. W side of lake

Meanders of Lake in Sections 11 & 12, commencing at post on line South side of lake, thence N in section 11, at 7.23 outlet 20 lks wide course S.		Remarks
N56 <sup>1</sup> / <sub>2</sub> W	10.00	
N6 <sup>1</sup> / <sub>2</sub> W	13.50	
N65 <sup>1</sup> / <sub>2</sub> E	3.62	to reserve line, thence beginning on reserve line E. side of lake, thence
S37 <sup>1</sup> / <sub>2</sub> E	1.36	in Sec. 11, to post on line between Sec 11 & 12. thence N. side of Lake

N88 <sup>1</sup> / <sub>2</sub> E	2.00	in Sec 12.
S48 <sup>1</sup> / <sub>2</sub> E	7.00	at 2 chs 10 lks. Inlet 5 lks wide
S9 <sup>1</sup> / <sub>2</sub> E	7.50	
N54 <sup>1</sup> / <sub>2</sub> E	6.50	
S39 <sup>3</sup> / <sub>4</sub> E	21.50	
S55 <sup>1</sup> / <sub>2</sub> W	10.00	at 3.37. cm inlet 4 lks wide
N88 <sup>1</sup> / <sub>2</sub> W	3.50	
N31 <sup>1</sup> / <sub>2</sub> W	7.24	in Sec 12.
S80 <sup>1</sup> / <sub>2</sub> W	6.50	
N48 <sup>1</sup> / <sub>2</sub> W	3.28	to place of beginning.

Meanders of Lake in Sec 10, 11, & 14, commencing at post on line between Sec. 14 & 15. thence		Remarks
N21 <sup>1</sup> / <sub>2</sub> W	10.50	in Sec. 10
N46 <sup>1</sup> / <sub>2</sub> E	8.00	to post on line between Sec 10 & 11 N side of Lake. thence

N28 <sup>1</sup> / <sub>2</sub> E	10.00	in Sec 11
N43 <sup>1</sup> / <sub>2</sub> W	6.75	at 1 ch 75 lks. cm inlet 10 lks wide
N38 <sup>1</sup> / <sub>2</sub> E	14.00	

G 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

course	chs lks	
N 36 1/2 E	11.50	
S 82 E	12.50	
S 87 E	8.50	
S 18 E	8.50	In sec 11
S 12 1/2 W	12.50	
S 79 1/2 E	5.50	
S 62 E	8.00	
S 88 1/2 E	14.00	
N 79 1/2 E	4.50	
S 29 1/2 E	8.00	at 2 eps 30 lks Inlet 6 lks wide
S 14 1/2 W	10.83	at 9 <sup>th</sup> lks do 37 " "
S 71 W	6.57	to post on line between Sec 11 & 14 E. side of Lake. Thence
S 22 1/2 W	3.50	in sec. 14.
S 6 1/2 W	5.50	
S 58 1/4 W	14.50	
S 87 3/4 W	22.80	outlet 1 ch wide. course S.
N 42 1/2 W	11.00	
N 66 1/2 W	9.50	
N 16 1/4 W	41.00	to place of beginning August 3 <sup>rd</sup>
		Meanders of Lake in sections 26, 27, 28 & 34 commencing at post on line between Secs 27 & 28 S. side of Lake. Thence
N 88 1/2 E	5.00	in Sec 27
S 58 E	2.38	
N 89 E	4.00	
N 10 1/4 E	3.00	
N 79 1/2 E	3.50	
S 73 1/2 E	5.31	
S 12 1/2 E	2.50	
S 37 W	4.50	
S 38 1/2 W	3.37	
S 43 W	5.50	In Sec. 27
S 13 3/4 E	4.74	
S 2 1/2 E	1.88	to post on line between Secs 27 & 34 N. side of Lake. Thence
S 45 W	1.46	in sec. 34.

T 33 N, R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

course	chs. lks	
S 77 <sup>1</sup> / <sub>2</sub> W	9.00	and Inlet 1 ch wide to post on line. Ends of lake, thence
S 39 <sup>1</sup> / <sub>2</sub> W	3.88	
S 29 <sup>1</sup> / <sub>2</sub> E	7.00	
S 73 <sup>1</sup> / <sub>2</sub> E	9.00	
N 35 <sup>1</sup> / <sub>2</sub> E	8.25	
S 62 <sup>1</sup> / <sub>2</sub> E	4.00	
S 18 <sup>1</sup> / <sub>2</sub> E	4.00	
N 71 <sup>1</sup> / <sub>2</sub> E	1.68	
N 60 <sup>1</sup> / <sub>2</sub> E	27.05	
N 80 <sup>1</sup> / <sub>2</sub> E	12.57	In sec 27
N 45 <sup>1</sup> / <sub>2</sub> E	3.00	to post on line between Sec 26 & 27 S. side of Lake. Thence
N 42 <sup>1</sup> / <sub>2</sub> E	27.00	
N 33 <sup>1</sup> / <sub>2</sub> E	9.00	in sec 26 to post on line between Sec 26 & 27 N. side of Lake. Thence
N 10 <sup>1</sup> / <sub>2</sub> W	12.00	
N 28 <sup>1</sup> / <sub>2</sub> W	3.52	
N 13 <sup>1</sup> / <sub>2</sub> W	4.00	In sec 27 at 1 ch 40' lks. Inlet 6 lks wide at 2. 50 " do " "
N 21 <sup>1</sup> / <sub>2</sub> W	6.00	
S 68 <sup>1</sup> / <sub>2</sub> W	16.00	
S 38 <sup>1</sup> / <sub>2</sub> W	10.00	
S 74 <sup>1</sup> / <sub>2</sub> W	7.00	
N 64 <sup>1</sup> / <sub>2</sub> W	27.00	
N 41 <sup>1</sup> / <sub>2</sub> W	10.00	
N 65 <sup>1</sup> / <sub>2</sub> W	9.50	
S 42 <sup>1</sup> / <sub>2</sub> W	11.00	
N 61 <sup>1</sup> / <sub>2</sub> W	7.50	
S 62 <sup>1</sup> / <sub>2</sub> W	8.50	
S 41 <sup>1</sup> / <sub>2</sub> W	3.42	
S 11 <sup>1</sup> / <sub>2</sub> E	5.00	
S 40 <sup>1</sup> / <sub>2</sub> E	2.00	
S 36 <sup>1</sup> / <sub>2</sub> E	18.00	
S 14 <sup>1</sup> / <sub>2</sub> E	10.00	
S 15 <sup>1</sup> / <sub>2</sub> W	2.23	
S 82 <sup>1</sup> / <sub>2</sub> W	1.73	
S 18 <sup>1</sup> / <sub>2</sub> W	1.35	
S 26 <sup>1</sup> / <sub>2</sub> E	2.35	

Big Bear Lake



T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>c</sup>)

course	chs. lks	
N 44 $\frac{3}{4}$ W	3.43	to post on line <sup>Camp</sup> of lake, thence
N 19 $\frac{1}{2}$ W	2.00	In Sec. 21.
N 61 W	8.00	
N 30 $\frac{1}{2}$ W	9.00	
N 33 $\frac{3}{4}$ W	21.50	
West	6.00	
N 3 $\frac{1}{2}$ W	7.00	
N 63 $\frac{1}{2}$ W	17.50	
S 21 W	5.00	
S 38 E	10.00	
S 13 W	5.00	
S 83 W	6.00	
N 32 $\frac{1}{2}$ W	6.50	
N 28 $\frac{1}{2}$ W	5.50	
N 12 $\frac{1}{2}$ W	9.50	
N 66 $\frac{1}{4}$ W	9.00	
S 31 $\frac{1}{2}$ W	2.15	to post on line between Sec 21 & 21. N. side of lake. Thence
N 19 $\frac{3}{4}$ W	3.61	In Sec. 20.
S 71 W	2.75	at 25 lks - outlet 2 chs. wide course N.
S 11 E	6.50	
S 5 E	7.00	
S 38 E	2.31	to post on line. S. side of lake. Thence
S 9 $\frac{1}{2}$ E	2.40	In Sec. 21
South	3.00	
S 23 $\frac{1}{2}$ E	17.00	
S 88 $\frac{1}{4}$ W	7.88	to post on line between Sec 21 & 21, thence
N 34 W	5.00	In Sec. 20
N 88 $\frac{1}{4}$ W	7.50	
N 22 W	8.00	
N 71 $\frac{1}{4}$ W	14.50	
S 78 $\frac{1}{2}$ W	9.50	
S 69 $\frac{1}{2}$ W	14.15	
S 12 W	14.00	
S 42 $\frac{1}{2}$ E	5.50	
S 14 $\frac{1}{2}$ E	10.00	to post on line between Sec 20 & 29 W. side of Lake, Thence
S 7 $\frac{1}{2}$ E	3.50	In Sec. 29.

T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

course	chs. lts.	
S 41 E	3.34	
S 39 $\frac{1}{2}$ E	1.72	
S 12 W	3.69	
S 39 $\frac{1}{2}$ E	2.00	
S 82 $\frac{1}{2}$ E	2.64	
N 26 E	7.00	
N 33 $\frac{1}{2}$ E	1.34	
N 63 $\frac{1}{4}$ E	5.00	
S 83 E	7.50	
N 65 $\frac{1}{2}$ E	7.50	
East	4.70	
N 80 $\frac{1}{2}$ E	6.50	to place of beginning
		Meanders of Lake in Sections 17, 18, 19 & 20 commencing at post on line between Sect 18 & 19 N. side of Lake. Thence
N 42 $\frac{1}{4}$ W	8.50	In Sec 18
N 37 $\frac{1}{2}$ E	12.00	
S 69 $\frac{1}{2}$ E	10.00	
S 39 $\frac{1}{2}$ E	7.00	
S 30 E	2.31	to post on line between Sect 17 & 18 N. side of Lake Thence
S 69 E	12.55	In Sec 17 to post on line between Sect 17 & 20, thence
S 30 $\frac{1}{4}$ E	11.50	In Sec. 20
S 31 $\frac{1}{2}$ E	12.50	
S 42 W	9.00	
N 44 $\frac{1}{2}$ W	23.00	
S 83 W	4.96	to post on line between Sect 19 & 20 S. side of Lake. Thence
N 77 W	9.00	In Sec. 19.
N 50 W	10.24	to place of beginning
		Meanders of Tippecanoe Lake commencing at post on Range line, S. side of Lake. Thence
S 31 $\frac{1}{2}$ E	2.33	In Sec. 7.
S 41 E	2.00	

T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

course	chs	lks	
N 87 1/2 W	3.00		
N 63 1/2 W	6.50		
N 16 1/2 E	19.00		
N 77 W	7.00		
S 70 W	13.00		
N 22 W	8.00		
N 51 1/2 W	9.00		
S 82 W	3.00		
N 10 W	5.00		
N 19 1/2 W	10.50		
N 11 1/2 W	7.00		
N 30 1/2 W	13.50		
N 37 1/4 W	4.50		
N 41 1/2 W	5.46		to Spring of fresh water to post on line between Sect. 6 & 7. Thence
N 32 1/4 W	3.23		to sec. 6
N 34 W	6.50		
N 37 W	4.00		at 2 chs 10 lks a spring run flows in 3 lks wide, a tree cor. on N. boundary. N. side of Lake. August 9, 1834

I hereby certify that the foregoing are true copies of the original field notes for township 33 N. R 7 E in the State of Indiana.  
R. J. Dawson

Subdivision of Reservation

North from S. boundary of Reserve between Sect. 11 & 12.

4.14 to N. margin of Lake, from which  
a W. Oak 24 in dia brs N 48 E 51 lks

a do 24 " " " N 49 W 38 "

11.50 leave prairie

19.00 Enter prairie E.

24.84 Set post cor. to sect. 1, 2, 11 & 12, from which  
a Blk Oak 12 in dia. brs N 1 W. 1.18 lks

a W. oak 30 " " " N 20 E 1.18 "

Leaves rolling, 3<sup>rd</sup> rate, barrens & wet prairie. Timber. Oak &c

T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

Course	chs. lks.	
<del>S 71 E</del>	<del>2.00</del>	
S 53 $\frac{3}{4}$ E	16.00	
S 67 E	16.50	
S 61 E	21.00	
S 7 E	8.72	to post on line between Sec 7 & 18 W. side of lake. Thence
S 1 $\frac{3}{4}$ E	22.50	In Sec. 18.
N 76 E	12.00	
S 25 E	15.00	
N 60 E	20.50	
N 7 $\frac{3}{4}$ E	4.82	to post on line between Sec. 17 & 18 S. side of Lake Thence
East	4.00	In Sec. 17.
S 67 E	111.50	an inlet 1 ch wide
N 74 $\frac{1}{2}$ E	8.80	
N 37 $\frac{1}{2}$ E	6.50	
N 44 E	10.00	
N 24 E	4.50	
N 47 E	5.25	
S 61 $\frac{1}{2}$ E	1.50	
S 56 E	9.50	
N 89 $\frac{1}{2}$ E	12.50	
N 59 E	9.00	
S 48 E	6.32	
S 28 $\frac{1}{2}$ E	3.88	
S 12 $\frac{1}{2}$ W	0.79	
S 7 $\frac{1}{2}$ E	3.50	
S 21 W	6.50	
S 8 $\frac{1}{4}$ E	4.00	
S 32 E	1.79	
S 29 $\frac{1}{2}$ E	7.50	
S 28 W	7.50	
S 33 W	12.00	
S 18 $\frac{1}{2}$ E	13.00	to post on line between Sec. 16 & 17 S. side of Lake. Thence
S 67 $\frac{1}{2}$ E	7.27	In Sec. 16.
N 81 E	14.00	
N 45 E	11.30	
N 93 E	8.50	

L. 33 N. R 7 E. 2nd Mer. (Ind. a)

course	chs. lks		
N 9 E	6.00	at 1 ch 57 lks. Inlet of 70 lks wide.	
N 1/2 E	5.42		
N 48 1/2 W	5.00		
N 58 3/4 W	5.50		
N 24 W	4.50		
N 8 E	18.00		
N 32 W	10.00		to post on line between Secs. 9 & 16. E. side of Lake. Thence
N 37 W	8.00	In Sec. 9.	
N 82 1/2 W	8.50		
S 86 W	3.00		
S 66 W	2.00		
N 85 1/2 W	3.00		
N 27 1/2 W	2.50		
N 30 1/2 W	2.33		to post on line between Secs. 8 & 9 N. side of lake. Thence
N 33 W	1.35	In Sec. 8	
N 57 1/2 W	7.00		
N 31 W	8.00		
N 83 W	6.07		
S 63 W	10.50		
S 27 W	6.71		
S 1 1/2 E	6.00		
S 47 E	3.00		
West	6.50		
N 62 W	8.50		
N 11 W	6.74		at 8 chs 87 lks. Inlet 15 lks wide
N 73 W	2.50		
N 77 1/2 W	4.50		
S 68 1/2 W	3.42		
N 66 W	2.36		
S 67 W	2.50		
N 64 1/2 W	5.50		
S 80 3/4 W	6.50		
S 23 1/2 W	3.00		
N 69 W	5.00		
N 64 1/2 W	3.67	to post on line between Secs 7 & 8 N. side of Lake. Thence	
		In Sec. 7	

T 33 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

ch. lks	East on Random between Sect. 19 & 12 <sup>(var. 5<sup>th</sup> E)</sup>
6.44	Pass road course SE
9.00	over creek 11 lks mile, course S.
11.50	Leave prairie
27.50	Indian trace - course N.E.
66.20	do " N.
68.11	enter swamp " S.E.
80.27	intersect N & S line at post. Land the same as last.
	West corrected between Sect 1 & 12,
1.36	one Aspen 7 in. dia.
23.82	a Red Oak 30 in. dia.
40.13 $\frac{1}{2}$	Set gr sec post from which
	a Blk. Oak 26 in. dia. brs N 14 E 60 lks
	a Swt Oak 22 " " " S 1 W 44 "
40.90	a W. Oak 46 " "
80.27	Section corner.
	North between Sections 1 & 2
5.50	a road course S.E.
40.00	Set gr sec. post from which
	a Hickory 18 in dia brs S 58 E 11 lks
	a W. Oak 23 " " " S 87 W 36 "
43.90	a W. Oak 16 " " "
48.25	pass road course N.E.
54.94	a W. Oak 20 in dia
69.00	enter prairie course N.E.
70.13	intersect N & S line 2 chs 13 lks N. of post. from wh.
	a R. Oak 20 in dia brs S 11 W 96 lks
	a W. Oak 12 " " " S 57 E 71 "
	Land same as last
	North from S. boundary of Reserve between Sect. 10 & 11. (var. 5 <sup>th</sup> E.)
1.28	a G. Ash 20 in dia
26.50	Set post cor to Sect. 2, 3, 10 & 11 from which
	a poplar 24 in dia brs S 38 W 11 lks
	a do 24 " " " S 72 E 34 "
	Land rolling, 2 <sup>nd</sup> rate. Timber, Oak, Ash, elm, poplar &c. Spec, Sassafras &c.



T33 N. R 7 E. 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

cho. lks  
 65.00 Leave same  
 67.55 a Red. Oak. 21 in. dia.  
 67.73 intersect N. boundary 2 cho 98 lks W of post. from which  
 a W. oak 24 in. dia. bs S 25 E 78 lks  
 a do 34 " " " S 54 W 94 "  
 Soil broken & rate, Timber oak, ash, hickory,  
 Sassafras briars, vines &c. Jan'y 18<sup>th</sup>

Meanders of part of Lake on S. boundary of  
 Reservation in Sec 11, commencing at  
 post in S. boundary of Reservation on W. side of  
 Lake - Thence

Courses	cho. lks	
N 50 1/2 W	4.18	
S 88 W	3.70	
S 12 1/2 W	1.50	
N 50 1/2 W	3.11	30 lks over run 4 lks wide - come N.
N 78 1/2 E	8.91	20 " " " 2 " " " E.
S 32 E	2.95	
N 80 1/2 E	4.55	
S 89 1/2 E	9.16	
S 75 1/4 E	7.10	4 lks just between Sec 11. & 12
S 49 1/2 E	8.14	Sec. 12. to E. side of Lake in line of Reservation

I hereby certify that in pursuance of a contract with Robert  
 Lytle, Surveyor General of the United States, for  
 the States of Ohio, Indiana, and Michigan, bearing date  
 the 11<sup>th</sup> day of May 1838, and in strict conformity with  
 the laws of the U.S. and the instructions of said  
 Surveyor General, I have surveyed and subdivided  
 into sections and fractions, fractional Township No. 33  
 North, in Range No. 7 East in the State of Indiana.  
 And I do further certify that the foregoing are the  
 true and original field notes of said survey and  
 subdivision, executed as aforesaid.

Certified this 19<sup>th</sup>  
 day of January 1839.

David <sup>his</sup> Ferguson } chain carriers  
 John <sup>mark</sup> Sessums }  
 John P. Johnson, marker

Arst Clair Bruce  
 S. Surveyor

Township No 34 North, Range 7 East. 25 Mer. Ind.

chs lks

South Boundary

Var. 6.00' E.

West on South Boundary Sec. 36

- 52.00 a willow Swamp
- 37.00 leave do
- 39.00 a marsh
- 44.00 Set gr see post from which  
a W. Oak 18 in. dia. brs N 60 3/4 E 1 ch 41 lks 8
- a do 14 " " " N 63 1/2 W 2 " 09 "
- 45.00 leave marsh
- 49.62 a Hickory 20 in. dia.
- 72.91 a W. Oak 28 " "
- 80.00 Set post cor. to sees 35 & 36 from which  
a W. Oak 14 in. dia. brs N 78 1/2 E 1 ch 00 lks 8  
a Red Oak 9 " " N 70 1/2 W 42 lks  
First 32 chs rolling, good. Timber, beech, poplar &  
sycam on last 48 chs hilly, brushy barrens.

West on S. boundary Secs. 35

- 1.00 a Marsh
- 6.50 a Pond.
- 12.50 leave do
- 24.50 leave Marsh
- 34.18 a Hickory 13 in. dia
- 40.00 Set gr see post from which  
a W. Oak 28 in. dia brs N 43 1/2 E 24 lks 8
- a do 8 " " " N 76 W 5 "
- 53.00 a Willow Swamp
- 64.50 leave do
- 67.00 a Marsh
- 80.00 Set post cor. to Secs. 34 & 35 from which  
a W. Oak 39 in. dia brs N 61 W 2 chs 74 lks 8  
a do 13 " " " N 80 1/2 W 2 " 10 "
- Land hilly, broken, brushy barrens  
Timber W. Oaks & Hickory.

West on S. boundary Secs. 34

- 2.00 leave marsh
- 4.81 a W. Oak, 30 in. dia.
- 35.80 an Indian <sup>trail</sup> from Turkey Prairie to Ft Wayne  
course S. E.
- 40.00 Set gr see post from which

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

<p>40 lks 53.01 80.00</p>	<p>a B. Walnut 20 in dia bro N 72 3/4 W 73 lks +          a Hickory 8 " " " N 19 E 12 "          intersect N boundary of Flatbells' reserve          94 chs 43 lks from SW corner from which          a W. Ash 8 in dia bro S 3 W 32 lks +          a Blue Ash 11 " " " N 82 1/2 W 12 "          Set post cor. to sec 33 &amp; 34 from (which)          an Elm 8 in dia bro N 42 1/2 E 33 lks +          a Maple 24 " " " N 66 W 24 "          Land rolling, mostly a good soil some broken          by low places - been burned &amp; very bushy.          Timber - Beech, oak, Poplar, Walnut,          Hickory &amp;c. Undergrowth - Sassafras, spurge,          vines, briars, &amp;c.          Nest on S. boundary</p>
<p>19.81 40.00 74.03 80.00</p>	<p>Nest on S. boundary Sec. 33          an Elm 20 in dia.          Set gr see post from which          a W. Ash 12 in dia bro N 71 1/2 W 22 lks +          a W. Oak 14 " " " N 66 E 14 "          a W. Ash 14 " " " "          Set post cor. to Sec 32 &amp; 33 from which          a Blue Ash 17 in dia. bro N 66 3/4 E 46 lks +          an Elm 18 " " " N 64 W 44 "          Land rolling, and similar to last mile.</p>
<p>19.97 40.00 84.93 80.00</p>	<p>Nest on S. Boundary Sec. 32          a Blue Ash 15 in dia.          Set gr see post from which          a Blue Ash 9 in dia bro N 10 1/4 W 1 ch 28 lks +          an Ironwood 6 " " " N 76 3/8 W 1 " 66 "          a W. Oak 16 " " " "          Set post cor. to sec 31 &amp; 32 from which          an Elm 18 in dia bro N 36 3/4 E 1 ch 11 lks +          a Sugar 14 " " " N 77 1/4 W 1 " 20 "          First 30 chains land &amp;c similar. Last 30 chs          2<sup>nd</sup> rate land. Timber mostly burned off.          Since beech, oak &amp; ash left.          Undergrowth, briars, thistles &amp;c.</p>
<p>40.00</p>	<p>Nest on S. boundary Sec 31          Set gr see post from which</p>

T34 N. R7 E. 2nd Mer. (Ind<sup>a</sup>)

cho lks  
 52.14 a Y. Oak 10 in. dia. brs N29<sup>3</sup>/<sub>4</sub> E 4 cho 26 lks X  
 an Elm 18 " " " N89<sup>3</sup>/<sub>4</sub> W 4 " 39 "  
 76.14 an Oak 21 " " "  
 Set post cor. to Towns 33 & 34 N. R. 6 & 7 E.  
 from which  
 a Beech 17 in dia brs N71<sup>3</sup>/<sub>4</sub> E 28 lks X  
 a do 17 " " " S4 E 19 "  
 Land etc. similar to last part of last mile

East Boundary  
 (Var. 5° 18' E.)

South on E. boundary Sec 1  
 Found Town cor. in Marsh, near timber  
 took 1 bearing tree  
 an Aspen 6 in. dia. brs N2<sup>1</sup>/<sub>4</sub> W 3 cho 74 lks  
 23.01 leave marsh  
 33.83 Set gr sec post from which  
 an Elm 11 in dia. brs N69 W 40 lks X  
 a do 12 " " " S  
 35.71 a Beech 24 " " "  
 41.00 a B. Ash Swamp  
 61.98 a Bark 13 in dia  
 73.83 Set post cor to sec 1 & 12 from which  
 a Sugar 11 in dia brs S48 W 22 lks X  
 a do 16 " " " N49 W 30 "  
 Land low & swampy - from marsh heavily  
 timbered B & W ash, elms, lynn etc.

South on E. boundary Sec. 12.

1.00 leave swamp  
 15.15 intersect N. boundary of Flatbell's reserve  
 3 miles 26.60 W of NE corner from which  
 a Beech 16 in dia brs N16 E 82 lks X  
 a Blue ash 12 " " " N46 W 11 "  
 23.91 a W. Oak 18 " " "  
 40.00 Set gr sec post from which  
 a Blue Ash 12 in dia brs S64 W 42 lks X  
 a Lynn 28 " " " N71 W 33 "  
 73.64 a W. Ash 14 " " "  
 80.00 Set post cor. to sec 12 & 13 from which  
 a W. Ash 22 in dia brs S34 W 31 lks X  
 a Beech 20 " " " N34 W 42 "

T 34 N. R 7 E. 2 Mer. (Ind<sup>a</sup>)

	Land rolling, good soil. Timber - beech, sugar, ash, lym, B & W Walnut &c. Undergrowth - Spice, pawpaw &c. low & wet in places	
	South on E. boundary Sec. 13.	
14.43	Sp. Oak 12 in dia	
40.00	Set gr sec post from which a W Oak 12 in dia brs S 84 N 50 lbs X a Beech 24 " " " N 64 N 63 "	
43.36	an Elm 12 " "	
63.19	a Paplar 12 " "	
80.00	Set post cor to sec. 13 & 24 from which a Beech 19 in dia brs S 34 N 22 lbs X a W Oak 18 " " " N 72 N 32 " Land &c similar - a good deal broken by low places.	
	South on E. boundary of Sec. 24.	
11.00	a dry channel of brook 2 lbs wide, course N.W.	
24.57	a Paplar 18 in dia	
40.00	Set gr sec post from which a Beech 9 in dia brs S 54 N 31 lbs X a Beech 11 " " " N 55 N 41 "	
61.00	an Indian trail course S.E.	
80.00	Set post cor to sec. 24 & 25 from which a W Oak 12 in dia brs S 36 N 48 lbs X a Sassafras 12 " " " N 86 N 39 " Land &c similar. last 1/2 been burned & very brushy Sassafras, Spice, vines &c. large timber thin.	
	South on E. boundary Sec. 25.	
16.50	a Spring brook 6 lbs wide. course S.W.	
17.75	Indian trail from (village) to Turkey creek	
19.00	Jeruni, & enter Jeruni. Spring bottom	
20.50	a Brook 12 lbs wide. course N.W.	
21.50	Leave bottom on Marsh	
40.00	Set gr sec post from which a W Oak 18 in dia brs N 3 1/2 N 49 lbs X a do 16 " " " S 53 N 42 "	
42.00	a Marsh	
53.36	a W Oak 12 in dia on a plot of dry land from E.	



T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

62.00 Leave Musk  
 80.00 Set post cor to sec 25 & 36 from which  
 a B. Oak 14 in dia br S 45 1/2 W 31 lks &  
 a Sp oak 10 " " " N 60 1/2 W 57 "  
 First 15chs & Last 18 do. rolling rich land.  
 timber burned & destroyed considerably.  
 Beech, ash, oak, walnut &c.  
 upland in remainder rolling barrens

40.00 South on E. boundary Sec 36  
 Set gr sec post from which  
 a Beech 26 in dia br S 34 W 13 lks &  
 a do 18 " " " S 27 1/2 W 89 "  
 54.95 a Beech 12 " "  
 68.74 a Beech 18 " "  
 80.00 intersect S. boundary 2 lks 17 lks E. of post  
 Set post from which  
 a Beech 24 in dia br S 88 1/2 W 75 lks &  
 a B. Oak 11 " " " N 1 W 38 "  
 Land rolling, good soil. Timber, beech,  
 lynn, ash, oak &c.

North Boundary

Out 5 " 40'

West on S. boundary Sec 36. T 35 N. R 7 E.  
 40.00 Set gr sec post in prairie raised a mound  
 68.00 Leave prairie  
 72.85 a Jack oak 15 in dia  
 80.00 Set post cor to sec 35 & 36 from which  
 an Ironwood 9 in dia br S 82 E 20 lks &  
 a B. Oak 6 " " " N 38 W 38 "  
 Land level. 2<sup>nd</sup> rate prairie (wet). Timber, oak,  
 ash, & elm - undergrowth Ironwood

West on S. boundary Sec. 35. T 35 N. R 7 E.  
 18.54 a B. oak 24 in dia  
 27.00 enter Swamp prairie  
 40.00 Set gr sec post in do raised mound  
 80.00 Set post cor to sec 34 & 35 in prairie.  
 raised mound. land as before

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>o</sup>)

<p>41.00 57.00 57.31 71.26 80.00</p>	<p>West on S. boundary Sec 34, T 35 N. R 7 E set gr see post in prairie from which a Burr Oak 36 in dia brs N 17 E 31 lbs Leave prairie a Burr Oak 36 in dia a W oak 30 " " Set post cor to sec 33 &amp; 34 from which a W oak 22 in dia brs N 74 E 52 lbs &amp; a do 20 " " " N 12 W 98 " Land rolling. 2<sup>nd</sup> rate. Timber Oak Hickory Undergr. Sassafras &amp; hazel</p>
<p>23.88 39.09 44.00 61.71 80.00</p>	<p>West on S. boundary Sec 33, T 35 N. R 7 E, a W oak 24 in dia a W oak 24 " " Set gr see post from which a W oak 24 in dia brs E 87 a do 24 " " " N 29 E 52 lbs a W oak 28 " " Set post cor to sec 32 &amp; 33 from which a W oak 23 in dia brs N 48 E 63 lbs &amp; a do 27 " " " N 68 W 62 " Land as before</p>
<p>16.05 44.09 44.74 60.03 63.56 80.00</p>	<p>West on S. boundary Sec 32, T 35 N. R 7 E. a W oak 35 in dia Set gr see post from which a W oak 36 in dia brs N 31 W 42 lbs &amp; a R oak 4 " " " N 64 W 38 " a W oak 48 " " a Hickory 16 " " a trace amse S.E. Set post cor to sec 31 &amp; 32 from which a R. oak 24 in dia brs N 21 E 2 1/2 lbs &amp; a W oak 34 " " " N 35 W 80 " Land same rolling, 2<sup>nd</sup> rate, Timber Oak, Undergr. Hazel &amp; Hickory</p>
<p>5.57 16.50 22.94</p>	<p>West on S. boundary Sec 31, T 35 N. R 7 E enter wet prairie leave do am Ironwood 15 in dia</p>

T34 N. R. 7 E. 2<sup>n</sup> Mer. (Ind<sup>o</sup>)

chs. lks	from which a Sycamore 12 in. dia brs S 22 W 19 lks ✓ ans Elm 14 " " " S 6 1/2 E 34 " Land same May 28 <sup>th</sup>
15.07	North between Sec 32 & 33 a Ri Oak 18 in. dia.
22.50	a Run 3 lks wide course W.
31.44	w Lynn 18 in dia
40.00	Set gr sec post from which ans Elm 9 in dia brs N 81 W 11 lks ✓ a Hickory 8 " " " S 86 E 18 1/2 "
50.85	a trail course E to W.
66.92	a Beech 7 in dia
73.65	a do 18 " "
80.00	Set post at the sec 28, 29, 32, & 33 from which a Beech 6 in dia brs S 43 1/2 W 8 lks ✓ a do 10 " " " N 29 1/2 E 50 " Land - part 1 <sup>st</sup> rate, part 2 <sup>nd</sup> rate, rolling, Timber - Beech, ash, elm, lynn, walnut, spic ✓
79.89	East on random between Sec 28 & 33 intersect Sec. cr. 9 lks S of post
12.76	West corrected between Sec. 28 & 33 a Poplar 12 in dia
25.42	a Beech 10 " "
39.94 1/2	Set gr sec post from which a Beech 10 in dia brs S 52 1/2 E 18 lks ✓ a Wash. 26 " " " N 44 W 7 1/2 "
42.14	ans Elm 10 " "
56.52	a do 12 " "
65.70	a Blue Ash 13 " "
79.89	Section corner Land, rolling, 2 <sup>nd</sup> rate, Timber, beech, ash, lynn, ironwood, sugar spic ✓
0.50	North between Sec 28 & 29 a Run 10 lks wide course SW.
1.10.	a do
1.60	a do course SW.
40.00	Set gr sec post from which

G 24 N. R 7 E, 2<sup>nd</sup> Mer. (Inda)

38.00 a Poplar 42 in dia  
 40.00 Set gr see post from which  
 a B. Asp 6 in dia brs N 88 E 53 lks  
 a Poplar 30 " " " S 69 W 19 "  
 67.94 am Elm. 16 " "  
 80.00 Set temp. J. cor to Sect 34 & 35. R 6 & 7  
 Land level. 2<sup>nd</sup> rate Timber. Oak - poplar,  
 ash, Und. gro. Spice

Town Sec. established Oct  
 80.20 from which  
 A. Beech 18. N 18 W 16  
 Am Elm 15. N 52 E 57

Subdivision  
 Var 5" 18' E.

North between Sect 33 & 34  
 40.00 Set gr see post from which  
 a Beech 24 in dia brs S 46 1/2 E 7 1/2 lks  
 a do 13 " " " N 18 1/2 W 30 "  
 33.89 a Poplar 14 " "  
 64.80 a run 6 lks wide course E.  
 80.00 Set post cor to Sect. 27, 28, 33 & 34 from which  
 a W. ash 8 in dia brs N 18 1/2 W 18 1/2 lks  
 a Blue ash 9 " " " N 36 1/2 E 11 "  
 Land. South 1/2 mile broken. N 1/2 rolling. 2<sup>nd</sup> rate  
 Timber ash, poplar, beech, sugar, Sussapras,  
 Spice &c.

East between Sect 27 & 34  
 7.29 a Poplar 30 in dia.  
 17.50 a Run 6 lks wide. course N.E.  
 26.98 intersect W line of Miami reserve at  
 Flatbelly's (village). Set post in S side  
 of run 6 lks wide. course E. from which  
 a Beech 12 in dia brs N 31 1/2 W 51 lks  
 a Sugar 8 " " " S 7 1/2 W 27 "  
 Land 2<sup>nd</sup> rate, rolling. Timber. ash, poplar,  
 Sugar, walnut, Lymy, Spice &c.

North between Sect. 27 & 28  
 28.44 a Beech 18 in dia.  
 36.74 an Elm 34 " "  
 40.00 Set gr see post from which  
 a Hickory 14 in dia brs S 87 W 60 lks  
 a do 24 " " " S 89 E 59  
 62.82 a Beech 24 " "

T34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

0.00 77.00	a trail from Flatbelly's village to Turkey creek course W.
77.24 80.00	a Beech 20 in dia Set post cor to sec 21, 22, 27 & 28 from which a Lym 8 in dia brs N 51 $\frac{1}{2}$ W 30 $\frac{1}{2}$ lks a Oak 36 " " S 28 $\frac{1}{2}$ E 29 " Land same
8.65 19.54 26.96	East between Sec 22 & 27 a Poplar 12 in dia an ash 18 " " intersect Miami Reserve at Flatbelly's village. Set post from which a Lym 18 in dia brs N 29 W 30 lks a Beech 24 in dia brs S 28 $\frac{1}{2}$ W 20 lks Land 2 <sup>nd</sup> rate, level. Timber: beech, ash, elm, Poplar, Spruce, Sugar etc.
8.63 28.46 40.00 41.50 52.50 71.80 80.00	North between Sec 21 & 22 a Hickory 18 in dia a Beech 24 " " Set gr sec post from which a W. Oak 20 in dia brs N 36 $\frac{1}{2}$ E 42 $\frac{1}{2}$ lks a Butternut 12 " " " S 25 $\frac{1}{2}$ W 34 $\frac{1}{2}$ lks to mark heads 10 chs wide course E leave same a Poplar 12 in dia Set post cor to sec 15, 16, 21 & 22 from which a Poplar 12 in dia brs S 2 W 44 $\frac{1}{2}$ lks a Burr Oak 26 " " " N 76 E 98 " Land same.
4.68 8.62	East between Sec 15 & 22 a W Oak 28 in dia In Turkey Lake. Set post from which a W. Oak 18 in dia brs S 30 $\frac{1}{2}$ E 30 lks a do 24 " " " N 21 $\frac{1}{2}$ W 11 " Land rolling. 2 <sup>nd</sup> rate. Timber: W. R & Burr Oak Sassafras etc.
13.50	North between Sec 15 & 16 intersect S. side of Turkey lake. set post

T34 N, R 7 E, 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

49.81	a Blue Ash 28 in. dia. brs N 82 1/2 W 18 1/2 lbs	+
73.68	a do 12 " " " N 85 E 4 "	
84.00	a Beech 26 in. dia.	
	a Trail to Turkey Creek	
	Set post cor. to sections 20, 21, 28 + 29 from which	
	an Aspen 12 in. dia. brs S 84 1/2 E 2 lbs 60 lbs	+
	a R. Oak 24 " " " S 67 1/2 W 62 "	
	Land S <sup>2</sup> same, N <sup>2</sup> 2 <sup>nd</sup> rate. Timber, oak, aspen, Sassafras. &c	
56.00	East on random between Sect. 21 + 28	
65.68	a trail to Turkey creek	course SW.
79.80	a do.	" NW.
	intersect N + S line 39 lbs N of post.	
3.75	West corrected between Sect. 21 + 28	
19.05	a Poplar 36 in. dia.	
39.90	a Blue Ash 8 " "	
	Set gr. sec. post from which	
	a Poplar 44 in. dia. brs S 32 E 33 1/2 lbs	+
	a R. Oak 20 " " " N 77 1/2 E 92 "	
79.80	Section corner	
	Land 2 <sup>nd</sup> rate rolling. Timber, Poplar, oak, Sassafras, Vines &c	
21.61	North between Sect 20 + 21	
33.73	an Elm 8 in. dia.	
40.00	a Beech 12 " "	
	Set gr. sec. post from which	
	a Dogwood 6 in. dia. brs N 88 1/2 E 32 1/2 lbs	+
	an Ironwood 9 " " " N 88 1/2 W 11 "	
80.00	Set post in S. Edge of marsh, cor. to Sects 16, 17, 20 + 21 from which	
	a Sycamore 18 in. dia. brs S 51 1/2 W 34 lbs	+
	a Bark 11 " " " S 57 1/2 E 36 "	
	Land 2 <sup>nd</sup> rate, interspersed with small swamps	
	Timber, Oak, Sassafras, h. ash, elm &c.	
45.50	East on random between Sect 16 + 21	
49.00	level marsh	
56.00	enter marsh	
	Level same.	

T34 N. R 7 E. 2<sup>d</sup> Mer. (Ind<sup>as</sup>)

chs lks 61.00	enter willow swamp
73.00	Leave same
79.65	intersect N+S line at post.
39.82½	West corrected between Sect 16 & 21 Set gr see post in marsh from which a Burr Oak 10 in dia brs N 65½ E 2 chs 30 lks & a W. Oak 20 " " " N 46½ E 2 " 89 "
79.65	Section corner. Land principally swamp & marsh. elm & willow on dry land Oak, Sassafras &c. May 29, 1834
40.00	North between Sect 16 & 17 in marsh Set gr see post in marsh from (which) a W Oak 20 in dia brs S 62½ W. 3 chs 92 lks & a do 26 " " " N 15½ W. 3 " 34 "
57.50	leave marsh.
62.79	intersect S. side of Turkey Lake. set post from wh. a B. Oak 48 in dia brs S 79½ W 44½ lks & a R. Oak 24 " " " S 63½ E 52 "
	Land Same.
24.23	North between Sect. 31 & 32 a trail to <u>Turtle town</u> course S.E.
35.47	a Wash 10 in dia.
40.00	Set gr. see post from which a Beech 10 in dia brs S 79 E 15 lks & a do 24 " " " S 14½ W 32 "
42.15	a Run 5 lks wide course N.W.
57.21	a W Oak 20 in dia
63.93	a trail course E to W.
80.00	Set post cor. to Sect. 29 & 30 from which a W. Oak 18 in dia brs S 74 E 2 chs 39 lks & a do 36 " " " S 46 W 1 " 84 "
	Land 2 <sup>d</sup> rate pulling. Timber W & R Oaks, poplar, sugar, lym, hazle &c.
79.13	East on random between Sect 29 & 32 a Run 8 lks wide course S.W.
80.34	intersect N+S line 16 lks N of post

T 34 N. R 7 E. 2 S Mer. (Ind as)

<p>Sho lks 41.32 31.14 41.17 80.321</p>	<p>West corrected between Sec 29 &amp; 32 a Beech 14 in dia a W. Oak 20 " " a B. Ash 10 " " for gr. sec. corner. Section corner. Land Same</p>
<p>11.30 44.33 60.33 75.78</p>	<p>West on random between Sec 30 &amp; 31 a trail course N. intersect E. margin of <u>Langley's lake</u> over lake intersect N. boundary 21 lks S. of post.</p>
<p>15.45 31.45 38.78 59.02 78.78</p>	<p>East corrected between Sec 30 &amp; 31 a W. oak 24 in dia brs N 33 1/2 E 1.01 lks * a do 20 " " " 87 1/2 E 1.73 " to W. side of Lake. Set post from which a W. oak 20 in dia brs S 64 1/2 W. 3 cks 92 lks a B. oak 20 " " " N 77 W 4 " 18 " over lake. Set post from which a W. oak 12 in dia brs N 68 E 2 cks 12 lks * a do 24 " " " N 58 E 2 " 27 " Set gr sec post from which a B. oak 8 in dia brs N 5 1/4 W 80 lks * a Hickory 11 " " " N 5 1/2 E 1 ck 28 lks a W. oak 20 " " " Section corner Land 3<sup>rd</sup> rate, rolling. Timber, ash, hickory &amp;c</p>
<p>12.38 15.91 23.00 26.03 40.00 40.30 47.79 48.50 54.78 80.00</p>	<p>North between Sec 29 &amp; 30 a trail course N.E. a B. Ash 12 in dia. enter Willow swamp leave same. a Hickory 11 in dia Set gr sec post from which a W. oak 30 in dia brs N 77 1/2 E 40 lks * a B. Ash 6 " " " N 12 W 61 " a Run 4 lks wide, course N.W. a W. oak 20 in dia w Marsh a trail to Turkey Creek. leave marsh Set post cor, to Sec. 19, 20, 29 &amp; 30 from which</p>

T34 N. R 7 E. 2<sup>d</sup> Mer. (Inda)

	<p>a R Oak 30 in dia brs S25<math>\frac{3}{4}</math> E 1ch 63 lks &amp;  a Hickory 6 " " " N21<math>\frac{1}{2}</math> W 43<math>\frac{1}{2}</math> "  Land 2<sup>d</sup> rate. Timber. Oak, elms, hickory,  hazel, sassafras &amp;c.</p>
<p>36.29 80.35</p>	<p>East on random between Sect. 20 &amp; 29  a run 3 lks wide. course NE  intersect N &amp; S line 11 lks N of post</p>
<p>16.26 24.18 40.17<math>\frac{1}{2}</math> 36.77 60.18 80.35</p>	<p>West connected between Sect 21 &amp; 29  a Lym 18 in dia  a Burr Oak 12 in dia  Set gr see post from which  a Poplar 12 in dia brs S15<math>\frac{1}{2}</math> E 16 lks &amp;  a Burr Oak 12 " " " N5<math>\frac{1}{2}</math> E 68 "  a Burr Oak 12 in dia  a Beech 15 " "  Section corner  Land 2<sup>d</sup> rate rolling. Timber, oak, beech,  poplar, ash, aspen, sassafras, hazel &amp;c</p>
<p>75.43</p>	<p>West on random between Sect 19 &amp; 30  intersect N boundary 32 lks N of post</p>
<p>15.54 27.35 35.43 37.26 75.43</p>	<p>East connected between Sect 19 &amp; 30  a W oak 18 in dia brs N48 E 39<math>\frac{1}{2}</math> lks &amp;  a do 24 " " " S37<math>\frac{1}{2}</math> E 47 "  a W. Oak 20 " "  a do 18 " "  Set gr see post from which  a W Oak 26 in dia brs S27<math>\frac{1}{4}</math> W 50 lks &amp;  a Hickory 24 " " " N29<math>\frac{1}{2}</math> E 22 "  a Blue Ash 11 " "  Section corner  Land Same.</p>
<p>14.34 21.40 40.00</p>	<p>North between Sect 19 &amp; 20  a Blue Ash 18 in dia  a Beech 30 " "  Set gr see post from which  a Beech 18 in dia brs N86<math>\frac{1}{2}</math> E 28<math>\frac{1}{2}</math> lks &amp;  a do 12 " " " S37<math>\frac{3}{4}</math> W 18 "</p>

T 34 N. R 7 E 2<sup>nd</sup> Mer (Ind<sup>ns</sup>)

cho lks  
58.66 a R. Oak 20 in dia.  
66.77 a R. Oak 50 " "  
80.00 Set post cor to sec 17, 18, 19 & 20 from which  
a W Oak 24 in dia hrs N 63 1/2 E 1 ch 37 lks +  
a R Oak 24 " " " N 87 W 2 " 36 "  
Land 1<sup>st</sup> rate, rolling, for 111 chs high & dry  
prairie. Timber, poplar, oak, ash, beech,  
Sugar, (walnut, lynn, spice) &c &c.

19.44 East on random between Sect 17 & 20  
a Run 4 lks wide, course N.E.  
38.75 a do " S.E.  
66.00 a Marsh  
80.19 intersect N & S line 8 lks N. of post

West corrected between Sect. 17 & 20  
19.37 a Sycamore 20 in dia.  
28.85 a W Oak 12 " "  
41.09 1/2 Set gr sec post. from which  
a Beech 20 in dia hrs N 39 E 16 lks +  
a do 12 " " " S 57 E 37 "  
55.57 a Lynn 24 " "  
80.19 Section corner  
Land 2<sup>nd</sup> rate, uneven. Timber, aspen, oak,  
elm, B. Ash, Hickory &c May 31, 1834.

(28.60)

West on random between Sect 18 & 19  
36.59 Leave prairie  
44.50 a Marsh  
52.50 leave marsh  
75.25 intersect W boundary 30 chs N of post.

(It says she  
but I think  
It must be  
Mrs. Reman  
by And St...

East corrected between Sect 18 & 19  
a W Oak 26 in dia hrs N 69 1/2 E 58 lks +  
a R. Oak 26 " " " S 42 E 60 "  
11.01 a W Oak 24 " "  
35.25 Set gr sec post from which  
a W Oak 18 in dia hrs S 8 1/2 W 20 lks +  
a do 12 " " " N 25 E 42 1/2 "  
75.25 Section corner  
Land in prairie 2<sup>nd</sup> rate, covered with  
prairie grass, woodland 3<sup>rd</sup> rate oak &c

## T 34 N. R 7 E 2 Mer. (Indra)

45.00	North between Sec 17 & 18
6.95	an Elm 12 in dia to run 2 lks with course N.E.
28.17	a W. Oak 11 " "
26.00	Enter marsh
40.00	Set gr see post from which
	a Lymn 15 in dia brs S 67 W 2 lks 19 lks &
	a Burr Oak 24 in dia brs N 61 W 1 ch 27 lks
68.00	Leave marsh
71.46	a W. Oak 12 in dia
80.00	Set post cor to sec 7, 8, 17 & 18 from which
	a W. Oak 24 in dia brs S 31 E 1 ch 09 lks &
	a Burr Oak 24 " " " N 39 W 66 "
	East on true line between Sec 8 & 17
7.00	a marsh
14.00	Leave marsh
32.00	Arm of Turkey lake, set post from which
	a W. Oak 30 in dia brs N 64 W 38 lks &
	a Burr Oak 18 " " " S 45 1/2 W 1 ch 49 lks
42.84	Over arm of lake, set post from which
	a W. Oak 30 in dia brs N 28 1/2 E 1 ch 06 lks &
	a do 21 " " " S 52 1/4 E 98 "
47.65	Intersect N. Margin of Turkey lake, set
	post from which
	a W. Oak 26 in dia brs N 72 W 30 lks &
	a B. Oak 24 " " " S 39 1/2 W 1 ch 18 1/2 lks
	Land Same.
	West on random between Sec 7 & 18
44.25	a Road course N.E. to SW.
75.24	Intersect W. boundary 15 lks S. of post
	East corrected between Sec. 7 & 18
	a Poplar 18 in dia brs S 67 1/2 E 49 lks &
	a Burr Oak 30 in dia brs N 38 1/2 E 47 lks
15.18	a Poplar 24 in dia
35.24	Set gr see post from which
	a B. Oak 24 in dia brs N 54 1/2 W 44 1/2 lks &
	a do 30 " " " S 39 1/2 E 1 ch 35 "
52.28	a W. Oak 30 " "
68.72	a do 24 " "
75.24	Section corner.

T34 N. R 7 E. 2<sup>nd</sup> Mer. (Inda)

		Land rolling, 2 <sup>nd</sup> rate. Timber, oak, poplar, hickory, sassafras, hazel &c.	
		North between Sec 7 & 8	
12.70	a W. oak		
15.50	a Marsh		
32.00	Leane Sime		
40.00	Set gr see post from which		
	a W oak 26 in dia	S 39 1/2 W 39 1/2	X
	a do 18 " "	E 26 C 68	
47.39	a W oak 18 " "		
60.91	a do 24 " "		
80.00	Set post at to sec 5, 6, 7 & 8 from which		
	an Elm 8 in dia	N 49 W 36 lbs	X
	a Burr Oak 14 " "	S 26 C 39 "	
	Land, low, wet & swampy. Timber, burr oak, elm &c.		
		West on random between Sec 6 & 7	
23.00	Road to Crossin's Mill	course NE	
35.00	a Road	" " NE	
70.46	intersect N. boundary 19 ch S of post		
		East corrected between Sec 6 & 7.	
	a Beech 20 in dia	S 69 1/2 C 46 1/2 lbs	X
	a do 30 " "	N 17 1/2 C 74 " "	(41 1/2)
11.08	a W oak 6 " "		
33.46	Set gr see post from which		
	a W oak 20 in dia	N 69 1/2 W 11 1/2 lbs	X
	a do 24 " "	S 28 1/2 W 30 "	
39.66	a W oak 24 " "		
46.08	a do 18 " "		
70.46	a section corner		
	Land part rolling & flat & wet. 2 <sup>nd</sup> rate. Timber, oak, sassafras, hazel, hickory, aspen &c.		
		June 1.	
		North between Sec 5 & 6	
7.50	a creek 60 lbs wide	course N.	
9.70	Leane creek		
12.00	East 1 ch is Crossin's Mill		
17.00	a W oak 36 in dia		
32.00	a W oak 28 " "		

J<sup>W</sup> N. R. & C. 2<sup>d</sup> Mer (Inda)

cho lks  
 36.28 w road course NW  
 411.00 set gr see just from which  
 an Elm 8 in dia brs N 75 1/2 E 12 1/2 lks &  
 a B. oak 14 " " " S 25 W 28 1/2 "  
 44.00 a road course NE  
 74.97 intersect N. boundary 3 cho 44 lks N. of post  
 set post cor. to sees 5 & 6 from which  
 a W oak 12 in dia brs S 54 1/2 E 32 1/2 lks &  
 a do 18 " " " S 58 1/2 W 96 "  
 Land 2<sup>d</sup> rate, rolling. Timber W & B. oak,  
 Sassafras, &c &c.

6.29 East on true line between Sect 5 & 8  
 a W. oak 24 in dia  
 16.66 a B oak 24 " "  
 21.00 to Turkey lake. set post from which  
 a W oak 12 in dia brs S 28 1/2 E 11 lks &  
 a do 24 " " " 28 1/2 W 2 1/2 "

From gr see just on line between sees 5 & 6  
 North 6.00  
 East 23.00  
 N 61 E 14.50  
 S 61 E 5.00  
 East 40.15 to line between sees 4 & 5 thence  
 S 7.25 to N. margin of Lake.  
 Set post from which  
 a Hickory 12 in dia brs N 41 W 40 lks &  
 a W. Oak 12 " " " N 87 1/2 E 34 1/2 "  
 Thence N. between sees 4 & 5 from  
 meander post on lake  
 31.36 intersect N. boundary 3 cho 78 lks N. of post  
 set post cor. to sees 4 & 5 from which  
 a W. Oak 30 in dia brs S 40 W 91 lks &  
 a do 24 " " " S 24 1/2 E 29 "  
 Land, 2<sup>d</sup> rate, rolling. W & A oak

South from post on N. boundary between  
 sees 3 & 4 from which  
 a Hickory 24 in dia brs S 77 1/2 W 38 lks &  
 a W. Oak 48 " " " S 43 1/2 E 1 ch 34 lks  
 182 a R Oak 36 " "

<sup>4</sup>  
T<sup>h</sup> N, R 7 E. 2<sup>n</sup> Mer. (Ind<sup>o</sup>)

13.77 a W. oak 18 in dia  
 29.00 a Marsh  
 34.97 Set gr see post from which  
 a W. oak 12 in dia brs N 1/4 E 6 chs 37 lbs &  
 a B. oak 18 " " " N 10 3/4 W 4 " 98 "  
 45.00 leave marsh  
 64.42 a B. oak 14 in dia  
 (62.00) enter marsh  
 74.97 Set post cor to Seed. 3.4. 9 & 10 from which  
 a W. oak 18 in dia brs S 45 1/2 E 1 ch. 49 lbs &  
 a do 12 " " " N 89 1/2 E 1 ch 56 "  
 Land, 2<sup>n</sup> rate, rolling, Timber. W & R oak.  
 Hickory &c.

West on line between Seed 4 & 9 in Marsh  
 18.00 Leave Marsh  
 18.29 a W. oak 18 in dia.  
 25.29 a do 12 " "  
 27.00 Enter Marsh  
 41.82 Set gr see post from which  
 a W. oak 12 in dia brs S 77 1/2 E 5 chs 64 lbs &  
 a do 9 " " " S 71 E 5 " 19 "  
 62.50 leave marsh  
 64.11 a W oak 12 in dia  
 66.43 to Lake & set post from which  
 an Ironwood 11 in dia brs S 47 1/2 W 95 1/2 lbs &  
 a W. oak 12 " " " N 25 1/2 E 47 "  
 Land 3<sup>n</sup> rate. Timber W & B oak, Tamarack,  
 & Sassafras

South between Seed 9 & 14 in marsh  
 14.00 Leave Swamp  
 23.27 a Burr Oak 11 in dia.  
 34.50 intersect N side of Turkey lake  
 Set post from which  
 a W. oak 18 in dia brs N 71 1/2 E 35 lbs &  
 a B oak 18 " " " N 87 W 30 "  
 Land Same

East on true line between Seed 8 & 10  
 40.00 Set gr see post from which  
 a W. oak 36 in dia brs S 28 1/2 W 54 lbs &

T 34 N. R 7 E. 2<sup>d</sup> Mer. (Ind<sup>e</sup>)

Warrant courses	chs lks		
Meanders of Turkey Lake, commencing at meander post on the west line of Miami reserve at Flatbells village South side of Lake. Thence			
N 54 <sup>1</sup> / <sub>4</sub> W	3.00	in sec 22	
N 42 W	11.50	at 8 chs 90 lks a run 10 lks wide course E	
N 81 <sup>3</sup> / <sub>4</sub> W	5.10		
N 51 <sup>3</sup> / <sub>4</sub> W	4.12	to post on line between Sec 15 & 23. N. side	
N 38 <sup>3</sup> / <sub>4</sub> W	3.64	of Lake, thence	
N 34 <sup>3</sup> / <sub>4</sub> W	5.00	in sec 15	
N 18 <sup>1</sup> / <sub>4</sub> W	5.50		
N 23 W	2.50	to post on line between Sec 15 & 16. S. side	
		of Lake. Thence	
N 50 W	3.00	in sec 16	
N 17 W	7.00		
N 54 W	3.00		
N 25 <sup>1</sup> / <sub>4</sub> W	2.00		
N 36 <sup>1</sup> / <sub>2</sub> W	6.10		
N 25 <sup>1</sup> / <sub>2</sub> W	15.50		
N 62 W	3.00		
S 78 <sup>3</sup> / <sub>4</sub> W	1.00		
S 25 <sup>1</sup> / <sub>2</sub> W	3.00		
S 61 W	3.50		
S 88 W	9.50		
N 72 <sup>3</sup> / <sub>4</sub> W	8.00		
N 58 <sup>1</sup> / <sub>4</sub> W	4.00		
N 61 W	4.50		
N 34 <sup>1</sup> / <sub>2</sub> W	7.50		
N 27 W	6.00		
N 58 <sup>1</sup> / <sub>4</sub> W	14.00		
S 75 <sup>1</sup> / <sub>4</sub> W	4.00		
S 61 W	7.00	to post on line between Sec 16 & 17 S	
		side of Lake	
		May 28 <sup>th</sup> & 30 <sup>th</sup>	
N 86 <sup>1</sup> / <sub>2</sub> W	6.50	Meanders of Turkey Lake, commencing at meander post on reserve line. N. side of lake. Thence N 87 W 19.50 in sec 14.	
		in Sec 9	S 83 <sup>1</sup> / <sub>4</sub> W 4.14 to post on line

between Secs 9 & 10 N. side of Lake

T 34 N. R 7 E. 2<sup>d</sup> Mer. (Inda)

45.46	a W oak 18 in dia' brs N 9 1/2 W 81 lbs
57.94	a W oak 26 " "
64.15	a Hickory 21 " "
70.19	a W oak 36 " "
80.00	Set post at the feet 2.3. 10 & 11 from which a B. oak 39 in dia' brs N 4 1/2 E 1 ch 36 lbs & a W do 30 " " " S 19 1/2 W 1 1/2 25 " Land, 2 <sup>d</sup> rate, level. Timber W & R & B. oak & H.
11.54	South between Sect 10 & 11 intersect N line Miami Reserve, at Flatbelly's Reserve. Set post, from which a W oak 26 in dia' brs N 28 1/2 W 1 ch 19 1/2 lbs & a Hickory 18 " " " N 48 E 77 " Measured W along said line 56.49 to end thereof Land Same. June 2 <sup>nd</sup>
12.26	North between Sects. 2 & 3
40.04	a W. oak 12 in dia'
42.50	Set gr. see post from which a Hickory 9 in dia' brs N 92 3/4 W 29 lbs & a B. oak 24 " " " S 68 1/2 E 27 "
75.20	enter marsh intersect N. boundary 29 lbs. E. of post Set post in Marsh. Land Same
23.96	East on true line between Sect 2 & 11
40.04	a B oak 24 in dia'
48.00	Set gr. see post from which a W. oak 12 in dia' brs N 43 1/2 E 29 lbs & a do 12 " " " S 75 3/4 W 18 "
80.00	Enter Marsh
43.11	Set post at the feet 1.2. 11 & 12 from which a Burr Oak 24 in dia' brs S 74 W 28 lbs & a do 11 " " " N 26 1/2 E 1 ch 18 lbs Land Same.
1.78	South between Sects 11 & 12, in marsh An Aspen 12 in dia'
9.00	Leaves Marsh
43.11	intersect N line of Miami Reserve at Flatbelly's

T 34 N. R 7 E. 2 Mer. (Sud<sup>a</sup>)

<p>40.00</p>	<p>village. Set post from (which) a W. Oak 26 in dia brs N 24 1/2 W 1 ch 06 lks a do 18 " " " N 48 E 83 " Land Same.</p>
<p>1.39 23.28 40.00 45.64 57.22 52.00 61.78 73.83</p>	<p>North between Sect 142 in marsh an Aspen 8 in dia a do 18 " " Set gr see post from (which) a B. Oak 24 in dia brs S 77 3/4 W 2 1/2 lks a do 18 " " " S 66 1/2 E 24 " an Elm 12 " " a Burr Oak 13 in dia Level Marsh a Burr Oak 18 in dia intersect N boundary 28 chs E of post Set post cor to Sect 142 from (which) a B. Walnut 22 in dia brs S 39 W 96 lks a W. ash 12 " " " S 81 1/2 E 25 1/2 " Land N of marsh, level, 2<sup>nd</sup> rate, Timber, ash, elm, oak, beech, in marsh. Aspen, elm, &amp; willow.</p>
<p>79.15</p>	<p>East on random between Sect 1412, in marsh intersect range line 9 lks N. of post</p>
<p>11.06 21.38 39.57 1/2 57.12 79.15</p>	<p>West corrected between Sect 1412 a Cottonwood 14 in dia. a do 12 " " Set gr see post from (which) an Elm 14 in dia brs N 45 1/4 E 25 lks a B. Ash 12 " " " S 13 E 18 " an Elm 8 " " Section corner. Land all swampy. Timber. (Willow, R &amp; B, oak elm, cottonwood &amp;c.) June 3, 1834.</p>

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>ed</sup>)

course	ch. Mo	
S 77 1/2 W	21.00	
N 81 1/2 W	4.50	
S 83 1/2 W	2.50	
S 85 W	5.29	
S 55 1/2 W	0.73	
N 89 W	4.63	
N 81 W	11.00	
S 63 W	10.00	
S 39 W	24.00	
N 41 W	3.00	
N 12 E	8.00	
N 41 1/2 W	8.50	
N 10 W	3.50	
N 74 W	9.50	
N 11 1/2 E	5.00	in sec 9
N 73 1/2 E	4.00	
S 53 1/2 E	4.50	
S 42 E	14.50	
N 87 E	3.00	
N 57 E	4.00	
N 39 1/2 E	8.00	
N 19 E	6.50	
N 3 W	11.50	
N 29 W	13.00	
N 43 E	6.00	
N 14 1/2 E	5.56	to post on line between Secs 4 & 9 E side of Lake. Thence
N 22 E	18.50	in sec 4,
N 1 1/2 W	18.50	
N 42 1/2 W	12.00	
N 68 W	9.50	
N 89 1/2 W	5.00	
S 80 1/2 W	3.52	1/4 post on line between Secs 4 & 5 N side of Lake. Thence
N 63 1/2 W	7.50	in sec 5
S 72 1/2 W	11.00	
N 60 1/2 W	8.00	
N 81 1/2 W	6.00	
N 75 W	14.59	
S 70 1/2 W	23.00	

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>u</sup>)

courses	chords	
N 72 $\frac{1}{2}$ W	7.50	
S 57 W	5.00	
S 4 $\frac{1}{2}$ W	10.00	
S 48 $\frac{1}{2}$ E	7.50	
S 37 E	6.00	
S 59 E	6.50	
S 39 E	4.50	
S 38 $\frac{1}{2}$ E	9.50	
S 57 $\frac{3}{4}$ E	5.50	
S 78 W	3.58	
West	2.30	to outlet course N.W.
S 28 W	5.16	to post on line between Secs 8 & 8.
		N. side of Lake, and over outlet
		Thence
S 72 E	8.00	In Sec. 8
S 88 E	22.50	
S 64 E	9.00	
S 47 $\frac{1}{2}$ W	13.00	
S 13 W	10.00	
S 41 W	13.50	
S 34 $\frac{1}{2}$ E	3.00	
S 61 $\frac{1}{2}$ E	3.00	
N 03 $\frac{1}{2}$ E	5.00	
S 80 $\frac{1}{2}$ E	12.50	
S 10 $\frac{1}{2}$ E	7.50	
S 21 W	9.00	
S 15 E	19.50	
S 86 $\frac{1}{2}$ W	6.50	
S 64 $\frac{3}{4}$ W	7.50	
S 15 $\frac{1}{2}$ W	2.25	to post on line between Secs 8 & 17
		N. side on main lake. Thence
S 32 W	3.00	In Sec 17.
S 86 $\frac{1}{2}$ W	2.50	
N 16 $\frac{1}{4}$ W	2.75	to post on line between Secs 8 & 17
		E. side Arm of Lake. Thence
N 64 $\frac{1}{2}$ W	6.00	In Sec 8
S 64 $\frac{1}{2}$ W	6.00	to post on line between Secs 8 & 17
		N. side of lake. Thence

T 34 N. R 7 E. 25 Mer. (Inda)

Courses	chs. Mo	
S 50 W	5.00	In Sec 17
S 28 W	8.00	
S 5 W	14.50	
S 39 1/2 E	16.00	
S 87 1/2 E	14.50	
S 76 E	13.50	
N 61 1/4 E	4.00	
N 73 E	6.00	
N 49 E	4.00	
N 32 E	6.50	
N 1 E	4.50	
N 32 1/4 E	6.00	
N 65 1/2 E	4.47	

to post on line between Sec 16 & 17  
S. side of Lake. June 5, 1834

Meanders of Ling's Lake in Sec 30 & 31 commencing at meander post on Town line S. side of Lake. Thence in Sec. 30.		
S 78 1/2 E	4.50	In Sec. 30
N 75 E	9.00	
S 8 W	4.50	
S 23 1/2 E	6.50	
to post on line between Sec 30 & 31. N. side of lake. Thence		

In Sec. 31		
S 33 1/4 E	4.50	at 5.60 an outlet 10 lks (w) N.W.
S 66 1/4 E	17.00	
N 76 1/2 E	6.00	
N 10 1/2 W	7.50	
N 13 1/2 W	2.00	
N 56 W	3.00	
to post on line between Secs 30 & 31. E side of lake May 30 <sup>th</sup>		

In Sec. 30		
N 11 1/2 E	5.00	
N 27 W	11.00	
N 35 W	5.00	
N 2 1/2 E	5.50	
N 38 W	11.00	
N 38 1/2 W	4.50	
N 23 W	3.50	
N 2 1/2 E	6.50	
N 28 E	5.00	
S 85 1/2 E	5.00	

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

courses	chs. lks.	
N 67 1/2 E	4.50	at 3 chs 40 lks. inlet 20 lks wide course N.
N 52 W	5.00	
N 36 W	4.50	at 4 chs a trail
N 70 W	7.00	
S 77 1/2 W	8.50	
S 50 W	11.00	
S 79 1/2 W	1.86	to meander post on range line N. side of Lake

I do hereby certify that in pursuance of a contract with Micajah J. Williams Surveyor General of the United States for the States of Ohio, Indiana, and the Territory of Michigan, bearing date the 10<sup>th</sup> day of January 1834, & in strict conformity to the laws of the United States and the instructions of the said Surveyor General, I have surveyed & subdivided into Sections, Tractional Township 34 North, Range 7 East in the State of Indiana. And I do further certify that the foregoing are the true and original field notes of the said Survey and subdivisions, executed as aforesaid.

Certified this 5<sup>th</sup> day June 1834

R. J. Dawson Deputy Surveyor,

Examined { D. Mepler  
                  { Isaac Fiebelot

Marker William Knight

chs. lks.	
	North between Sec 35 & 36
1.00	enter pond or small lake
10.50	Leave same
17.50	enter prairie
36.70	over creek 40 lks wide " course N. E.
39.60	leave prairie
41.00	Set up sec post from which
	a W Oak 22 in dia brs S 82 E 24 lks
	a do 14 " " " S 80 W 44 "
54.98	a W Oak 20 " " "
76.80	a Bur Oak 10 in dia

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

80.00 Set post cor. to sec 25, 26, 35 & 36 from which  
 a Drop Ash 30 in dia brs N 46 W 45 lks  
 a W. Oak 12 " " S 23 E 13 "  
 Land broken, 3<sup>rd</sup> rate, oak barrens. Timber, oak,  
 beech, ash &c. undgr. grapevines, susuprus &c

East on (Random) between Sec 25 & 36  
 course S.  
 30.50 Enter Prairie  
 40.50 leave Same  
 42.70 pass road course S E  
 51.00 pass " " NE  
 55.00 enter windfall " NE  
 64.00 enter Swamp " N 7 S  
 70.00 leave Same  
 75.00 leave Windfall  
 77.50 enter Swamp course NW.  
 80.38 intersect E boundary 80 lks S of post  
 Land Same as last

West corrected between Sec 25 & 36 S 89° 25' W.  
 3.97 a W. Elm 20 in dia  
 24.01 a Poplar 24 " "  
 44.19 Set gr. Sec post from which  
 a W. Oak 18 in dia brs S 52 E 10 lks  
 a do 16 " " " N 34 W 41 "  
 52.69 a Poplar 30 in dia  
 63.69 a Dogwood 4 " "  
 80.38 Section corner

North between Sec 25 & 26  
 6.20 a W. Oak 20 in dia  
 11.00 enter marsh  
 13.50 leave Same  
 23.50 Indian trail course NW.  
 25.50 pass road " NW.  
 28.58 a Poplar 28 in dia  
 34.00 a Poplar 30 " "  
 34.50 enter marsh course E.  
 37.50 enter small Lake  
 40.00 Set gr. sec post in Lake from which  
 a Poplar 30 in dia brs S. 6.00 lks  
 a W. Oak 8 " " " N. 6.68 "

T 34 N. R 7 E, 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

46.25	Leave Lake
50.69	a W Oak 24 in dia
52.70	a " 36 " "
63.00	Enter marsh course E & W.
65.60	to S side of Turkey Lake. Set post from wh. a Swamp Ash 24 in dia brs S 35 <sup>1</sup> / <sub>2</sub> W 300 lbs & a Lynn 20 " " " S 5 E 318 "
80.00	Set post cor to Sec. 23, 24, 25 & 26 in lake Land same as last.
11.40	East on randoms between Sec 24 & 25 Leave Turkey Lake. set temp. post
15.89	Leave marsh course NW.
26.00	Enter marsh " S
27.00	Leave do
35.59	enter Swamp course E. Two fine Springs
37.75	enter creek 20 lbs wide course NW.
60.04	Leave creek
70.04	Leave Swamp
81.09	Intersect E boundary 10 lbs N. of post Land as before
2.05	Post corrected between Sec 24 & 25 a Red Oak 30 in dia.
40.50	Set gr. sec post from which a Jack Oak 14 in dia brs N 11 W 1 ch 74 lbs & a Tamarack 12 " " " South 2 " 96 "
69.55	Set post in East side of Turkey lake, from wh. a W. Oak 12 in dia brs N 88 E 4 chs 18 lbs & w do 13 " " " N 66 E 3 " 91 "
81.08	Section corner July 23 <sup>d</sup>
32.00	North between Sec 23 & 24 to NE side of Turkey lake. set post from wh. a Poplar 30 in dia brs N 33 W 41 lbs & a Beech 10 " " " N 39 W 38 "
33.20	a cherry 24 "
40.00	Set gr. sec post from which a — Oak 10 in dia brs S 63 E 18 lbs & w R. Elm 11 " " " N 66 W 21 "
42.50	to N. easterly side of Turkey lake. Set post from which a Cedar 26 in dia brs S 4 E 22 lbs &

T34 N. R7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

80.00	w Cedar 24 in dia hrs N38 E 71 Set post cor to sees 13, 14, 23 & 24 in lake Land rolling, 2 <sup>nd</sup> rate, Timber, oak, ash, elm &c Und gr. Sassafras, Spice &c
21.00	East on random between sees 13 & 24 Set temp. post in edge of lake
20.10	a fine enalycate Spring
46.50	over creek 15 lbs with course N.
55.50	pass road course NW
80.92	intersect E. boundary 1 ch. N. of post Land level. 2 <sup>nd</sup> rate, Timber, oak, ash, Juplar &c. Und gr Spice &c
0.40	West corrected between See 13 & 24 N 89° 18' W
1.43	a Beech 11 in dia
2.64	a Br Ash 24 " "
4.46	a Beech 28 " "
11.78	Set gr see post from which a Beech 22 in dia hrs S 71 W 10 lbs
64.92	a do 5 " " " N 74 E 14 "
80.92	a Beech 26 " " to margin of lake. set post from which a G. Ash 6 in dia hrs N 7 W 65 lbs
	a Blue Ash 8 " " " S 48 E 07 "
	See. corner
21.40	North between See 13 & 14 N. margin of Turkey Lake. Set post from which a Sycamore 24 in dia hrs S 88 E 10 lbs
24.63	a Quack Oak 18 " " " N 88 E 15 "
25.50	a Poplar 20 " " "
38.50	enter Swamp course N
41.11	Leave do
51.05	Set gr see post from which a G. Ash 16 in dia hrs S 39 E 16 lbs
54.00	a Beech 7 " " " S 81 W 21 "
65.00	an Ironwood 11 in dia
69.68	enter swamp course NE & NW
80.00	leave do a N. Oak 21 in dia Set post cor to see 11, 12, 13 & 14 from which

T 34 N. R 7 E. 2<sup>n</sup> Mer. (Ind<sup>a</sup>)

ch 80 lks

~~Set post corner to sect~~  
 w. N. oak 24 in dia brs N 38 E 5 lks &  
 a Blk oak 9 " " " N 52 W 16 "  
 Land rolling. 3 rate, Timber, oak, ash, hickory &c  
 Und grs. Sassafras. green briars &c

5.37 East on random between Sect 12 & 13  
 enter prairie course S  
 10.09 Leave Same.  
 12.73 on Indian trail course S. E.  
 16.69 pass road " S  
 18.29 enter field  
 21.23 leave field  
 68.50 enter swamp course S. W.  
 78.00 leave do  
 80.70 intersect 80 lks N of post  
 Land level. 2<sup>n</sup> rate, Timber, beech, ash, elm,  
 oak &c. Und grs. Spec<sup>i</sup> Sassafras &c.

West corner between Sect 12 & 13. N 89° 25' W.  
 3.00 a Burr Oak 24 in dia  
 25.18 a Beech 30 " "  
 41.33 Set yr sec post from (which)  
 a Beech 12 in dia brs S 27 E 3 lks &  
 a do 6 " " " N 42 W 45 "  
 44.50 a Beech 12 in dia  
 69.33 a B. Walnut 30 " "  
 80.70 Sec corner.

North between Sect 11 & 12  
 1.57 enter prairie course N. W.  
 9.50 leave do  
 25.00 enter S. side of field  
 30.50 leave do.  
 33.40 a W. Oak 30 in dia  
 38.60 enter S. side of field.  
 40.00 Set yr sec post from (which)  
 a Blk Oak 9 in dia brs S 71 E 1 ch 00 lks &  
 a Hickory 12 " " " S 41 W 2 " 20 "  
 43.80 Leave N. side of field  
 54.90 a Poplar 30 in dia  
 64.40 intersect N line of Resewitch 90 lks N of post.

T34 N. R 7 E, 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

cho lks	Set post from which a W. Oak 24 in dia brs S 33 W 13 lks * a do 16 " " " S 61 E 61 " Land rolling. 3 <sup>rd</sup> rate, Timber Oak, Hickory &c. and gr. Passafus. greenbriar &c. Jan'y 24.
2.39	North between Sect 34 & 35 S. side of Lake, set post from which
24.50	a W. Oak 38 in dia brs S 66 W 2 chs 64 lks *
36.00	To post in N. margin of lake, from which a maple 10 in dia brs N 83 E 71 lks *
40.00	a do 6 " " " N 37 W 40 " leave Swamp course NW
62.50	Set gr. sec post from which a Blk <sup>oak</sup> 12 in dia brs S 1 W 50 lks *
72.02	a Poplar 20 in dia brs N 5 W 27 lks
76.25	a cabin & improvement on R. a Red Oak 28 in dia pass road course N.W.
80.00	Set post cor to sect. 26, 27, 34 & 35 from which a C. Elm 14 in dia brs S 76 W 91 lks *
	a Blue Ash 7 " " " N 53 E 39 " Land Broken 3 <sup>rd</sup> rate. Timber, Oak, elm &c. and gr. Passafus greenbriar &c
29.60	East on random between Sect 26 & 35 an Indian Trail course N.
38.00	enter Willow pond " S.E.
38.60	Leave do
57.50	enter Small Lake
68.00	Leave do
79.20	intersect N & S line 30 lks S. of post Land as before
1.24	Post corrected between Sect 26 & 35. S 89° 48' W.
39.60	a Hickory 10 in dia Set gr. sec post from which a double R. Oak 29 in dia brs N 18 W 25 lks *
39.72	a G. Ash 9 " " " S 33 lks an Aspen 71 " " "
79.20	Sect. corner

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

56.21	enter swamp	course E & W.
73.00	enter prairie	" S. E.
80.00	Set post in do. cor to seed 10, 11, 14 & 15 from which a Burr Oak 14 in dia. bs N 7 1/2 E 1 ch 86 lbs & a do 14 " " " N 40 1/2 E 2 " 15 " Tamarack & wet prairie. Timber. Maple, Willow, Sycamore & Tamarack &c. flag grass &c.	
12.47	Set temp post in W. edge of Lake (Turkey)	
44.50	Set temp post in E. margin of Turkey lake enter Swamp	course N.
58.00	leave Tamarack Swamp	" N. E.
70.00	enter Swamp	" N. W.
79.00	leave do	
80.08	intersect N & S line 30 lbs S. of post Land as before	
18.95	Nest collected <sup>between</sup> Seed 11 & 14 S 89° 47' W. a Beech 10 in dia.	
33.58	to Eastwardly edge of lake. Set post	
18.32	Nest between Seed 10 & 15. S 87° 51' W. E. margin of Turkey Lake. Set post from which a Jack Oak 10 in dia. bs N 8 E 65 lbs & a Sycamore 6 " " " S 24 E 60 " marshy prairie & Tamarack Swamp	
8.00	North between Seed 10 & 11 Leave marshy prairie	
16.59	enter marsh	course S. W.
25.00	leave do	
28.80	enter S. E. side of field	
40.00	Set gr. seed post from which a Hickory 20 in dia. bs N 42 E 1 ch 91 lbs & no other tree convenient	
45.00	Leave N. side of field	
55.00	a Blk Hickory 20 in dia	
64.89	intersect N. boundary reserve 2 chs 62 lbs. W. of post set post from which a W. Oak 24 in dia. bs S 49 E 1 ch 02 lbs & a Blk oak 28 " " " S 25 W 1 " 09 "	

T 34 N. R 7 E. 2nd Mer. (Ind<sup>a</sup>)

2.50 pass road course NW  
 16.50 enter prairie " SE & NW.  
 38.00 Land do  
 52.73 intersect line of reserve 1 ch 20 lks N of post  
 Land broken 2<sup>nd</sup> rate

12.73 East corrected between Sect 27 & 34. N 88° 42' E.  
 Set gr see post from which  
 a Sugar gum dia brs S 52 W 85 lks  
 a Sap gum 4 " " N 9 E 17 "  
 12.97 a Hackberry 30 in dia.  
 41.66 a double Spearmint 24 in dia  
 52.73 See corner

2.77 North between Sect 26 & 27  
 a B. Oak 26 in dia  
 17.28 a W. Elm 21 " " calm & improvement on line  
 31.10 an Indian trail course NE.  
 40.00 Set gr see post from which  
 a Beech 28 in dia brs S 32 E 37 lks  
 a do 28 " " " N 49 W 30 "  
 57.06 a Beech 24 " "  
 61.87 a Lym 14 " "  
 62.89 a B. Ash 16 " "  
 63.79 an Indian trail course NW  
 80.00 Set post cor to Sect 22, 23, 26 & 27 from which  
 a Beech 30 in dia brs S 39 E 33 lks  
 a do 24 " " " N 63 W 34 "  
 Land gently rolling, rich 2<sup>nd</sup> rate. Timber,  
 beech, ash, elm, poplar &c. Undgr. Spice,  
 Sassafras &c.

2.54 East on random between Sect 23 & 26  
 Enter windfall course S.E.  
 18.00 lower do  
 27.50 enter marsh course NW.  
 37.62 Margin of Turkey Lake. Set temp post  
 79.00 intersect N-S line 11 lks S of post  
 Land same as last.

West corrected between Sect 23 & 26.

T 34 N. R 7 E. 2nd Mer. (Ind. a)

41.38	S margin of Lake. Set post no trees convenient
58.43	a Red Elm 10 in dia
79.00	See corner
52.71	West on random between Sec 22 & 27 intersect E line reserve 2 chs N of post Land as before
3.10	East corrected between Sec 22 & 27 N 87° 51' E
12.71	a R. Elm 4 in dia Set gr see post from which a Beech 30 in dia. brs N 8 E 9 lks
18.09	a G. Ash 28 " " S 51 W 9 "
33.31	on Ironwood 14 in dia.
52.71	a Beech 26 " " See corner July 25th
1.00	North between Sec 22 & 23
5.78	Enter windfall course S, E.
14.25	a Beech 24 in dia enter creek 6 lks wide. course NW.
18.00	leave windfall
19.30	leave creek course N, E.
29.90	a Blue Ash 14 in dia
33.25	a W. Walnut 36 " "
40.00	Set gr see post from which a G. Ash 14 in dia brs S 6 W 11 lks
49.77	a do 12 " " N 55 E 42 "
80.00	S. side of Turkey Lake. Set post from which a Maple 10 in dia brs S 49 W 31 lks
	a Poplar 30 " " S 24 E 62 "
	cont to Sec 14, 15, 22 & 23 in lake Land as before
	East between Sec. 14 & 23. Line all in Turkey Lake
	West between Sec 15 & 22. Line all in Turkey Lake
56.70	North between Sec 14 & 15 intersect N. margin of Turkey Lake. Set post from which a Blk oak 36 in dia brs N 37 W 36 lks
	a Sycamore 16 " " S 41 E 19 "

T 34 N. R 7 E, 2<sup>d</sup> Mer. (Ind<sup>a</sup>)

chs lks

Land level, 3<sup>d</sup> rate burrens, Timber W & Bk & Jack oak & Hickory &c. Sassafras &c  
January 26.

Meanders of Lake on line between Secs 34 & 35 in Town 34 N. R 7 E. 2<sup>d</sup> Mer (Ind<sup>a</sup>) Var 5<sup>o</sup> E. commencing at post in margin on N side of lake. Thence

courses chs lks

S 70 E	2.95	In Sec. 35
S 24 E	3.50	
South	6.36	
S 61 E	3.25	
N 54 E	1.80	
N 18 E	4.40	
S 83 E	8.27	
S 5 E	7.37	
S 8 1/2 W	8.22	
S 53 W	3.83	
S 6 3/4 W	8.40	to post in line between Secs 34 & 35. S. side of Lake

N 25 1/2 W	12.47	In sec 34
N 26 W	14.13	
S 8 1/2 E	11.68	to place of beginning. July 25.

Meanders of Lake in Section 36. E from 20 chs on line between Secs 35 & 36. 19 chs 45 lks to N. side of lake.

East	19.45	to lake (? open fosse)
S 11 E	10.50	
S 79 1/2 E	11.00	
N 36 1/2 E	5.88	
N 12 1/2 W	27.37	
N 19 E	6.18	
N 92 3/4 W	10.81	6 chs 50 lks pass outlet 20 lks wide
S 1 1/2 W	16.70	5 " 00 " " do 14 " "
S 46 1/2 E	5.39	to place of beginning. July 23 <sup>d</sup>

Meanders of part of Turkey Lake, commencing at post in line between Secs 25 & 26 in S. side of Lake.

Thence in Sec. 25

T34 N. R of E. 2 Mer. (Ind<sup>a</sup>)

<del>Course</del>	chs. lks	
S65 $\frac{1}{2}$ E	8.92	
N63 $\frac{1}{2}$ E	5.21	2 chs 50 lks pass inlet 30 lks wide
N110 $\frac{3}{4}$ E	5.00	
N11 W	11.20	to post in line between Secs 24 & 25 on E. side of lake. Thence. June 23.
N29 W	7.08	In sec. 24
N66 $\frac{1}{2}$ E	7.95	4 chs 65 lks a fine spring
N12 $\frac{1}{2}$ W	16.96	5 " 00 " pass mouth of inlet 1 ch wide
N21 E	6.75	
Nest.	13.75	to post in N. line between Secs 23 & 24 in SE margin of lake. Thence
N60 W	6.27	in Sec. 23
N37 $\frac{1}{2}$ E	9.20	to post in N. line between Secs 23 & 24 in NE margin of Lake.
N33 E	1.31	In sec. 24
S74 E	12.23	
N46 E	6.62	
N28 E	15.60	
N11 W	22.06	to post in line between Secs 13 & 24 in E. side of Lake.
		In Sec. 13
N30 $\frac{1}{2}$ W	11.03	
N36 W	13.22	
N77 W	6.30	to post in N. line between Secs 13 & 14 in NE side of lake
		Meanders of NE shores of Turkey Lake, commencing at post in N. edge of lake in N. boundary of Reserve
		In Sec 14
S54 $\frac{1}{2}$ E	10.78	
S33 $\frac{1}{2}$ E	38.21	
S24 $\frac{1}{2}$ E	2.46	to post in Easterly side of Lake, in line between Secs 11 & 15
		In Sec 15
S17 E	16.33	
S61 $\frac{1}{2}$ E	5.12	
S61 E	9.92	to post in N. line between Secs 14 & 15 in N. margin of Lake

T 34 N. R 7 E. 2 Mer (Ind<sup>2</sup>)

ch. lks	comes	ch. lks	
S 13 E	24.36		In see 14
S 34 E	5.00		
S 67 E	3.04		
N 66 1/2 E	15.92		
N 16 1/2 E	111.82		
N 45 W	8.88		
N 86 W	8.48		
N 34 W	5.84		
N 1 1/2 W	11.26		
N 8 1/2 E	12.82		to post in E. line between Secs 11 & 14 in N. shore of lake
N 2 E	26.27		In see. 11
N 76 1/2 E	13.87		
S 84 E	9.12		3 chs. a fine Spring
S 66 1/2 E	16.27		
S 33 1/2 W	24.23		
S 70 E	7.17		to post in E. shore of Lake between Sec 11 & 14. Thence
S 19 1/2 W	11.97		In see. 14
S 7 1/2 E	14.00		
S 46 1/2 E	4.63		
S 39 E	11.99		
S 26 1/2 E	13.81		
S 25 E	16.97		a cedar bluff on left
N 72 E	7.70		
N 53 1/2 E	3.50		to post in N. line between Secs 13 & 14 in N. shore of Turkey lake
	84.37		June 26
Meanders of Southerly shore of Turkey lake, commencing at post in W. boundary of Reservation on E. side of lake. Ward 5 <sup>th</sup> ad E.			
S 72 1/2 E	9.40		In see 22
S 47 1/2 E	16.58		
N 88 E	17.75		
S 85 1/2 E	13.44		to post on N. line between Sec 22 & 23 in S. shore of Lake.

15.92

a fine Spring

June 26

T 34 N. R 7 E. 2nd Mer. (Ind<sup>ca</sup>)

course	chs lks	
S 86 1/2 E	7.98	In sec 23
S 63 E	18.56	
S 15 1/2 E	3.17	
S 27 E	8.93	
S 15 1/4 E	19.44	
S 21 E	11.78	to post on Elmie between Secs 23 & 26 in southerly shore of lake

S 41 1/2 E	30.111	In sec 26
N 66 E	18.29	
N 81 E	5.112	to post in N. line between Secs 25 & 26 in southerly shore of lake

Meanders of Lake within Sec 25 run a line from gr sec post in N line between Secs 25 & 26 in Small lake. E. 10 chs to N. side of lake — thence — var 5<sup>th</sup> or 6<sup>th</sup> E. In Sec. 25

S 3 W	3.64	2 chs pass outlet 10 lks with course N.
S 37 1/2 E	32.66	
N 49 3/4 E	4.53	
N 20 E	12.25	
N 16 1/2 W	8.11	
S 70 1/2 W	8.00	
N 67 1/2 W	6.40	
N 15 E	12.13	
N 52 1/2 W	15.24	50 pass inlet 10 lks with
S 11 W	8.48	1 ch pass outlet 20 lks with course N. to place of beginning July 28th

The largest portion of the land in this township is of a thin quality of soil, rather broken and stony. The principal timber is W. oak. Hackberry bushes were found in some places in the barrens. There is a great deal of surplus water in this township.

Turkey Lake has been raised about five feet above its level, by reason of a mill dam which had been erected at the outlet on Turkey Creek; in consequence of which a large body of marshy prairie and some finely

Crossing

T 34 N. R 7 E. 2<sup>nd</sup> Mer. (Ind<sup>as</sup>)

timbered land belonging to Government has been inundated.

At the period when it was measured, owing to the long continued drouth in the fall and summer & winter (preceeding) the lake had subsided to something like three feet below its level in ordinary seasons since the erection of the dam.

fall of  
1838

The timber on the land overflowed is totally destroyed.

Several hundred acres, it is believed, has been rendered valueless in consequence of the erection of the mill dam.

This might be partially reclaimed by its removal. The soil is from one to three inches deep on the broken barrens. On the rich timbered land it is from four to six inches.

Turkey lake, and the marshes with which it is partially environed, being locked up with ice and covered with snow, rendered it impossible to observe the mouths of all the creeks and inlets emptying into it; which accounts for their not being all noted.

I do hereby certify that in pursuance of a contract made with Robert Lytle Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 11<sup>th</sup> day of May 1838 and in strict conformity with the laws of the United States, and the instructions of the said Surveyor General, I have surveyed and subdivided into sections & fractional sections, fractional Town 34 N. in range No. 7 East. in the State of Indiana & meandered Turkey lake & several others within said Township; And I do further certify the foregoing to be the true and original field notes of said survey and subdivision executed as aforesaid.

Certified this 27<sup>th</sup> day of January 1839

Asst. C. Vance D. Surveyor

David <sup>his</sup> Frazier } chain carriers  
John L. Sims }  
John P. Johnson marker

--	--	--	--

T 30 N. R. 1 E. 2<sup>nd</sup> Mer. (Ind<sup>a</sup>)

12.60	North	on E. Boundry of Sec 24. w Brook 5 lks wide co. East
18.33		w Mr. Oak 10 in diam
44.44		Set gr see post fr wh. an Elm - in dia' brs S 8 <sup>th</sup> 20 lks dia w Sugar 6 " " " N 3 1/2 <sup>th</sup> 22 "
60.11		w Beech 16 " "
80.00		Set post Cor to Sec 13 + 24 fr wh a Beech 14 in dia' brs N 8 1/2 <sup>th</sup> 67 lks & an Elm 7 " " " S 4 1/2 <sup>th</sup> 27 "
		Land &c same October 7, 1833
3.57	North	on E. Boundry of Sec 13 a brook 6 lks wide co S.E.
15.81		a Beech 12 in dia'
44.00		Set gr see post fr wh. a Sugar 6 in dia' brs N 19 <sup>th</sup> 22 lks & w Beech 14 " " " S 7 <sup>th</sup> 43 "
61.92		Beech 15 " "
80.00		Set post cor to Sec 12 & 13 fr wh. a Sugar 12 in dia' brs N 21 <sup>th</sup> 48 lks & a Beech 18 " " " S 6 3 <sup>th</sup> 24 "
		Land &c Similar
20.44	North	On E. Boundry of Sec 12 an Elm 24 in dia'
44.00		Set gr see post fr wh. a Beech 8 in dia' brs N 6 <sup>th</sup> 43 lks & an Elm 18 " " " S 28 <sup>th</sup> 46 "
60.09		a Beech 8 " "
80.00		Set post Cor to Sec 1 & 12 fr wh a Sugar 21 in dia' brs N 34 <sup>th</sup> 40 lks & a Beech 18 " " " S 21 <sup>th</sup> 41 "
		Land &c same
26.14	North	On E. Boundry of Sec 1 a Beech 10 in dia'
44.00		Set gr see post fr wh. a Beech 24 in dia' brs N 35 <sup>th</sup> 19 lks & a Do 18 " " " S 23 <sup>th</sup> 32 "
89.81		a Sugar 25 " "

To 30 N. R 6 E, 2<sup>nd</sup> Mer Indiana

80.00	Set tempy Town Corner Land & Same
North 22.65 44.00	between Sees 23 & 24 an Ash 11 in dia Set gr see post fr wh w Hickory 8 in dia brs N 10 W 9 lks a Do 8 " " " N 81 E 15 "
53.30 80.00	w Sugar 22 " " Set post cor. to sees 13, 14, 23 & 24 fr wh an Ash 8 in dia brs S 40 W 25 lks an Elm 15 " " " N 46 W 36 South half inclining to wet North half dry & rich Sugar, Beech, Poplar, Lynn
East 77.50 79.40	On Random Between Sees 13 & 24 w Brook 8 lks wide ca. S.E. Intersected E. Boundary 270 lks N of post Land rolling & rich
West 19.40 39.70	On True Line a Beech 24 in dia Set gr see post fr wh w Sycamore 48 in dia brs S 3 W 12 lks & an Ironwood 10 " " " N 44 W 16 "
59.70 79.40	w Lynn 36 " " to see cor.
North 17.07 40.00	Between Sections 13 & 14 a Beech 12 in dia Set gr see post fr wh a Beech 12 in dia brs N 61 W 13 lks an Ironwood 14 " " " S 50 E 36 "
67.30 80.44	w Beech 20 " " Set post cor. to sees 11, 12, 13 & 14 fr wh, a Buckey 12 in dia brs N 21 W 10 lks a Hickory 14 " " " S 21 E 12 " Land & timber as last described
East 79.80	on Random Between Sees 12 & 13 Intersected E. Boundary 205 lks N of post

G 30 N. R. & C. 2<sup>nd</sup> Mer Indiana

cho. lks.	Land as before
West	On True Line
19.75	a Beech 12 in dia
39.75	Set gr see just fr wh.
	w Beech 12 in diam brs S 55 W 17 lks.
	w Do 14 " " " N 55 E 5 "
59.75	an Ash 12 " "
79.50	To See Cor. April 11, 1834
North	Between Seed 11 & 12
24.75	an Elm 11 in dia.
40.00	Set gr see just fr wh.
	a Buckeye 12 in dia brs S 19 E 14 lks
	w R. Oak 18 " " " N 75 W 5 "
71.75	w Beech 22 " "
80.00	Set post Cor. to seed 1, 2, 11 & 12 fr wh. #
	Land rolling good 2 <sup>nd</sup> rate, except
	some wet swampy land around the half
	mile cor. which however is not of much
	effect
	# Ash 14. N 54 W 22. Buckeye 12. S 11 E 18.
East	On Random Betwn Seed 1 & 12
72.80	a Brook 6 lks wide ca. S
80.15	Intersected E. Boundary 190 lks N of post
	Land rolling dry rich, Beech, Ash, Oak
	Poplar, Walnut, Sugar, Elm, Hickory.
	Undergth - Ironwood, Water Beech, Ash, Elm,
	Synn. Paw Paw.
West	on True line
40.07 1/2	Set gr see just fr wh.
	a Poplar 24 in dia brs N 32 E 9 lks &
	an Ironwood 9 " " " S 4 E 11 "
16.32	an Ash 26 " "
80.15	To See corner
North	between Sections 1 & 2
17.40	an Ash 24 in dia
40.00	Set gr see just fr wh.
	a W. Oak 15 in dia brs S 59 W 11 lks

T 30 N. R 6 E. 2<sup>nd</sup> Mer. Indiana

cho lks 60.26 80.00	a cherry 8 in dia to See Cor.
North 00.00 27.90 40.00 45.00 62.90 79.90	Between Sections 2 & 3 Enter Swamp a Jamk 22 in dia Set gr see post in swamp fr wh. an Elm 12 in dia brs S 13 E 9 lks a W Oak 14 " " " N 13 W 19 " Leaves Swamp an Ash 24 in dia Intersected N. Boundary 125 lks W of post Set post cor to Secs 2 & 3 fr wh a Beech 21 in dia brs S 50 E 28 lks a Do 6 " " " S 18 W 30 " N. half good land - timber on the South half is exclusively Jamk.
North 20 16.40 40.00 65.94 80.00	Between Sections 33 & 34 w Brook 25 lks wide ca SE a W. Oak 22 in dia Set gr See post fr wh. w W Oak 30 in dia brs N 34 E 11 lks. a Do 24 " " " S 30 W 17 " a Hickory 12 " " Set post cor to Secs 27, 28, 33 & 34 fr wh a R Oak 12 in dia brs S 70 E 6 lks w W Oak 18 " " " N 56 W 29 " Rolling poor oak land, including to Barrens.
East 80.50	on Random Betwn Sec 27 & 34 Intersected N & S line 170 lks N of post Land 2 <sup>nd</sup> rate Land, Oak Hickory, Ash, Beech, Dogwood, Ironwood Hazel.
West 12.74 40.25	on Line line a Hickory 22 in dia Set 2 - See post fr wh. w R. Oak 22 in dia brs S 28 W 7 lks w Cherry 24 " " " N 28 E 31 "

T 30 N. R 6 E. 2<sup>nd</sup> Mer. Indiana

cho lks	a W. oak 64 in dia hrs N 29 W 16 lks
50.00	a Swamp Vetch Prairie about 11 chs wide extending E & West.
60.47	Am Elm 12 in dia
79.40	Intersected 30 lks W of post N. Boundary. Set post Cor to Sec 1 & 2, fr wh. a Beech 11 in dia hrs S 69 W 24 lks & w Do 13 " " " S 59 E 13 "
	Good land except the swamp. Timber as last described.
North	Between Sections 34 & 35
16.14	a Beech 11 in dia
40.44	Set gr see post fr wh.
	w W. Oak 12 in dia hrs N 54 E 31 lks & w Do 24 " " " S 11 W 16 "
North	Between Sections 22 & 23
19.68	a Poplar 36 in dia
40.04	Set gr see post fr wh.
	a Lym 14 in dia hrs N 98 E 8 lks a Do 7 " " " S 38 W 23 "
61.80	a Beech 24 " " "
80.00	Set post Cor to Sec 14, 15, 22 & 23 fr wh. a Beech 11 in dia hrs N 62 W 9 lks w Do 12 " " " N 87 E 32 "
	Good Lurate land. Timber as before - except that there is more ash.
East	On Random Between Sections 14 & 23
79.40	Intersected N & S line 211 lks N of post Land & timber the same
West	on True line
19.20	a Hickory 22 in dia
39.70	Set gr see post fr wh.
	a Beech 15 in dia hrs N 73 E 18 lks w Do 12 " " " S 47 W 29 "
59.50	am Ash 11 " " "
North	Between Sections 14 & 15
20.78	a Poplar 24 in dia

T 30 N. R 11 E. 2<sup>nd</sup> Mer Indiana

chs lks 44.00	Set gr. see post fr. wh. a Beech 18 in dia brs N 88 E 16 lks. w Do 24 " " " S 17 W 20 "
89.00	Set post Cor to seed 10, 11, 14 & 15 fr. wh. a Beech 10 in dia brs N 18 W 17 lks & w Do 20 " " " S 23 E 14 " Land & timber the same.
East 79.50	On Random Between Seed 11 & 14 Intersected N & Line 109 lks N of post Second Rate Land. Oak, Hickory, Poplar, Beech, Sugar, Elm, Ironwood, Dogwood, Hickory,
West 19.80 39.75	on True line a W. Oak 24 in dia Set gr. see post fr. wh. a Willow 8 in dia brs N 44 E 9 lks an Ash 8 " " " N 60 W 5 " In an all (Willow Swamp)
64.00 79.50	a Poplar 12 in diam to See Cor April 11, 1834
North 44.00	Between Sections 10 & 11 Set gr. see post fr. wh. a W. Oak 36 in diam brs N 17 W 17 lks " Do 22 " " " N 82 E 17 "
62.30 89.00	a Poplar 24 " " Set post Cor to seed. 2, 3, 10 & 11 fr. wh. a Willow 4 in dia brs N 76 W 34 lks w Do 4 " " " N 6 W 61 " (On Swamp) Rolling then 2 <sup>nd</sup> Rate Land.
East 89.00	On random between seed. 2 & 11 Intersected N & Line 105 lks S. of post East half mile good Land. West half more Oak timber & thinner soil
West 13.23 44.00	On True line a W. Oak 45 in dia Set gr. see post fr. wh. an Elm 24 in dia brs N 32 W 21 lks w W. Beech 8 " " " S 12 E 18 "

T 30 N. R 6 E. 2<sup>d</sup> Mer. Indiana

cho lks 81.54	to seed loc.
North 21.54 41.00 66.55 80.01	Between Seed 27 & 28 a Hickory 13 w dia Set gr see post fr wh. an Ash 21 w dia lvs S 32 W 29 lks w Hoop 11 " " " N 41 E 25 a Poplar 24 " " Set post loc to seed 21, 22, 27 & 28 fr wh a Water Beech 11 w dia lvs N 54 W 13 lks w Hickory 7 " " " S 12 E 22 " South half mile poor oak timber North half rich, Sugar, Walnut, Oak, Beech, Ash, Elm &c.
North 17.00 29.21 33.00 41.11 51.34 57.57 73.51 81.00	***** Between Sections 21 & 22, w Brook 21 lks wide co S. E. w Poplar 40 w dia w Brook 21 lks wide co. N. Set gr see post fr wh. a Poplar 36 w dia lvs N 84 W 8 lks an Ironwood 11 " " " S 51 E 24 " a R. Oak 50 " " w Brook 21 lks wide co. S. E. a Do 20 " " West Set post loc to seed 15, 16, 21, & 22 fr wh a Ash 21 w dia lvs N 80 W 18 lks a Lynn 5 " " " S 57 E 8 " Land rolling & good. Timber Oak, Ash, Elm, Sugar, Walnut, Poplar, Beech, Ironwood, Dogwood, Hickory, Lynn &c.
East 19.14 80.60	On Random Between Seed 15 & 22, w Brook 15 lks wide co. South Intersected N & S line 55 lks No. of post Land and timber as last described
West 21.14 40.30	On True line a Poplar 23 lks dia Set gr see post fr wh a Beech 24 w dia lvs S 79 E 27 lks dia a Sugar 20 " " " S 69 W 41 "

J. 31. N. R. C. Co. 2<sup>nd</sup> Mer. Indiana.

Sho lks 46.98 80.60	an Elm 11 in dia In see cor.
North 14.91 24.56 40.00  74.00 80.00	Between Sections 15 & 16 a R. Oak 30 in dia a Brook 15 lks wide co. S.E. Set In see just fr. wh. a W. Oak 31 in dia bro N 7 E 7 lks & a R. Oak 30 " " " S 7 W 31 " a Poplar 31 " " Set just cor to sees 9, 14, 15 & 16 fr wh an Ash 12 in dia bro N 4 W. 8 lks. & a Do 6 " " " S 24 E 14 " Land rolling & rich. beautiful no change in timber
East 80.90	On Random Between Sees 14 <sup>10</sup> & 15 Intersected N & S line 50 lks N of just W. half mile good E half somewhat swampy
West 22.13 40.45  61.30 80.90	On Line Line a Beech 24 in dia Set gr see just from which an Ash 8 in dia bro S 69 E 24 lks, dia a Do 14 " " " S 79 W 22 " a Beech 22 " " In see cor.
North 21.34 44.00  50.55 65.80 80.00	(Between) Sections 9 & 11 a Sugar 24 in dia Set In see just fr. wh an Elm 10 in dia bro N 64 E 18 lks & a Beech 8 " " " S 81 W 20 " a Brook 12 lks. wide co. S.W. a Beech 12 in dia Set just cor to sees 3, 11, 9 & 10 fr wh an Elm 8 in dia bro N 36 W. 11 lks & an Ash 10 " " " S 85 E 11 " Land level & rich - timber as before April 14, 1834
East	On Random Between Sees 3 & 10

T 30 N. R 6 E. 2<sup>nd</sup> Mer. Indiana

80.60	Intersected N+S line 50 lks N of post Last 50 chs totatly in swamp
West 40.30	On True Line Set 2 <sup>nd</sup> Sec post fr. wh. an Ash 11 in dia bro S 75 W 21 lks, dia an " 7 " " " S 71 W 15 "
73.30	an Aspen 22 in dia
80.60	to see Cor.
North 6.95	Between Sections 3 & 4 a W Oak 36 in dia
30.00	Windfall co. E & W.
40.00	Set 2 <sup>nd</sup> Sec post fr wh a Lynn 17 in dia bro S 80 E 7 lks. dia a W. Oak 11 " " " S 77 W 9 " "
61.18	a Poplar 36 " "
80.90	Intersected N. Boundary 21 lks E. of post Set post bear to see 3 & 4 fr. wh. a Beech 24 in dia bro S 45 E 45 lks. dia a Do 18 " " " S 56 W 65 " "
	Land rolling v rich Sugar Oak Ash. Hickory Poplar Elm &c Undg th Ash. Beech. Hickory. Elm. Lynn.
North 24.61	Between Sections 20 & 21 a Lynn 22 in dia
40.00	Set 2 <sup>nd</sup> sec post fr. wh. a W. Oak 20 in. diam bro S 34 E 17 lks. dia. a Do 33 " " " N 22 W 19 " "
61.60	a R. Oak 20 " "
80.00	Set post Cor. to Sec. 16, 17, 20 & 21 fr. wh. a Hickory 14 in diam bro N 19 E 34 lks. dia a W. Oak 20 " " " S 24 W 35 " "
	Poor Oak Land. Sassafras. Hazel, Hickory &c.
East 10.40	On Random. Between Sec'd 16 & 21 a Poplar 5 lks (wide) co. South
48.50	a Do 6 " " " S.E.
80.10	Intersected N+S line 32 lks N. of post

## T 30 N. R 6 E. 2 Mer. Indiana

ch. lks

	the first 25 chs. is in Wet Prairie & Willow Swamp - Oak timber floor land Except the E. quarter
West 21.24 40.05 80.10	On True Line a W. Oak 10 in. dia Set gr. Sec. post fr. wh. a Cottonwood 9 in dia. brs N 3 E 64 lks. dia. a Willow 8 " " " S 76 W 13 " " to Sec. Cor.
North 29.00 40.00 80.00	Between Sections 16 + 17 a W. Oak 36 in. diam Set gr. Sec. post fr. wh. an Elm 12 in. diam. brs S 59 W 23 lks. dia. an Ash 11 " " " " N 24 E 29 " " Set post Cor. to sec 8, 9, 16 + 17 fr. wh. a W. Oak 30 in. diam. brs N 28 W. 21 lks. dia. a Do 17 " " " " N 82 E. 37 " " Land rolling. S half mile poor. and Oak timber - N half 2 <sup>nd</sup> Rate. Oak, Sugar, Ash, Hickory &c. Undergrowth. Hazel & Sassafras.
East 20.00 79.56	On Random Between Secs 9 + 16 a Brook 10 lks wide cor. S. Intersected N + S line 84 lks. N of post Land rolling, & good. Beech, Sugar, Ash, Oak, Hickory, Elm &c. Ironwood, Elm, Lym & Hickory, &c
West 18.70 39.78 66.37 79.56	On True Line an Ironwood 9 in diam Set gr. sec post fr. wh. a Lym 10 in dia brs N 19 W 29 lks. dia a Beech 18 " " " " S 38 E 20 " " an Ash 16 " " " to Sec. Cor.
North 23.50 40.00	Between Sections 8 + 9. a Hickory 20 in. dia Set 2 <sup>nd</sup> Sec post fr. wh.

G 30 N. R 6 E, 2<sup>nd</sup> Mer. Jackson

chords

12.11 80.00	<p>an Ash 24 in diam brs S 23 W 14 lbs. dia.                  a Beech 14 " " N 33 E 26 " "</p> <p>an Ash 24 " " " " " " " " " "</p> <p>Set post cor to Seed. 4. 5. 8 + 9 fr. wh.                  an Ironwood 10 in diam brs N 41 W 30 lbs. dia.                  " do 8 " " " S 61 E 8 " "</p>
East 79.21	<p>On Random Betw. Seed. 4 + 9.                  Intersected N + S line 100 N of post                  Land &amp; timber as last described</p>
West 19.05 39.64 67.51 79.20	<p>On line                  a Hickory 24 in diam.                  Set gr. see. post fr. wh.                  an Elm 11 in diam brs N 73 W 19 lbs. dia.                  an Ironwood 8 " " " S 44 E 29 " "</p> <p>an Elm 13 " " " " " " " "</p> <p>to see. cor.</p>
North 15.90 40.00 65.00 81.67	<p>Between Sections 4 + 5                  an Ash 18 in diam                  Set gr. see. post fr. wh.                  a Beech 24 in dia brs N 54 E 48 lbs. dia.                  a Do 30 " " " S 29 W 12 " "</p> <p>Enter wet prairie                  Intersected N. Boundary, in Prairie 159 lbs                  East of old corner where                  Set post cor to Seed. 4 + 5 fr. wh.                  a W. Oak 11 in diam brs S 77 E 241 lbs. dia.                  a Do 18 " " " N 36 E 186 " "</p> <p>Land rolling 2<sup>nd</sup> date                  April 16, 1884.</p>
North 28.50 40.00 58.66 80.00	<p>Between Seed 19 + 20                  a W. Oak 19 in diam                  Set gr. see. post fr. wh.                  a W. Oak 33 in diam brs S 09 E 12 lbs. dia.                  a Do 30 " " " N 34 W 45 " "</p> <p>an Ash 14 " " " " " " " "</p> <p>Set post cor. to seed 17. 18. 19 + 20 fr wh                  an Elm 6 in diam brs N 2 W. 40 lbs. dia.                  a Yellow 5 " " " N 11 E 60 " "</p> <p>In west side of Prairie</p>

Land rolling 2<sup>nd</sup> date  
 mile from N. then  
 south, including there to  
 Oak timber

T 30 N. R 6 E. 2<sup>nd</sup> Mer. Indiana

cho lks	South half mile prairie, part Barrens. N. half - good land. Beech, Oak, Ash, Sugar, Elm, Hickory, Walnut &c.
East 00.00 16.59 89.00	on Random Between Sect. 17 & 20. Enter bet Prairie Leave do Intersected 180 N. of post Net swampy & Bushy
West 22.42 40.00 62.22 89.00	On True Line an Elm 12 in diam. Set 2 <sup>nd</sup> Sec post fr. wh. w Poplar 15 in diam hrs N 83 E 21 lks. dis. w Sycamore 12 " " " S 62 W 24 " " w B. Oak 24 " " " " " " " " To Sec Cor
West 17.30	on Random Between Sect. 18 & 19. Intersected N. Boundary 39 lks S of post, and at Cor. made Cor. to Sect 18 & 19 fr. wh. w Poplar 30 in dia hrs N 58 E 32 lks. dist w B. Oak 8 " " " N 16 E 27 " " Rolling 2 <sup>nd</sup> rate Land - Timber as before.
East 8.20 27.50 45.56 17.30	On True Line a B. Oak 40 in diam Set 9 <sup>th</sup> Sec post from wh. a Dogwood 7 in diam hrs S 55 W 11 lks. dis. w Hickory 11 " " " N 33 E 41 " " a W. Oak 28 " " " " " " " " To Sec. cor. Apr. 17, 1834.
North 24.00 29.92 40.00 56.40 80.00	Between Sections 17 & 18 Left Prairie w W. Oak 20 lks. diam Set 9 <sup>th</sup> Sec post in willow swp. fr. wh an Ash 8 in dia hrs N 26 E 20 lks. dis w Willow 4 " " " S 12 E 16 " " w Maple 22 " " " " " " " " Set post at to Sect. 17 & 18 fr. wh an Ash 11 in dia hrs S 31 E 16 lks. dis.

T 30 N. R. & O. 2 Mer. Indiana

	<p>an ash 7 in dia brs N12 W. 34 lbs. dia.          South half mile poor &amp; wet          North half rolling &amp; good</p>
<p>East          80.75</p>	<p>On Random Between Sect 8 &amp; 17          Intersected N &amp; S line 50 lbs N. of post          Rolling Land - but interspersed with          Swamps</p>
<p>West          21.48          40.37 1/2          75.68          80.75</p>	<p>On True Line          an ash 16 in dia          Set 2<sup>nd</sup> Sec post fr. wh.          w the Oaks 30 in diam brs N18 E 17 lbs. dia.          a Do 30 " " " S19 E 25 " "          a Do 22 " " " "          to see cor.</p>
<p>West          65.64</p>	<p>On Random Between Sect. 7 &amp; 18          Intersected N. Boundary 70 lbs S. of post          and at cor. made cor to Sects 7 &amp; 18 fr. wh.          a Beech 18 in diam brs N74 E 12 lbs. dia          a Do 16 " " " S22 E 53 " "          Land Rolling &amp; very rich. Poplar, Oak,          Walnut, Sugar, Elm, Dogwood, Buckeye,          Hickory, Beech, Elm &amp;c.</p>
<p>East          6.44          25.64          58.30          65.64</p>	<p>On True Line          a Beech 30 in diam          Set 2<sup>nd</sup> Sec post fr. wh.          a Beech 18 in diam brs N16 E 10 lbs dia          an ash 22 " " " S41 W 47 " "          a Red Oak 23 in diam          to see cor.</p>
<p>North          22.21          40.11          51.25          80.00</p>	<p>Between Sections 7 &amp; 8          a Beech 12 in diam          Set 2<sup>nd</sup> Sec post fr. wh.          a Hickory 24 in diam brs N20 W 24 lbs dia.          a Ironwood 12 " " " S11 E 17 " "          a Sycamore 33. " "          Set post. Cor. to Sect 5.6. 7 &amp; 8 fr. wh          an Elm 18 in dia brs N42 E 40 lbs dia</p>

## T 30 N. R 11 E. 2 Mer. Indiana

	an Elm 17 in diam. brs S 2 W. 33 lbs. dia. Land rolling and rich - Timber as last described
East 80.66	On Random Between Seed 578 Intersected N. S. line 131 lbs N. of post Land level poor 2 <sup>nd</sup> rate
West 22.86 41.33 69.33 80.66	on True Line a Beech 24 in diam Set 2 <sup>nd</sup> Sec just fr. wh. an Elm 15 in diam brs S 78 W 27 lbs dia a Hickory 12 " " " N 63 E 21 " " a Poplar 6 " " " to See Cor.
West 52.04 64.00 65.00	on Random Between Seed 677 Enter Prairie w Deep miry brook 30 lbs wide. ca. S W Intersected N. Boundary 31 lbs S. of post. Rolling good land
East 25.00 44.84 65.00	On True Line. an Aspen 8 in diam brs N 68 E 16 lbs dia. an Elm 14 " " " S 19 E 27 " " Set 2 <sup>nd</sup> Sec just from which a W. Oak 24 in diam brs S 41 W. 25 lbs dia a Do 17 " " " N 1 E 18 " " w Poplar 6 " " " To See Cor.
North 21.57 39.64 40.00 59.65 81.73	Between Sections 576. an Elm 18 in dia. w Brook or Spring Branch. N. W. Set 2 <sup>nd</sup> Sec. just fr. wh. an Ash 19 in diam brs S 61 E 4 lbs dia. an Elm 5 " " " N 48 W 14 " " a Poplar 34 " " " Intersected N. Boundary 118 lbs. N. of post. Set just cor to Seed 576 fr. wh. a Poplar 22 in diam brs S 45 E 34 lbs & a Beech 18 " " " S 74 W 44 " "

T 30 N R 6 E, 2<sup>nd</sup> Mer. Indiana

Sand rolling Creek  
April 18. 1834

Meanders of a Lake in Sec. 1.  
(beginning at the corner on the line  
between Ranges 5 & 6 on N side of Lake)

Courses	chs. lks	Remarks
N 62 E	17.00	in Sec 1 & wet prairie
East	8.00	high land - Oak timber
N 66 E	8.50	Wet prairie
N 37 W	14.00	Limbed Land
S 63 E	9.00	Wet prairie
S 32 E	5.00	
S 5 W	9.00	in Edge of timber
S 17 E	3.50	
S 49 W	20.50	at 11.44 inlet 14 lks. wide, N E.
S 44 E	4.00	
S 38 E	7.00	
S 16 W	8.50	at 8.10 inlet 10 lks from S E.
S 39 W	5.50	
N 72 W	11.00	
N 39 W	12.50	
N 21 W	8.50	
N 57 W	11.64	to corner on Range line South side of Lake

The East half of this Township is very fine Land - The West half inclines more to oak timber - which mostly grows on low Land - The N. W. part likewise gives the head of some watercourses which invariably have their source from Swamps. This Township I have to subdivide as higher variation than is given for the East Boundary (van der's given 8" 45' subdivided at 6.25)

I hereby certify that in  
presence of a competent witness  
Surveyor General of the United States for the  
States of Ohio and Indiana & the

T 31 N. R. 6 E. 2<sup>nd</sup> Mer. Indiana

Territory of Michigan - bearing date  
 the 27<sup>th</sup> day of December 1833 - and  
 in good conformity to the Laws of the  
 United States, and the instructions of  
 said Surveyor Genl. I have surveyed  
 and subdivided into sections Township  
 No. 30 N. of Range No. 6 East of the  
 2<sup>nd</sup> principal in the State of Indiana,  
 and I do further certify that the foregoing  
 are the true (and mainly) the Original  
 field Notes of the said Survey and  
 subdivisions executed as aforesaid  
 Certified this 18<sup>th</sup> April 1834  
 John Hendricks  
 Deputy Surveyor

William Cook }  
 William Selton } Chambermen  
 Andrew B. Rodefer Marker